

## **LAPORAN PUBLIKASI ILMIAH**

**Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia**

Diajukan sebagai syarat untuk mendapatkan gelar kesarjanaan/Diploma\*) pada program studi Pendidikan Biologi Fakultas keguruan dan Ilmu Pendidikan Universitas Labuhanbatu



**Rahmatul Hidayah**  
**1904100012**

**PROGRAM STUDI PENDIDIKAN BIOLOGI  
FAKULTAS KEGURUAN DAN ILMU PENDIDIKAN  
UNIVERSITAS LABUHANBATU  
RANTAUPRAPAT  
2023**

## LEMBAR PENGESAHAN PERSETUJUAN

JUDUL : Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia

NAMA JURNAL/PROSIDING/BUKU : Jurnal Penelitian Pendidikan IPA (JPPIPA)

VOLUME, NOMOR, TAHUN : 9, 2, 2023

HALAMAN : 676-680

TERINDEKS : Sinta 2

NAMA MAHASISWA : Rahmatul Hidayah

NPM : 1904100012

PRODI : Pendidikan Biologi

DOSEN PENDAMPING : Khairul, S.Pi., M.Si

DISETUJUI SEBAGAI PENGGANTI SKRIPSI (PILIHAN TUGAS AKHIR)

Pada tanggal : 22 Desember 2022

Disetujui Oleh :

Dosen Pembimbing





Khairul, S.Pi., M.Si

NIDN. 0109037501

Disahkan Oleh :

Kepala Program Studi Pendidikan Biologi



Risma Delima Harahap, S.Pd,M.Pd

NIDN. 0130118502

## LEMBAR TINDAK LANJUT

Nama Mahasiswa : Rahmatul Hidayah  
NPM : 1904100012  
Program Studi : Pendidikan Biologi  
Judul Artikel : Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia  
Dipublikasikan Dijurnal : Jurnal Penelitian Pendidikan IPA (JPPIPA)  
e\_ISSN/p\_ISSN : 2407-795X/2460-2582  
Volume, Nomor, Tahun : 9, 2, 2023  
Terindeks Pada :  Sinta 2

BERDASARKAN KETERANGAN DAN DATA TERLAMPIR BAHWA KARYA ILMIAH (ARTIKEL) DENGAN JUDUL MONITORING THE BIOLOGICAL ASPECTS OF BANDED ARCHER FISH (*TOXOTES JACULATRIX PALLAS, 1767*) IN BILAH RIVER, LABUHANBATU REGENCY, INDONESIA

DIPUTUSKAN :

I. MELAKSANAKAN UJIAN PENDALAMAN KARYA ILMIAH

Disahkan pada tanggal: 28 Februari 2023  
Kepala Program Studi Pendidikan Biologi

Disahkan Oleh :  
Dekan Fakultas Keguruan dan Ilmu

  
Risma Delima Harahap, S.Pd, M.Pd  
NIDN. 0130118502



  
Dr. Sakmah Ubudiyah Siregar, M.Pd  
NIDN. 0109048702



## KATA PENGANTAR

Alhamdulillah Puji syukur penulis sampaikan kepada Allah SWT, yang telah memberikan banyak kesehatan dan kesempatan sehingga dapat menyelesaikan karya ilmiah yang menjadi salah satu syarat untuk mendapatkan gelar kesarjanaaan pada Program Studi Pendidikan Biologi Fakultas Keguruan dan Ilmu Pendidikan Universitas Labuhanbatu. Karya ilmiah yang berjudul " Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia " ini disusun dengan penuh usaha hingga terpublikasi pada Jurnal Penelitian Pendidikan IPA (JPPIPA) Universitas Mataram yang terindeks SINTA 2. Penyusunan hingga terpublikasinya karya ilmiah ini kedalam Jurnal tidak terlepas atas bantuan dan dukungan banyak pihak. Ucapan terimakasih sebesar-besarnya penulis ucapkan kepada

1. Rektor Universitas Labuhanbatu Ade Parlaungan Nasution SE., M.Si, Ph.D
2. Dekan FKIP Dr. Sakinah Ubudiyah Siregar, S.Pd.I.,M.Pd
3. Kaprodi Pendidikan Biologi Risma Delima Harahap S.Pd., M.Pd
4. Dosen Pembimbing Khairul, S.Pi., M.Si
5. Kepada Orangtua yang telah mendukung saya

Karya ilmiah yang terpublikasi ini tentunya masih memerlukan adanya masukan dan saran sehingga kedepan karya ilmiah ini dapat dijadikan rujukan pada karya-karya ilmiah yang akan datang


Rantauprapat, 07 Maret 2023



Rahmatul Hidayah

# BUKTI PRINT OUT COVER / DAFTAR ISI ARTIKEL

## JURNAL PENELITIAN PENDIDIKAN IPA



**Jurnal Penelitian Pendidikan IPA** (e\_ISSN: 2407-795X, p\_ISSN: 2460-2582) contains scientific articles form of research results that include science, technology, and teaching in the field of science. **Jurnal Penelitian Pendidikan IPA** is published monthly. Authors across the globe are welcome to submit their research papers in the prestigious journal fulfilling the requisite criterion.

**Jurnal Penelitian Pendidikan IPA** Collaborate with: **Perkumpulan Pendidik IPA Indonesia**.

**Jurnal Penelitian Pendidikan IPA** provides immediate **OPEN ACCESS** to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.



EDITORIAL TEAM

REVIEWERS

FOCUS & SCOPE

PUBLICATION ETHICS

INDEXING AND ABSTRACTING

ARCHIVING INFORMATION

PUBLICATIONS FEES

SCOPUS CITATION ANALYSIS

DOWNLOAD FULL ISSUE

**Jurnal Penelitian Pendidikan IPA** index by: [Crossref](#) | [Sinta DIKTI](#) | [Indonesian Public Index \(IPI\)](#) | [Google Scholar](#) | [Indonesian One Search](#) | [Bielefeld Academic Search Engine \(BASE\)](#) | [Index Copernicus International \(ICI\)](#) | [World of Journals](#) | [PKP Index](#) | [Academic Recource Index](#) | [Mendeley](#) | [Garuda Ristekdikti](#) | [More...](#)

Authors who publish with **Jurnal Penelitian Pendidikan IPA**, agree to the following terms:

1. Authors retain copyright and grant the journal right of first publication with the work simultaneously licensed under a [Creative Commons Attribution 4.0 International License \(CC-BY License\)](#). This license allows authors to use all articles, data sets, graphics, and appendices in data mining applications, search engines, websites, blogs, and other platforms by providing an appropriate reference. The journal allows the author(s) to hold the copyright without restrictions and will retain publishing rights without restrictions.
2. Authors are able to enter into separate, additional contractual arrangements for the non-exclusive distribution of the journal's published version of the work (e.g., post it to an institutional repository or publish it in a book), with an acknowledgment of its initial publication in **Jurnal Penelitian Pendidikan IPA**.
3. Authors are permitted and encouraged to post their work online (e.g., in institutional repositories or on their website) prior to and during the submission process, as it can lead to productive exchanges, as well as earlier and

## JOURNAL TEMPLATE



## NATIONALLY ACCREDITED








[HOME](#) / [ARCHIVES](#) / Vol. 9 No. 2 (2023): February

## Vol. 9 No. 2 (2023): February



Twenty Four Edition

Jurnal Penelitian Pendidikan IPA (JPPIPA) - Journal of Research in Science Education (e-ISSN:2407-795X, p-ISSN:2460-2582).

PUBLISHED: Feb 28, 2023

ISSUE DOI: 10.29303/jppipa.v9i2

### ARTICLES "REGULAR ISSUE"

#### Development of Physics E-Module Based on Discovery Learning to Improve Students' Scientific Literacy

Shofia Maghfiroh, Insih Wilujeng, Jumadi Jumadi, Dewi Masyitha

452-458

[PDF](#) This article have been read **153** times, downloaded **197** times

#### Innovation of Media Science "Sensing System" with Android Platform: Feasibility Test

Mirsya Adella, Asri Widowati, Jumadi Jumadi, Fitria Lafifa

459-464

[PDF](#) This article have been read **83** times, downloaded **84** times

#### Analysis Study of Student Responses to the Science Practicum E-Module on Conductor and Insulator Materials

Mirsya Adella, Asri Widowati, Jumadi Jumadi, Fitria Lafifa

465-470

[PDF](#) This article have been read **74** times, downloaded **74** times

#### Stimulating Metacognitive and Problem Solving-Skills Students' on Chemical Equilibrium through Modified Problem-Based Learning (M-PBL) Strategy

Jusniar Jusniar, Syamsidah Syamsidah, Munawwarah Munawwarah

471-477

[PDF](#) This article have been read **59** times, downloaded **53** times

#### Characteristic of Ceremai Fruit Electrical Properties as Electrolyte Solution in Galvanic Cells

Lalu Ahmad Didik Meliyadi, Isnirwana Damayanti, Amalia Syuzita

478-484

[PDF](#) This article have been read **73** times, downloaded **83** times

#### Insecticide with the Active Ingredient Methomyl Interferes with the Growth and Survival of the Jatiumbulan Tilapia Strain (*Oreochromis niloticus*)

Nurhalisa Nurhalisa, Diana Arfiati, Sri Andayani, Afella Osa, Vina Nur Nadiro

485-490

[PDF](#) This article have been read **49** times, downloaded **56** times

#### The Effect of Implementing the Android-Based Jire Collaborative Learning Model on Momentum and



[EDITORIAL TEAM](#)

[REVIEWERS](#)

[FOCUS & SCOPE](#)

[PUBLICATION ETHICS](#)

[INDEXING AND ABSTRACTING](#)

[ARCHIVING INFORMATION](#)

[PUBLICATIONS FEES](#)

[SCOPUS CITATION ANALYSIS](#)

[DOWNLOAD FULL ISSUE](#)

### JOURNAL TEMPLATE



### NATIONALLY ACCREDITED



### KEYWORDS




### JOURNAL STATCOUNTER



Nova Elysia Ntobuo, Lanto Mohamad Kamil Amali, Dewi Diana Paramata, Muhammad Yunus


491-497

 This article have been read **48** times, downloaded **53** times

### Development of Biology Learning Media Assisted by Construct2 to Improve Critical Thinking Skills

M. Noris, Sullisty Saputro, Muzzazinah Muzzazinah, Ayu Rahayu


498-504

 This article have been read **112** times, downloaded **86** times

### Analysis of Student's Answer Error on Understanding of Energy Concept in Conceptual Change Text (CCT)-Based Learning

Rahmah Novianti, Wafa Nur Aisyah, Wati Sukmawati


505-508

 This article have been read **33** times, downloaded **32** times

### Study Review of the Speed of Light in Space-Time for STEM Student

Lulut Alfaris, Ruben Cornelius Siagian, Eko Pramesti Sumarto


509-519

 This article have been read **122** times, downloaded **98** times

### Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia

Rahmatul Hidayah, Siti Khadijah Harahap, Risdia Kesuma Lubis, Rizka Junita, Lili Nurindah Sari, Khairul Khairul


676-680

 This article have been read **37** times, downloaded **45** times

### The Effect of Guided Inquiry-Based Excretion System E-Module to Improve Critical Thinking and ICT Literacy Skills for Students

Nur Laili Miftakhurrohmah, Mohammad Masykuri, Sri Retno Dwi Ariyani, M. Noris


681-689

 This article have been read **84** times, downloaded **71** times

### The Influence Public Knowledge and Perception Regarding Use Alternative Energy Sources Based Biofuels

Evita Anggereini, Rina Aprianti Nainggolan, Mia Aina

690-697

 This article have been read **32** times, downloaded **27** times

## JOURNAL VISITORS







## Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia

Rahmatul Hidayah, Siti Khadijah Harahap, Risdha Kesuma Lubis, Rizka Junita, Lili Nurindah Sari, Khairul Khairul

DOI: 10.29303/jppipa.v9i2.2321

Published: 2023-02-28

[PLUMX METRICS](#)



- [EDITORIAL TEAM](#)
- [REVIEWERS](#)
- [FOCUS & SCOPE](#)
- [PUBLICATION ETHICS](#)
- [INDEXING AND ABSTRACTING](#)
- [ARCHIVING INFORMATION](#)
- [PUBLICATIONS FEES](#)
- [SCOPUS CITATION ANALYSIS](#)
- [DOWNLOAD FULL ISSUE](#)

[PLUMX METRICS](#)

Issue: Vol. 9 No. 2 (2023): February

Keywords: Bilah River, Biological Aspects, *Toxotes jaculatrix*

ARTICLES "REGULAR ISSUE"

[PDF](#)

HOW TO CITE


Hidayah, R., Harahap, S. K., Lubis, R. K., Junita, R., Sari, L. N., &

Khairul, K. (2023). Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia. *Jurnal Penelitian Pendidikan IPA*, 9(2), 676–680. <https://doi.org/10.29303/jppipa.v9i2.2321>


More Citation Formats



DOWNLOADS



METRICS



[Abstract](#) [References](#) [License](#)

ABSTRACT

Banded archer fish (*Toxotes jaculatrix* Pallas, 1767) is one of the leading commodities of Indonesian ornamental fish. Its production so far is still from the catch of nature. Banded archer fish based on IUCN data has been included in the red list with the Least Concern (LC) category. Currently one of its habitats is found in the Bilah River, Labuhanbatu Regency. The purpose of the study was to information the condition of biological factors related to the relationship of weight length, sex ratio and factors of banded archer fish conditions in the Bilah River. Determination of observation station points by purposive sampling method, where in this study there are 3 stations. Fish sampling in January-March 2022. Fish are caught using splint nets. The entire number of fish caught was measured using a ruler with a length of 30 cm and weight using a digital balance sheet with a precision of 0.01 g. Next the data is tabulated and analyzed using the Microsoft Excel 2013 application. The data of the results of the study is displayed based on each month of observation. The results of the analysis of banded archer fish research data for the long weight relationship from January-March 2022 are negative allometric. The sex ratio of banded archer fish in January 2022 (0.69:1), February 2022 (0.47:1), and March 2022 (0.5:1). The value of the banded archer fish condition factor in January 2022 (1.0304), February 2020 (1.0338), and March 2022 (0.0954). It was concluded that the biological aspects of banded archer fish in the Bilah River still their growth and reproduction.

JOURNAL TEMPLATE



NATIONALLY ACCREDITED



KEYWORDS



JOURNAL STATCOUNTER



JOURNAL VISITORS

Visitors

Country	Visitors	Country	Visitors	Country	Visitors
ID	166,057	DE	259	VN	147
US	6,601	NL	246	MX	136
PH	2,531	AU	245	NG	135
TR	1,320	RU	241	GR	102
MY	1,287	JP	241	IT	100
IN	915	KR	202	FI	98
TH	511	CA	183	CO	95
CN	509	IE	169	AT	91
GB	440	ZA	162	RO	82
IR	309	BR	158	JO	81
SG	276	EG	154	IQ	73
PK	275	HK	152	UA	72
FR	272	SA	152		
TH	269	ES	149		


Pageviews: 501,094  
Flags Collected: 158



# BUKTI PRINT OUT INDEKSING JURNAL

**SINTA** Author Subjects Affiliations Sources FAQ WCU Registration Login

Get More with SINTA Insight [Go to Insight](#)



**JURNAL PENELITIAN PENDIDIKAN IPA (JPPIPA)**  
UNIVERSITAS MATARAM  
P-ISSN : 24602582 < E-ISSN : 2407795X  
Subject Area : Science, Education, Agriculture, Engineering

**1.60538**  
Impact Factor

**3106**  
Google Citations


**Sinta 2**  
Current Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

History Accreditation

Year	Accreditation
2017	Accredited
2018	Accredited
2019	Accredited
2020	Accredited
2021	Accredited
2022	Accredited
2023	Accredited
2024	Accredited
2025	Accredited

Citation Per Year By Google Scholar



Year	Citations
2015	~10
2016	~20
2017	~30
2018	~50
2019	~100
2020	~200
2021	~700
2022	~1450
2023	~250

Journal By Google Scholar

	All	Since 2018
Citation	3106	3032
h-index	24	24





# Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia

Rahmatul Hidayah<sup>1</sup>, Siti Khadijah Harahap<sup>1</sup>, Risda Kesuma Lubis<sup>1</sup>, Rizka Junita<sup>1</sup>, Lili Nurindah Sari<sup>1</sup>, Khairul<sup>1\*</sup>

<sup>1</sup> Biology Education Program, Faculty of Teacher Training and Education, Labuhanbatu University, Rantauprapat, Indonesia

Received: October 25, 2022  
Revised: February 8, 2023  
Accepted: February 25, 2023  
Published: February 28, 2023

Corresponding Author:  
Khairul  
[khairulbiologi75@gmail.com](mailto:khairulbiologi75@gmail.com)

© 2023 The Authors. This open access article is distributed under a (CC-BY License)



DOI: [10.29303/jppipa.v9i2.2321](https://doi.org/10.29303/jppipa.v9i2.2321)

**Abstract:** Banded archer fish (*Toxotes jaculatrix* Pallas, 1767) is one of the leading commodities of Indonesian ornamental fish. Its production so far is still from the catch of nature. Banded archer fish based on IUCN data has been included in the red list with the Least Concern (LC) category. Currently one of its habitats is found in the Bilah River, Labuhanbatu Regency. The purpose of the study was to information the condition of biological factors related to the relationship of weight length, sex ratio and factors of banded archer fish conditions in the Bilah River. Determination of observation station points by purposive sampling method, where in this study there are 3 stations. Fish sampling in January-March 2022. Fish are caught using splint nets. The entire number of fish caught was measured using a ruler with a length of 30 cm and weight using a digital balance sheet with a precision of 0.01 g. Next the data is tabulated and analyzed using the Microsoft Excel 2013 application. The data of the results of the study is displayed based on each month of observation. The results of the analysis of banded archer fish research data for the long weight relationship from January-March 2022 are negative allometric. The sex ratio of banded archer fish in January 2022 (0.69:1), February 2022 (0.47:1), and March 2022 (0.5:1). The value of the banded archer fish condition factor in January 2022 (1.0304), February 2020 (1.0338), and March 2022 (0.0954). It was concluded that the biological aspects of banded archer fish in the Bilah River still their growth and reproduction.

**Keywords:** Bilah River; Biological Aspects; *Toxotes jaculatrix*

## Introduction

Bilah River is the longest river in Labuhanbatu Regency (Dimenta et al., 2020). The river has long been a source of clean water, transportation routes, agriculture, and capture fisheries areas. (Harahap, 2019). Fish resources that have a high selling value in the Bilah River such as the hilsa shad (*Tenulosa ilisha*) (Machrizal et al., 2019) dan seluang fish (*Rasbora argyrotaenia*) (Bleeker, 1850; Siregar & Khairul, 2022). Another species of fish that can be found in the Bilah River is banded archer fish (*Toxotes jaculatrix*) (Pallas, 1767). This fish is generally used as an ornamental fish Shih et al. (2017),

and has a high economic value because it is an export commodity (Kadarini, 2015). In Palembang the price reaches IRD 150.000 or \$ 10 per individual (Suryati & Makmur, 2014). Banded archer fish production so far is still obtained from the result of fishing in nature. The exploitation that has been carried out can threaten the preservation of banded archer fish in nature. Based on IUCN data, banded archer fish (*Toxotes jaculatrix* Pallas, 1767) entered the redlist status with the Least Concern category (Hoese, 2012). Decrease in banded archer fish population is thought to be due to the impact of habitat degradation and water pollution (Suryati & Makmur, 2014).

## How to Cite:

Hidayah, R., Harahap, S.K., Lubis, R.K., Junita, R., Sari, L.N., & Khairul, K. (2023). Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia. *Jurnal Penelitian Pendidikan IPA*, 9(2), 676-680. <https://doi.org/10.29303/jppipa.v9i2.2321>



Several studies on banded archer fish in Indonesia have been conducted Rohmy et al. (2010) related to the identification of banded archer fish in Pangkalan Susu; Suryati & Makmur (2014) on aspects of its reproductive biology in the Musi River; Fahmi (2014) on gonad maturity level *Toxotes jaculatrix* on different salinity maintenance; Kadarini (2015) about the support on sustainability of diversity through banded archer fish feed types and maintained at salinity 8 ‰. Abroad research has been conducted Simon et al. (2013) on the condition factors of two species banded archer fish in Johor Coastal Water, Malaysia. Shih et al. (2017) about kinetic and hydrodynamic tests for water spray power on banded archer fish; Zhu et al. (2021) about its genetic variation and phylogenetic.


Based on the various literature sources study of the biological aspects of banded archer fish, no researcher has done it, considering that the information is not yet available. This makes the team of writers interested in reviewing the biology of the banded archer fish, as the biology of the fish should be studied essential information and the first step in managing the fish's resources in the water. Studies which examined the biology aspect of banded archer fish in Bilah River have yet to do. The purpose of this study is to inform the results of studies regarding some biological aspects of banded archer fish (*Toxotes jaculatrix*) in the Bilah River. Data and information on the biology of a fish in a body of water can serve as a basis in the fish's resource management efforts to keep it up to sustainable (Faizah & Sadiyah, 2019); (Lindawati et al., 2019).

**Method**

Banded archer fish sampling was carried out in the lower Bilah River, Labuhanbatu Regency, North Sumatra Province. The observation station was determined using the purposive sampling method, based on the information of fishermen using a splint net. There are three banded archer fish sampling station in this studi (Figure 1).

It was caught in a spindle net, with a net 2.5 meters high and 400 meters long. Hoisted nets are placed at high tide and at low tide chopsticks are collected. The entire chopstick fish is collected, then measured in its total length with a standard ruler (30 cm; 12 in.) and the weight of the scale is on a digital scale (0.1 gram of precision). Long and total weight of fish are billed on Microsoft excel 2013 and then data analysis is carried out.

Analysis of data relating to several aspects of the biology of the banded archer fish in the river bed on this study involves: length-weight relationship, sex ratio, and factor condition.



**Figure 1.** Research Location

*Length-Weight Relationship*

Correlation of the length and weight of the fish is calculated in the formula (Ambar, 2006).

$$Y = a+bx \tag{1}$$

Information: Y = total weight of fish (g); X = total length of fish (mm); a and b = Numbers constant

*Sex Ratio*

Sex ratio fish is calculated using the formula (Khairul & Siregar, 2019).

$$\text{Sex Ratio} = (\Sigma \text{Male}) / (\Sigma \text{Female}) \tag{2}$$

*Condition Factor*

Calculating condition factors may use the formula (Sihombing, 2021).


$$fk = W/aL^b \tag{3}$$

Information: fk = condition factor; L = total length of fish (mm); W = weight of fish (g); a and b = value constant.


**Result and Discussion**

*Length-Weight Relationship*


Length-weight relationships of fish based on the catch can be seen in figure 2, figure 3, and figure 4.



**Figure 2.** Catch Result of Banded Archer Fish in January 2022



**Figure 3.** Catch Result of Banded Archer Fish in February 2022



**Figure 4.** Catch Result of Banded Archer Fish in March 2022

Analysis of the relationship between the length and weight of the banded archer fish in the blade river comes from a  $b < 3$  (allometric negative). This condition indicates a faster growth in the fish than the increase in its weight. Sufficient food resources, the conduct of fish, and environmental factors are thought to be essential to the growth of chopstick fish in the river blades. Two factors contribute to the growth of fish, both long and heavy growth. First, internal factors (genetic, sex, parasites, the ability to harness food). Second, external factors (food source and water chemical physics factor) (Afidah et al., 2019; Khairul et al., 2021). Next is Teddy et al. (2020); Maizul et al. (2019). According Manullang & Khairul (2020) adds longevity to fish, gonads, disease, and fish habitat. Factor in food availability and appropriate environmental conditions are known to promote fish growth (Khairul et al., 2019; Shasia et al., 2021).

*Sex Ratio*

Catch was obtained in January 2022 (9 males) and (13 individuals female), February (7 males) and (15 females), and March (5 males) and (10 females). Data analysis is obtained for a total of 0.56:1.81 in male and female sex comparisons. A complete analysis of sex ratio can be seen at Table 1.

**Table 1.** Sex Ratio Banded Archer Fish in Bilah River

Time Monitoring	Sex Fish		Sex Ratio	
	Male	Female	Male	Female
January 2022	9	13	0.69	1.44
February 2022	7	15	0.47	2.14
March 2022	5	10	0.50	1.00
Σ Total	21	48	0.56	1.81

Statistically the sex ratio between male and female banded archer fish is less common, more female catching than males. According to Alamsyah (2016) the difference in fish gender rates in different locations of the water may be influenced by a variety of factors, including: the mortality rate, growth rate, fish habits, fish migration, and one of the fish's genders that are vulnerable to capture. The difference in sex ratio, in turn, can also be due to overfishing and depressed environmental conditions (Saranga et al., 2018). Sex ratio is important information for assessing the reproductive potential of fish for the assition of their population in nature (Jega et al., 2017).

*Condition Factor*

The condition factor of banded archer fish in the Bilah River based on the result of the analysis range from 0.0954 - 1.0338. The full data can see in Table 2.

**Table 2.** Condition Factor of the Banded Archer Fish in the Bilah River

Observation Time	Σ Total	Condition Factor
Januari 2022	22	1.0304
Februari 2022	22	1.0338
Maret 2022	15	0.0954

The condition of banded archer fish in the Bilah River fluctuates based on the the result of fishing for each month. It is suspected that female fish go to freshwater areas to spawning and find food sources. According to Gunadi et al. (2021) if the value of the condition factor getting higher, this indicates the feasibility of the habitat for fish life due to the need for food and environmental limiting factors also support. The value of fluctuations in condition factors is influenced by the development of fish gonads, where fish perform migration for spawning purposes are certain to experience stress (Jusmaldi & Hariani, 2019).

**Conclusion**

It can be concluded that the relationship between l ength and weight, sex ratio, and the condition factor for banded archer fish in the Bilah River is still quite good and in a still tolerable condition.



## Acknowledgements

On this occasion, the writing team would like to thank the supervisor, Mr. Khairul, S.Pi., M.Si for the input and the directions so that we can finish the article. Mr. Santo as a splint net fisherman who is willing to assist in the sampling of banded archer fish. Student of the Biology Education Program at Labuhanbatu University, are: Rina Sari, Reni Sugiarti, Shonia Ritonga, and Ika Nazira Lubis who assisted the research team during sampling and processing data. Thankyou also to the Ministry of Education, Culture, Research & Technology of the Republic of Indonesia for providing grants for this scientific article.

## References

- Afidah, F., Nugraha, K. M. A. & Nuryaninda, W. (2019). *Nisbah Kelamin Dan Hubungan Panjang-Berat Ikan Tawes. Prosiding Seminar Nasional MIPA Kolaborasi*, 154–158. Retrieved from <https://proceeding.unnes.ac.id/index.php/SNMI/PA/article/view/441/303>
- Alamsyah, R. (2016). Rasio Kelamin Dan Tingkat Kematangan Gonad Ikan Cakalang Yang Tertangkap Di Perairan Teluk Bone. *Agrominansia*, 1(2), 176–184. <https://doi.org/10.34003/271891>
- Ambar, P. (2006). *Analisis Tampilan Biologis Ikan Layang (Decapterus sp ) Hasil Tangkapan Purse Seine Yang Didaratkan Di PPN Pekalongan Hasil Tangkapan Purse Seine Yang Didaratkan*. Tesis Universitas Diponegoro, Semarang.
- Dimenta, R. H., Agustina R., Machrizal R., & Khairul. (2020). Kualitas Sungai Bilah Berdasarkan Biodiversitas Fitoplankton Kabupaten Labuhanbatu, Sumatera Utara. *Jurnal Ilmu Alam Dan Lingkungan*, 11(2), 24–33. Retrieved from <http://journal.unhas.ac.id/index.php/jai2/article/view/10183>
- Fahmi, M. R. & Permana, A. (2014). Kematangan Gonad Ikan Sumpit (*Toxotes jaculatrix* Pallas 1767) Pada Salinitas Berbeda. *Jurnal Iktiologi Indonesia*, 14(3), 235–245. <https://doi.org/10.32491/jii.v14i3.84>.
- Faizah, R., & Sadiyah, L. (2019). Aspek Biologi Dan Parameter Pertumbuhan Ikan Layang (*Decapterus russelli*, Rupell, 1928) DIPERAIRAN SELAT Malaka. *BAWAL*, 11(3), 175-178. <https://doi.org/10.15578/bawal.11.3.2019>.
- Gunadi, B., Setyawan, P., & Robisalmi, A. (2021). Growth, length-weight relationship, and condition factor of NIFI (*Oreochromis* sp.) and Srikandi Tilapia (*Oreochromis aureus* x *niloticus*) at the grow-out stage in the high salinity brackishwater ponds. *Jurnal Iktiologi Indonesia*, 21(2), 117–130. <https://doi.org/10.32491/jii.v21i2.574>
- Harahap, A. (2019). *Peranan Makrozoobentos Sebagai Bioindikator Kualitas Air Di Sungai Bilah Labuhanbatu*. Disertasi, Universitas Sumatera Utara, Medan. Retrieved from <https://repositori.usu.ac.id/handle/123456789/23084>
- Hoese, D. (2012). *Toxotes jaculatrix*. The IUCN Red List of Threatened Species 2012. <http://dx.doi.org/10.2305/IUCN.UK.2012.RLTS.T196451A2458352.en>
- Jega, I. S., Miah, I., Haque, M. M., Ahmed, Z. F., & Fatema, M. K. (2017). Sex ratio , length-weight relationships and seasonal variations in condition factor of menoda catfish *Hemibagrus menoda* (Hamilton, 1822) of the Kangsha River in Bangladesh. *International Journal of Fisheries and Aquatic Studies*, 5(5), 49–54. Retrieved from <https://www.fisheriesjournal.com/archives/2017/vol5issue5/PartA/5-4-79-584.pdf>
- Jusmaldi & Hariani, N. (2019). Hubungan panjang bobot dan faktor kondisi ikan wader bintik dua *Barbodes binotatus* (Valenciennes, 1842) di Sungai Barambai Samarinda Kalimantan. *Jurnal Iktiologi Indonesia*, 18(2), 87-101. <https://doi.org/10.32491/jii.v18i2.426>
- Kadarini, T. (2015). Dukungan Kelestarian Keanekaragaman Melalui Jenis Pakan Sumpit (*Toxotes jaculatrix*) Yang Dipelihara Pada Salinitas 8 Ppt. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 1(8), 2034-2038. <https://doi.org/10.13057/psnmbi/m010831>
- Khairul, & Siregar, Z. A. (2019). Kepadatan populasi dan nisbah kelamin belangkas di Kawasan Pantai Timur Sumatera Utara. *Prosiding Seminar Nasional Biodiversitas Indonesia, Universitas UIN Alauddin Makassar*, 5(1), 30-34. <https://doi.org/10.24252/psb.v5i1.11866>
- Khairul, K., Machrizal, R., Harahap, A., Gultom, M., Harahap, R. D., & Nazliah, R. (2019). Biological aspects of fish indo pacific tarpon (*Megalops cyrinoides* Broussonet, 1782) at Belawan River. *IOP Conference Series: Earth and Environmental Science*, 348(1). <https://doi.org/10.1088/1755-1315/348/1/012028>
- Khairul, Machrizal, R., Dimenta, Ri. H., Rambe, B. H., Hanum, H., & Limbong, C. H. (2021). The population dynamics of *Helostoma temminckii* in the swampy waters of Barumun River, South Labuhan Batu Regency, Indonesia. *AACL Bioflux*, 14(2), 635–642. Retrieved from <http://www.bioflux.com.ro/docs/2021.635-642.pdf>
- Lindawati, L., Fahrudin, A., & Boer, M. (2019). Karakteristik Pertumbuhan Dan Biologi Reproduksi Ikan Kuniran (*Upeneus sulphureus*,



- Cuvier 1829) Di Perairan Selat Sunda. *Jurnal Biologi Tropis*, 19(2), 180-188. <https://doi.org/10.29303/jbt.v19i2.1293>
- Machrizal, R., Khairul, K., Nasution, J., Dimenta, R. H., & Harahap, A. (2019). Distribution and length-weight relationships of Hilsa shad *Tenualosa ilisha* in the Bilah River, Labuhanbatu Regency, North Sumatera Province, Indonesia. *Aceh Journal of Animal Science*, 4(1), 42-49. <https://doi.org/10.13170/ajas.4.1.13799>
- Maizul, R., Setyawati, S. M., & Wahyudewantoro, G. (2019). Pola Pertumbuhan dan Faktor Kondisi Ikan Brek (*Barbonymus balleroides* val. 1842) dari Perairan Pulau Jawa Koleksi Museum Zoologi Bogoriense (MZB). *Al-Hayat: Journal of Biology and Applied Biology*, 2(1), 12-15. <https://doi.org/10.21580/ah.v2i1.4643>
- Manullang, H. M., & Khairul. (2020). Size Class and Pattern Growth of Crazy Fish (Butis Butis) At Belawan River. *Biologica Samudra*, 2(1), 54-59. <https://doi.org/10.33059/jbs.v2i1.2233>
- Rohmy, S., Permana, A., & Fahmi, M. R. (2010). *Identifikasi ikan sumpit dari perairan Pangkalan Susu, Sumatera Utara*. Seminar Nasional Ikan V.
- Sarangaa, R., Setyohadi, D., Arifin, M. Z., Wiadnya, D. G. R., & Herawati, E. Y. (2018). Pola Pertumbuhan, Nisbah Kelamin, Faktor Kondisi, Dan Struktur Ukuran Ikan Selar, Selar boops (Cuvier, 1833) Yang Tertangkap Di Perairan Sekitar Bitung. *Journal of Fisheries and Marine Science*, 2(2), 86-94. <https://doi.org/10.21776/ub.jfmr.2018.002.02.5>
- Shasia, M., Eddiwan, & Putra, R. M. (2021). Hubungan Panjang-Berat dan Faktor Kondisi Ikan Gabus (*Channa striata*) di Danau Teluk Petai Provinsi Riau. *Jurnal Sumberdaya Dan Lingkungan Akuatik*, 2(1), 241-250. Retrieved from <https://jsla.ejournal.unri.ac.id/index.php/ojs/article/view/39/30>
- Shih, A. M., Mendelson, L., & Tchet, A. H. (2017). Archer fish jumping prey capture: Kinematics and hydrodynamics. *Journal of Experimental Biology*, 220(8), 1411-1422. <https://doi.org/10.1242/jeb.145623>
- Sihombing, L. (2021). *Pola Pertumbuhan Dan Faktor Kondisi Ikan Tongkol (Euthynnus Affinis) Yang Didaratkan Di Tangkahan Teluk Nibung Kota Tanjung Balai Sumatera Utara*. Skripsi Universitas Sumatera Utara, Medan. Retrieved from <https://repositori.usu.ac.id/handle/123456789/31241>
- Simon, K. D., Mazlan, A. G., & Cob, Z. C. (2013). Condition factors of two archerfish species from Johor coastal waters, Malaysia. *Sains Malaysiana*, 42(8), 1115-1119. Retrieved from <http://journalarticle.ukm.my/6450/>
- Siregar, R. J. & Khairul, K. (2022). Kelas Ukuran Dan Hubungan Panjang Berat Ikan Seluang (*Rasbora argyrotaenia* Bleeker, 1850) Di Sungai Bilah. *EKSAKTA: Jurnal Penelitian Dan Pembelajaran MIPA*, 7(1), 118-122. <http://dx.doi.org/10.31604/eksakta.v7i1.118-122>
- Suryati, N. K., Makmur, S. & Nurdawati, S. (2014). Biology of Reproduction Of Small Scale Archer Fish (*Toxotes microlepis* Gunther 1860) In Downstream Of Musi River, South Sumatera. *Bawal*, 6(8), 119-126. <https://doi.org/10.15578/bawal.6.3.2014.119-126>
- Teddy, H., Athief, D. R. & Erwindarahadi. A. (2020). Hubungan Panjang-Berat Dengan Tingkat Kematangan Gonad Ikan Kepek Sirip Kuning (*Puntius marginatus*) Yang Tertangkap Di Sungai Elo, Magelang, Jawa Tengah. In *Prosiding Seminar Nasional MIPA Kolaborasi*, 2(1), 159-163. Retrieved from <https://proceeding.unnes.ac.id/index.php/SNMI/PA/article/view/447/307>
- Zhu, L., Jiang, H., Zhang, L., Cha, J., Mao, B., & Li, Y. (2021). The complete mitochondrial genome of *Toxotes chatareus* (*Toxotes*; *Toxotidae*; *Carangaria*) assembled by the next-generation sequencing data and phylogenetic analysis of *Carangaria*. *Mitochondrial DNA Part B*, 6(11), 3233-3235. <https://doi.org/10.1080/23802359.2021.1991246>

## SURAT PERMOHONAN

Kepada Yth:

Bapak/Ibu Kaprodi Risma Delima Harahap S.Pd., M.Pd

Di Tempat

Saya yang bertanda tangan dibawah ini:

Nama : Rahmatul Hidayah

NPM : 1904100012

Semester : VII(8)

Prodi : Pendidikan Biologi

Konsentrasi : Umum


Dengan ini memohon kiranya Bapak/Ibu Kaprodi Risma Delima Harahap S.Pd., M.Pd bersedia memberikan Persetujuan pada saya untuk mengajukan pengganti tugas akhir yaitu: Artikel Ilmiah. Adapun syarat-syarat yang telah ditetapkan oleh Universitas Labuhanbatu telah saya penuhi. Sebagai bukti bagi bapak/ibu disini saya lampirkan:

1. Transkrip nilai sementara yang sudah disetujui oleh BAAK Fakultas
2. Draft Artikel
3. Lembar Pengesahan Keuangan dari Ka. Bidang Keuangan Universitas

Demikian saya sampaikan. Atas perhatian yang Bapak/Ibu berikan, saya ucapkan terimakasih.

Rantauprapat, 10 Desember 2022

Hormat Saya,



Rahmatul Hidayah  
1904100012





# FAKULTAS KEGURUAN DAN ILMU PENDIDIKAN (FKIP) UNIVERSITAS LABUHANBATU

Program Studi :  
PEND.BIOLOGI : Terakreditasi BAN-PT No. 547/SK/BAN-PT/Ak-PPJ/S/II/2022  
PEND.PKN : Terakreditasi BAN-PT No. 4813/SK/BAN-PT/Ak-PNB/S/XII/2019  
PEND.MATEMATIKA : Terakreditasi BAN-PT No. 4812/SK/BAN-PT/Ak-PNB/S/XII/2019  
Kampus : Jl.SM. Raja No. 126-A KM.3,5 Aek Tapa - Rantauprapat - Sumatera Utara  
Telepon / Fax (0624) 21901 - Website : fkip.ulb.ac.id

## LEMBAR PENGESAHAN/PERSETUJUAN

Nama : Rahmatul Hidayah  
NPM : 1904100012  
Semester : VIII (8)  
Prodi : Pendidikan Biologi  
Fakultas : Keguruan dan Ilmu Pendidikan  
Total SKS yang Lulus : 148  
Judul : Monitoring the Biological Aspects of Banded Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in Bilah River, Labuhanbatu Regency, Indonesia  
Pilihan Karya Ilmiah\* : Artikel Nasional Terakreditasi  
Terindeks\* : Sinta 2  
Status Karya Ilmiah\* : Terbit  
Dosen\*\* : Khairul, S.Pi., M.Si

DISETUJUI SEBAGAI PENGGANTI SKRIPSI (PILIHAN KARYA ILMIAH) Pada  
Tanggal 22 Desember 2022

Disetujui Oleh :

Kepala Program Studi Pendidikan Biologi

Risma Delima Harahap, S.Pd,M.Pd  
NIDN. 0130148502

Disahkan Oleh :

Dekan Fakultas Keguruan dan Ilmu  
Pendidikan

Dr. Sakinah Ubudiyah Siregar, M.Pd  
NIDN. 0109048702





# FAKULTAS KEGURUAN DAN ILMU PENDIDIKAN (FKIP) UNIVERSITAS LABUHANBATU

Program Studi :  
PEND.BIOLOGI : Terakreditasi BAN-PT No. 547/SK/BAN-PT/Ak-PPJ/S/I/2022  
PEND.PKN : Terakreditasi BAN-PT No. 4813/SK/BAN-PT/Ak-PNB/S/XII/2019  
PEND.MATEMATIKA : Terakreditasi BAN-PT No. 4812/SK/BAN-PT/Ak-PNB/S/XII/2019  
Kampus : Jl.SM. Raja No. 126-A KM.3,5 Aek Tapa - Rantauprapat - Sumatera Utara  
Telepon / Fax (0624) 21901 - Website : fkip.ulb.ac.id

## LEMBAR PENUNJUKAN DOSEN PENDAMPING

Nama : Rahmatul Hidayah  
NPM : 1904100012  
Semester : VIII (8)  
Prodi : Pendidikan Biologi  
Kosentrasi : Umum  
Fakultas : Keguruan dan Ilmu Pendidikan  
Total SKS yang Lulus : 151  
Judul : Monitoring the Biological Aspects of Banded  
Archer Fish (*Toxotes jaculatrix* Pallas, 1767) in  
Status Karya Ilmiah\* : Terbit  
Dengan ini menunjuk dan menetapkan dosen pendamping sebagai berikut :  
Dosen\*\* : Pendamping 1 : Khairul, S.Pi.,

Disahkan Oleh :

Dekan Fakultas Keguruan dan Ilmu  
Pendidikan



Dr. Sakmah Ubudiyah Siregar, M.Pd  
NIDN. 0109048702