

Lampiran

```
-- phpMyAdmin SQL Dump
-- version 5.0.4
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Jun 29, 2021 at 03:12 AM
-- Server version: 10.4.17-MariaDB
-- PHP Version: 7.4.14

SET          SQL_MODE          =
"NO_AUTO_VALUE_ON_ZERO";      START
TRANSACTION;

SET time_zone = "+00:00";

/*!40101          SET
@OLD_CHARACTER_SET_CLIENT=@@CHA
RACTER_SET_CLIENT */;

/*!40101          SET
@OLD_CHARACTER_SET_RESULTS=@@CH
ARACTER_SET_RESULTS
*/;

/*!40101          SET
@OLD_COLLATION_CONNECTION=@@COL
LATION_CONNECTION */;
```

```

/*!40101 SET NAMES utf8mb4 */;

--

-- Database: `db_tiket`

--

-- Table structure for table `tbl_access_menu`

--

CREATE TABLE `tbl_access_menu` (
  `kd_access_menu` int(11) DEFAULT NULL,
  `kd_level` int(11) DEFAULT NULL,
  `kd_menu` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

--

-- Dumping data for table `tbl_access_menu`

--

INSERT INTO `tbl_access_menu`
(kd_access_menu`, `kd_level`, `kd_menu`)
VALUES
(1, 1, 1),
(2, 1, 2),
(3, 2, 2),
(1, 1, 1),
(2, 1, 2),

```

```

(3, 2, 2);

--

-- Table structure for table `tbl_admin`

--

CREATE TABLE `tbl_admin` (
  `kd_admin` varchar(50) NOT NULL,
  `nama_admin` varchar(35) DEFAULT NULL,
  `username_admin` varchar(30) DEFAULT NULL,
  `password_admin` varchar(256) DEFAULT
  NULL,
  `img_admin` varchar(35) DEFAULT NULL,
  `email_admin` varchar(35) DEFAULT NULL,
  `level_admin` varchar(12) DEFAULT NULL,
  `status_admin` int(1) DEFAULT NULL,
  `date_create_admin` varchar(50) DEFAULT
  NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

--

-- Dumping data for table `tbl_admin`

--

INSERT INTO `tbl_admin` (`kd_admin`,
`nama_admin`, `username_admin`,

```

```

`password_admin`, `img_admin`, `email_admin`,
`level_admin`, `status_admin`,
`date_create_admin`) VALUES ('ADM0001',
'Administrator', 'admin',
'$2y$10$rYerm9DQiK7eFFBEVqnbDeF20FY2RN
y3vNLpHUV4v94CGhEIRrE we',
'assets/backend/img/default.png',
'adm@gmail.com', '2', 1, '1552276812'),
('ADM0002', 'egi fer', 'egi',
'$2y$10$rYerm9DQiK7eFFBEVqnbDeF20FY2RN
y3vNLpHUV4v94CGhEIRrE we',
'assets/backend/img/default.png',
'cbahyu@gmail.com', '1', 1, '1552819095'),
('ADM0003', 'Egif', 'owner',
'$2y$10$rYerm9DQiK7eFFBEVqnbDeF20FY2RN
y3vNLpHUV4v94CGhEIRrE we',
'assets/backend/img/default.png',
'owner@gmail.com', '1', 1, '1552819095');
--
-- Table structure for table `tbl_bank`
--
CREATE TABLE `tbl_bank` (
`kd_bank` varchar(50) NOT NULL,

```

```

`nasabah_bank` varchar(50) DEFAULT NULL,
`nama_bank` varchar(50) DEFAULT NULL,
`nomrek_bank` varchar(50) DEFAULT NULL,
`photo_bank` varchar(100) DEFAULT NULL
)          ENGINE=InnoDB          DEFAULT
CHARSET=latin1;
--
-- Dumping data for table `tbl_bank`
--
INSERT INTO `tbl_bank` (`kd_bank`,
`nasabah_bank`, `nama_bank`,
`nomrek_bank`, `photo_bank`) VALUES
('BNK0001', 'Egi Fernandi', 'BCA', '5490252063',
'assets/frontend/img/bank/bca-icon.jpg'),
('BNK0002', 'Egi Fernandi', 'MANDIRI',
'6666666666',
'assets/frontend/img/bank/mandiri-icon.jpg'),
('BNK0003', 'Egi Fernandi', 'BRI', '7777777777',
'assets/frontend/img/bank/bri-icon.jpg')
('BNK0004', 'Egi Fernandi', 'BNI', '8888888888',
'assets/frontend/img/bank/bni-icon.jpg');
--
-- Table structure for table `tbl_bus`

```

```

--CREATE TABLE `tbl_bus` (
`kd_bus` varchar(50) NOT NULL,
`nama_bus` varchar(50) DEFAULT NULL,
`plat_bus` varchar(50) DEFAULT NULL,
`kapasitas_bus` int(13) DEFAULT NULL,
`status_bus` int(1) DEFAULT NULL,
`desc_bus` varchar(50) DEFAULT NULL
)          ENGINE=InnoDB          DEFAULT
CHARSET=latin1;

--

-- Dumping data for table `tbl_bus`

--

INSERT INTO `tbl_bus` (`kd_bus`, `nama_bus`,
`plat_bus`, `kapasitas_bus`,
`status_bus`, `desc_bus`) VALUES ('B001', 'JKT1',
'B 4514 BLN', 19, 1, '--'),
('B002', 'JKT2', 'B 4514 BLN', 19, 1, '--'),
('B003', 'BDG1', 'B 4514 BLN', 19, 1, '--'),
('B004', 'BDG2', 'B 4514 BLN', 19, 1, '--'),
('B005', 'BDG3', 'B 4561 BLN', 19, 1, '--'),
('B006', 'JKT3', 'B 1234 BLN', 19, 1, '--);

--

-- Table structure for table `tbl_jadwal`

```

```

--
CREATE TABLE `tbl_jadwal` (
  `kd_jadwal` varchar(50) NOT NULL,
  `kd_bus` varchar(50) DEFAULT NULL,
  `kd_tujuan` varchar(50) DEFAULT NULL,
  `kd_asal` varchar(50) DEFAULT NULL,
  `wilayah_jadwal` varchar(50) DEFAULT NULL,
  `jam_berangkat_jadwal` time DEFAULT NULL,
  `jam_tiba_jadwal` time DEFAULT NULL,
  `harga_jadwal` varchar(50) NOT NULL
)          ENGINE=InnoDB          DEFAULT
CHARSET=latin1;
--
-- Dumping data for table `tbl_jadwal`
--
INSERT INTO `tbl_jadwal` (`kd_jadwal`,
  `kd_bus`, `kd_tujuan`, `kd_asal`,
  `wilayah_jadwal`,      `jam_berangkat_jadwal`,
  `jam_tiba_jadwal`, `harga_jadwal`) VALUES
('J0001', 'B003', 'TJ005', 'AS001', 'Aek Jamu',
'20:25:00', '21:25:00', '150000');
-- Table structure for table `tbl_konfirmasi`
--

```

```

CREATE TABLE `tbl_konfirmasi` (
  `kd_konfirmasi` varchar(50) NOT NULL,
  `kd_order` varchar(50) DEFAULT NULL,
  `nama_konfirmasi` varchar(50) DEFAULT NULL,
  `nama_bank_konfirmasi` varchar(50) DEFAULT
  NULL,
  `norek_konfirmasi` varchar(50) DEFAULT NULL,
  `total_konfirmasi` varchar(50) DEFAULT NULL,
  `photo_konfirmasi` varchar(100) DEFAULT
  NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;
--
-- Dumping data for table `tbl_konfirmasi`
INSERT INTO `tbl_konfirmasi` (`kd_konfirmasi`, `kd_order`,
  `nama_konfirmasi`, `nama_bank_konfirmasi`, `norek_konfirmasi`,
  `total_konfirmasi`, `photo_konfirmasi`) VALUES
('KF0001', 'ORD00001', 'najsdkkasdn', 'BCA', '213123', '536000',
  '/assets/frontend/upload/payment/10___home.png'),
('KF0002', 'ORD00002', 'test', 'BCA', '23456543',
  '528000',
  '/assets/frontend/upload/payment/Penguins.jpg'
), ('KF0003', 'ORD00003', 'adsdsa', 'BCA', '12',

```



```

'290000',

/assets/frontend/upload/payment/14
laporan_transaksi1.png'), ('KF0004', 'ORD00002', 'egi
fernandi', 'BCA', '3232131', '132000',

/assets/frontend/upload/payment/menu.png'),

('KF0005', 'ORD00004', 'egi fernandi', 'BCA', '1212', '150000',

/assets/frontend/upload/payment/bc.jpg');

--

-- Table structure for table `tbl_level`

--

CREATE TABLE `tbl_level` (

  `kd_level` int(11) NOT NULL,

  `nama_level` varchar(50) NOT NULL DEFAULT '0'

) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--

-- Dumping data for table `tbl_level`

--

INSERT INTO `tbl_level` (`kd_level`, `nama_level`)

VALUES(1, 'owner'),

(2, 'administrator');

--

-- Table structure for table `tbl_menu`

--

```

```

CREATE TABLE `tbl_menu` (
  `kd_menu` int(11) NOT NULL,
  `nama_menu` varchar(50) NOT NULL DEFAULT '0'
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--

-- Dumping data for table `tbl_menu`

--

INSERT INTO `tbl_menu` (`kd_menu`, `nama_menu`)
VALUES(1, 'owner'),
(2, 'administrator');

--

-- Table structure for table `tbl_order`

--

CREATE TABLE `tbl_order` (
  `id_order` int(11) NOT NULL,
  `kd_order` varchar(50) DEFAULT NULL,
  `kd_tiket` varchar(50) DEFAULT NULL,
  `kd_jadwal` varchar(50) DEFAULT NULL,
  `kd_pelanggan` varchar(50) DEFAULT NULL,
  `kd_bank` varchar(50) DEFAULT NULL,
  `asal_order` varchar(200) DEFAULT NULL,
  `nama_order` varchar(50) DEFAULT NULL,
  `tgl_beli_order` varchar(50) DEFAULT NULL,

```

```

`tgl_berangkat_order` varchar(50) DEFAULT NULL,
`nama_kursi_order` varchar(50) DEFAULT NULL,
`umur_kursi_order` varchar(50) DEFAULT NULL,
`no_kursi_order` varchar(50) DEFAULT NULL,
`no_ktp_order` varchar(50) DEFAULT NULL,
`no_tlpn_order` varchar(50) DEFAULT NULL,
`alamat_order` varchar(100) DEFAULT NULL,
`email_order` varchar(100) DEFAULT NULL,
`expired_order` varchar(50) DEFAULT NULL,
`qrcode_order` varchar(100) DEFAULT NULL,
`status_order` varchar(2) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
--
-- Dumping data for table `tbl_order`
--
INSERT INTO `tbl_order` (`id_order`, `kd_order`, `kd_tiket`, `kd_jadwal`,
`kd_pelanggan`, `kd_bank`, `asal_order`, `nama_order`, `tgl_beli_order`,
`tgl_berangkat_order`, `nama_kursi_order`, `umur_kursi_order`,
`no_kursi_order`, `no_ktp_order`, `no_tlpn_order`, `alamat_order`,
`email_order`,
`expired_order`, `qrcode_order`, `status_order`) VALUES
(11, 'ORD00001', 'TORD00001J0004TJ002201904253', 'J0004', 'PL0001',
'BNK0002', 'TJ002', 'Egi Fernandi', 'Jumat, 12 April 2019, 09:22', '2019-04-

```

25',
'asdd', '90', '3', '021452125', '089682261128', 'JL AJA',
'cbahyu@gmail.com', '13-
04-2019 09:22:48',
'assets/frontend/upload/qrcode/ORD00001.png', '2'), (12,
'ORD00001', 'TORD00001J0004TJ002201904254', 'J0004',
'PL0001',
'BNK0002', 'TJ002', 'Egi ', 'Jumat, 12 April 2019, 09:22', '2019-04-25',
'asda', '90',
'4', '021452125', '089682261128', 'JL AJA', 'cbahyu@gmail.com', '13-04-
2019
09:22:48', 'assets/frontend/upload/qrcode/ORD00001.png', '2'),
(13, 'ORD00002', 'TORD00002J0005202106101', 'J0005', 'PL0008',
'BNK0001',
'TJ005', 'aa ganteng', 'Kamis, 10 Juni 2021, 10:59', '2021-06-10', 'aa
ganteng', '23',
'1', '123213', '121212121', 'sdasd', 's@gmail.com', '11-06-2021 10:59:37',
'assets/frontend/upload/qrcode/ORD00002.png', '1'),
(14, 'ORD00003', 'TORD00003J0005202106101', 'J0005', 'PL0008',
'BNK0001',
'TJ005', 'aa ganteng', 'Kamis, 10 Juni 2021, 10:59', '2021-06-10', 'aa
ganteng', '23',
'1', '123213', '121212121', 'sdasd', '361fernandi@gmail.com', '11-06-2021

```

10:59:57', 'assets/frontend/upload/qrcode/ORD00003.png', '2'),
(15, 'ORD00004', 'TORD00004J0001202106292', 'J0001', 'PL0009',
'BNK0001', 'AS001', 'egifer', 'Selasa, 29 Juni 2021, 07:56', '2021-06-29',
'aa ganteng', '17', '2',
'232323', '454545', 'ss', '361fernandi@gmail.com', '30-06-2021 07:56:31',
'assets/frontend/upload/qrcode/ORD00004.png', '2');
--
-- Table structure for table `tbl_pelanggan`
--
CREATE TABLE `tbl_pelanggan` (
  `kd_pelanggan` varchar(50) COLLATE latin1_general_ci NOT NULL,
  `username_pelanggan` varchar(50) COLLATE latin1_general_ci NOT
  NULL,
  `password_pelanggan` varchar(200) COLLATE latin1_general_ci NOT
  NULL,
  `no_ktp_pelanggan` varchar(50) COLLATE latin1_general_ci NOT
  NULL,
  `nama_pelanggan` varchar(100) COLLATE latin1_general_ci NOT
  NULL,
  `alamat_pelanggan` varchar(200) COLLATE latin1_general_ci NOT
  NULL,
  `email_pelanggan` varchar(100) COLLATE latin1_general_ci NOT
  NULL,

```

```

`telpon_pelanggan` varchar(20) COLLATE latin1_general_ci NOT NULL,
`img_pelanggan` varchar(200) COLLATE latin1_general_ci NOT NULL,
`status_pelanggan` int(1) DEFAULT NULL,
`date_create_pelanggan` varchar(50) COLLATE latin1_general_ci
DEFAULTNULL
) ENGINE=MyISAM DEFAULT CHARSET=latin1
COLLATE=latin1_general_ci;
--
-- Dumping data for table `tbl_pelanggan`
--
INSERT INTO `tbl_pelanggan` (`kd_pelanggan`, `username_pelanggan`,
`password_pelanggan`, `no_ktp_pelanggan`, `nama_pelanggan`,
`alamat_pelanggan`, `email_pelanggan`, `telpon_pelanggan`,
`img_pelanggan`,
`status_pelanggan`, `date_create_pelanggan`)
VALUES('PL0006', 'Rakel',
'$2y$10$pwr/ZSCVcya8JOV1Xt13qeRzhz.nLsJGWYcWWZJgR5DFLUfjJ
eaGO'
, ', 'Rakel', 'Jl.in aja dulu', 'rizkifirmansyah435@gmail.com', '08745179471',
'assets/frontend/img/default.png', 1, '1554385261'),
('PL0007', 'Aritest',
'$2y$10$Z7yJqwWa0pCPtGb5sVYf9epvdjT97BD9U4guma.EhKU3JS9H6
751G', ', 'ari', 'test', 'aliansah629@gmail.com', '08987654345',

```

```

'assets/frontend/img/default.png', 1, '1554534514'),
('PL0008', 'aaganteng',
'$2y$10$fstdoA86nGYnzuiYivEvr.jd4BYygp.2Ta5LVgjSzejFmRRQGu4j
8G', ', 'aaganteng', 'sdasd', 's@gmail.com', '121212121',
'assets/frontend/img/default.png', 1, '1623297264'),
('PL0009', 'egifer',
'$2y$10$9ga0elc26FI4cKVMCA7xeEWFm0kpJMw2jNbwLnTr1cSOd15
07wie'
, ', 'egifer', 'ss', '361fernandi@gmail.com',
'454545', 'assets/frontend/img/default.png',
1, '1624888876');
--
-- Table structure for table `tbl_sub_menu`
--
CREATE TABLE `tbl_sub_menu` (
  `kd_sub_menu` int(11) NOT NULL,
  `kd_menu` int(11) DEFAULT NULL,
  `title_sub_menu` varchar(128) DEFAULT NULL,
  `url_sub_menu` varchar(128) DEFAULT NULL,
  `is_active_sub_menu` varchar(128) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
--
-- Dumping data for table `tbl_sub_menu`

```

```

--
INSERT INTO `tbl_sub_menu` (`kd_sub_menu`, `kd_menu`,
`title_sub_menu`,
`url_sub_menu`, `is_active_sub_menu`)
VALUES(0, 1, 'Dashboard',
'backend/home', '1');
--
-- Table structure for table `tbl_tiket`
--
CREATE TABLE `tbl_tiket` (
`kd_tiket` varchar(50) NOT NULL,
`kd_order` varchar(50) DEFAULT NULL,
`nama_tiket` varchar(50) DEFAULT NULL,
`kursi_tiket` varchar(50) DEFAULT NULL,
`umur_tiket` varchar(50) DEFAULT NULL,
`asal_beli_tiket` varchar(50) DEFAULT NULL,
`harga_tiket` varchar(50) NOT NULL,
`etiket_tiket` varchar(100) DEFAULT NULL,
`status_tiket` varchar(50) NOT NULL,
`create_tgl_tiket` date DEFAULT NULL,
`create_admin_tiket` varchar(50) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
--

```



```

-- Dumping data for table `tbl_tiket`

--
INSERT INTO `tbl_tiket` (`kd_tiket`, `kd_order`, `nama_tiket`,
`kursi_tiket`,
`umur_tiket`, `asal_beli_tiket`, `harga_tiket`, `etiket_tiket`, `status_tiket`,
`create_tgl_tiket`, `create_admin_tiket`) VALUES
('TORD00001J0004TJ002201904253', 'ORD00001', 'asdd', '3', '90
Tahun',
'TJ002', '145000', 'assets/backend/upload/etiket/ORD00001.pdf', '2',
'2019-04-12','bahyu'),
('TORD00001J0004TJ002201904254', 'ORD00001', 'asda', '4', '90 Tahun',
'TJ002',
'145000', 'assets/backend/upload/etiket/ORD00001.pdf', '2', '2019-04-12',
'bahyu'),
('TORD00003J0005202106101', 'ORD00003', 'aa ganteng', '1', '23 Tahun',
'TJ005', '132000', 'assets/backend/upload/etiket/ORD00003.pdf', '2', '2021-
06-10','admin'),
('TORD00004J0001202106292', 'ORD00004', 'aa ganteng', '2', '17 Tahun',
'AS001', '150000', 'assets/backend/upload/etiket/ORD00004.pdf', '2',
'2021-06-29','admin');

--

-- Table structure for table `tbl_token_pelanggan`

--

```

```

CREATE TABLE `tbl_token_pelanggan` (
  `kd_token` int(11) NOT NULL,
  `nama_token` varchar(256) DEFAULT NULL,
  `email_token` varchar(50) DEFAULT NULL,
  `date_create_token` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--

-- Dumping data for table `tbl_token_pelanggan`

--

INSERT INTO `tbl_token_pelanggan` (`kd_token`, `nama_token`,
`email_token`,
`date_create_token`) VALUES
(1, 'f3cb4a496fc71398a677d521dd457a0e', 's@gmail.com', 1623297264),
(2, '1c34f97b0c9425dfdcdc7801838c5b3f', '361fernandi@gmail.com',
1624883940),
(3, 'a7fb25a23cf2a5880dd1d0d645320ffc', '361fernandi@gmail.com',
1624888876);

-- Table structure for table `tbl_tujuan`

--

CREATE TABLE `tbl_tujuan` (
  `kd_tujuan` varchar(50) NOT NULL,
  `kota_tujuan` varchar(50) NOT NULL,
  `nama_terminal_tujuan` varchar(50) NOT NULL,

```

```

`terminal_tujuan` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
--
-- Dumping data for table `tbl_tujuan`
--
INSERT INTO `tbl_tujuan` (`kd_tujuan`, `kota_tujuan`,
`nama_terminal_tujuan`,
`terminal_tujuan`) VALUES
('AS001', 'Medan', 'Terminal Medan', 'Terminal Medan'),
('TJ001', 'Kisaran', 'Terminal Kisaran', 'Terminal Kisaran, Kota
Kisaran'),('TJ002', 'Aek Kanopan', 'Terminal Aek Kanopan', 'Aek
Kanopan'), ('TJ003', 'Rantauprapat', 'Terminal Rantauprapat',
'Rantauprapat'),
('TJ004', 'Negeri Lama', 'Terminal Negeri Lama', 'Negeri
Lama'),('TJ005', 'Aek Jamu', 'Terminal Aek Jamu', 'Aek
Jamu'),
('TJ006', 'Kota Pinang', 'Terminal Kota Pinang', 'Kota Pinang');
--
-- Indexes for dumped tables
--
--
-- Indexes for table `tbl_admin`

```

```

--
ALTER TABLE `tbl_admin`
  ADD PRIMARY KEY (`kd_admin`);
--
-- Indexes for table `tbl_bank`
--
ALTER TABLE `tbl_bank`
  ADD PRIMARY KEY (`kd_bank`);
--
-- Indexes for table `tbl_bus`
--
ALTER TABLE `tbl_bus`
  ADD PRIMARY KEY (`kd_bus`);
--
-- Indexes for table `tbl_jadwal`
--
ALTER TABLE `tbl_jadwal`
  ADD PRIMARY KEY
  (`kd_jadwal`), ADD KEY
  `kd_bus` (`kd_bus`), ADD
  KEY          `kd_tujuan`
  (`kd_tujuan`);
--

```

```

-- Indexes for table `tbl_konfirmasi`
--
ALTER TABLE `tbl_konfirmasi`
  ADD PRIMARY KEY
  (`kd_konfirmasi`), ADD KEY
  `kode_order` (`kd_order`);
--
-- Indexes for table `tbl_level`
--
ALTER TABLE `tbl_level`
  ADD PRIMARY KEY (`kd_level`);
--
-- Indexes for table `tbl_menu`
--
ALTER TABLE `tbl_menu`
  ADD PRIMARY KEY (`kd_menu`);
--
-- Indexes for table `tbl_order`
--
ALTER TABLE `tbl_order`
  ADD PRIMARY KEY
  (`id_order`), ADD KEY
  `kd_jadwal` (`kd_jadwal`),

```

```

ADD KEY `kd_kustomer`
(kd_pelanggan), ADD KEY
`kd_tiket` (kd_tiket),
ADD KEY `kd_bank` (kd_bank);

--

-- Indexes for table `tbl_pelanggan`
--

ALTER TABLE `tbl_pelanggan`
ADD PRIMARY KEY (kd_pelanggan);

--

-- Indexes for table `tbl_sub_menu`
--

ALTER TABLE `tbl_sub_menu`
ADD PRIMARY KEY
(kd_sub_menu), ADD KEY
`kd_menu` (kd_menu);

--

-- Indexes for table `tbl_tiket`
--

ALTER TABLE `tbl_tiket`
ADD PRIMARY KEY (kd_tiket),
ADD KEY `kode_order` (kd_order);

--

```

```

-- Indexes for table `tbl_token_pelanggan`
--
ALTER          TABLE
`tbl_token_pelanggan`  ADD
PRIMARY KEY (`kd_token`);
--
-- Indexes for table `tbl_tujuan`
--
ALTER TABLE `tbl_tujuan`
ADD PRIMARY KEY (`kd_tujuan`);
--
-- AUTO_INCREMENT for dumped tables
--
--
-- AUTO_INCREMENT for table `tbl_level`
--
ALTER TABLE `tbl_level`
MODIFY `kd_level` int(11) NOT NULL AUTO_INCREMENT,
AUTO_INCREMENT=3;
--
-- AUTO_INCREMENT for table `tbl_menu`
--
ALTER TABLE `tbl_menu`

```

```

MODIFY `kd_menu` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=3;
--
-- AUTO_INCREMENT for table `tbl_order`
--
ALTER TABLE `tbl_order`
MODIFY `id_order` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=16;
--
-- AUTO_INCREMENT for table `tbl_token_pelanggan`
--
ALTER TABLE `tbl_token_pelanggan`
MODIFY `kd_token` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=4;
COMMIT;
/*!40101 SET
CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS
*/;
/*!40101 SET
COLLATION_CONNECTION=@OLD_COLLATION_CONNECT
ION */;

```