LAPORAN PUBLIKASI ILMIAH

CONDITION OF SEAGRASS BEDS ECOSYTEM ON PONCAN GADANG ISLAND BASED ON MACROZOOBENTHOS DIVERSITY

Diajukan sebagai syarat untuk mendapatkan gelar kesarjanaan/Diploma^{*)} pada program studi Pendidikan Biologi Fakultas keguruan dan Ilmu Pendidikan Universitas Labuhanbatu



ELPIYANI 1904100023

PROGRAM STUDI PENDIDIKAN BIOLOGI FAKULTAS KEGURUAN DAN ILMU PENDIDIKAN UNIVERSITAS LABUHANBATU RANTAUPRAPAT 2023

LEMBAR PENGESAHAN PERSETUJUAN

JUDUL

NAMA JURNAL/PROSIDING/BUKU VOLUME, NOMOR, TAHUN HALAMAN TERINDEKS NAMA MAHASISWA NPM PRODI DOSEN PENDAMPING : Condition of Seagrass Beds Ecosytem on Ponean Gadang Island Based on Macrozoobenthos Diversity : Jurnal Penelitian Pendidikan IPA (JPPIPA) : 9, 3, 2023 : 1277-1282 : Sinta 2 . Elpiyani

: 1904100023 : Pendidikan Biologi : Rusdi Machrizal, S.Pi., M.Si

DISETUUUI SEBAGAI PENGGANTI SKRIPSI (PILIHAN TUGAS AKHIR) Pada tanggal ; 22 Desember 2022

Disetujui Oleh : Dosen Pembimbing

Rusdi Machrizal, S.Pi., M.Si NIDN, 0127038602

Disahkan Oleh : Kepala Program Studi Pendidikan Biologi

p, S.Pd, M.Pd Risma Del NIDN. 0170

LEMBAR TINDAK LANJUT

Nama Mahasiswa NPM

: Elpiyani

: 1904100023

Program Studi Judul Artikel

Terindeks Pada

: Pendidikan Biologi : Condition of Seagrass Beds Ecosytem on Poncan Gadang Island Based on Macrozoobenthos Diversity

Dipublikasikan Dijurnal e ISSN/p ISSN

: 2407-795X/2460-2582) 9.3.2023

Sinta 2

: Jurnal Penelitian Pendidikan IPA (JPPIPA)

Volume, Nomer, Tahun ¥

BERDASARKAN KETERANGAN DAN DATA TERLAMPIR BAHWA KARYA ILMIAH (ARTIKEL) DENGAN JUDUL CONDITION OF SEAGRASS BEDS ECOSYTEM ON PONCAN GADANG ISLAND BASED ON MACROZOOBENTHOS DIVERSITY

DIPUTUSKAN : I. MELAKSANAKAN UJIAN PENDALAMAN KARYA ILMIAH

Disahkan pada tanggal: 31 Marct 2023 Kepala Program Studi Pendidikan Biologi Disahkan Olch :

Dekan Fakultas Keguruan dan Ilmu-

Pendidkan

Risma Delima aliap, S.Pd.M.Pd NIDN. 01/011 502

Sakinah Ubudiyah Siregar, M.Pd NIDN 0109048702

KATA PENGANTAR

Alhamdulillah Puji syukur penulis sampaikan kepada Allah SWT, yang telah memberikan banyak kesehatan dan kesempatan sehingga dapat menyelesaikan karya ilmiah yang menjadi salah satu syarat untuk mendapatkan gelar kesarjanaaan pada Program Studi Pendidikan Biologi Fakultas Keguruan dan Ilmu Pendidikan Universitas Labuhanbatu. Karya ilmiah yang berjudul " Condition of Seagrass Beds Ecosytem on Ponean Gadang Island Based on Macrozoobenthos Diversity " ini disusun dengan penuh usaha hingga terpublikasi pada Jurnal Penelitian Pendidikan IPA (JPPIPA) Universitas Mataram yang terindeks SINTA 2. Penyusunan hingga terpublikasinya karya ilmiah ini kedalam Jurnal tidak terlepas atas bantuan dan dukungan banyak pibak. Ucapan terimakasih sebesar-besarnya penulis ucapkan kepada

1 Rektor Laniversitas Labuhanbatu Ade Parlaungan Nasution SE., M.Si, Ph.D.

2. Dekan FKIP Dr. Sakinah Ubudiyah Siregar, S.Pd.L.M.Pd

3. Kaprishi Pendidikan Biologi Risma Delima Harahap S.Pd., M.Pd

4. Dosen Pembimbing Rusdi Machrizal, S.Pi., M.Si-

5. Kepada Orangtua yang telah mendukung saya

Karya ilmiah yang terpublikasi ini tentunya masih memerlukan adanya masukan dan saran sehingga kedepan karya ilmiah ini dapat dijadikan mjukan pada karya-karya ilmiah yang akan datang

Rantauprapat, 07 Maret 2023

Elpiyani

BUKTI PRINT OUT COVER / DAFTAR ISI ARTIKEL



JURNAL PENELITIAN PENDIDIKAN IPA



Jurnal Penelitian Pendidikan IPA (e_ISSN: 2407-795X, p_ISSN: 2460-2582) contains scientific articles form of research results that include science, technology, and teaching in the field of science. Jurnal Penelitian Pendidikan IPA is published monthly. Authors across the globe are welcome to submit their research papers in the prestigious journal fulfilling the requisite criterion.

Jurnal Penelitian Pendidikan IPA Colaborate with: Perkumpulan Pendidik IPA Indonesia.

Jurnal Penelitian Pendidikan IPA provides immediate OPEN ACCESS to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Jurnal Penelitian Pendidikan IPA index by: |Crossref| |Sinta DIKTI| |Indonesian Public Index (IPI)| |Google Scholar| |Indonesian One Search| |Bielefeld Academic Search Engine (BASE)| |Index Copernicus International (ICI) World of Journals| PKP Index| Academic Recource Index| |Mendeley| |Garuda Ristekdikti| More...

Authors who publish with Jurnal Penelitian Pendidikan IPA, agree to the following terms:

- 1. Authors retain copyright and grant the journal right of first publication with the work simultaneously licensed under a Creative Commons Attribution 4.0 International License (CC-BY License). This license allows authors to use all articles, data sets, graphics, and appendices in data mining applications, search engines, websites, blogs, and other platforms by providing an appropriate reference. The journal allows the author(s) to hold the copyright without restrictions and will retain publishing rights without restrictions.
- Authors are able to enter into separate, additional contractual arrangements for the non-exclusive distribution of the journal's published version of the work (e.g., post it to an institutional repository or publish it in a book), with an acknowledgment of its initial publication in Jurnal Penelitian Pendidikan IPA.

3. Authors are permitted and encouraged to post their work online (e.g., in institutional repositories or on their website) prior to and during the submission process, as it can lead to productive exchanges, as well as earlier and



SCOPUS CITATION ANALYSIS
DOWNLOAD FULL ISSUE

PUBLICATIONS FEES

JOURNAL TEMPLATE



NATIONALLY ACCREDITED



website) prior to and during the submission process, as it can lead to productive exchanges, as well as earlier and greater citation of published work (See The Effect of Open Access).

Publication Fee: 1.250.000 (IDR). Read more about Publication Fees.

ANNOUNCEMENTS

NEWS

2022-10-10

Dear. Authors

Based on the decision of the editorial team and the decision of the **PUSAT NASIONAL ISSN INDONESIA (LIPI)**, the **Jurnal Penelitian Pendidikan IPA (JPPIPA)** will be published every month at least 60 articles published per edition. This decision will be enforced for Volume 8 Number 4 October 2022.

We have also prepared several articles for publication in volume 8 number 5 November 2022, and volume 8 number 6 December 2022.

Thank you

Best Regards

READ MORE >



KEYWORDS



JOURNAL STATCOUNTER




JOURNAL VISITORS










The Impact of Changes in the Learning System on Students' Learning Motivation		
Muhammad Wahyu Rizki, Evendi Evendi, Muhammad Syukri, Saminan Saminan, Mursal Mursal	1059-1063	
PDF mThis article have been read 26 times, downloaded 16 times		
Analysis of Problem Solving Skills of Class VII Students on Earthquake Material and Mitigation		
Rosalia Tunika Grandis, Insih Wilujeng, Suyanta Suyanta	1064-1068	
PDF mf This article have been read 17 times, downloaded 13 times		
Self Organized Learning Environments (SOLE) Model Based on Blended Learning for Independence	and	
Students' Cognitive Learning Outcomes in Acid-Base Material		
Ika Budyaningsih, Retno Aliyatul Fikroh	1069-1075	
PDF mfThis article have been read 20 times, downloaded 14 times		
Sway-Based Interactive Chemistry Learning Media: Feasibility for Improving Students' Conceptual		
Understanding and Self-efficacy		
Siti Nor Laily Hikmah, Parham Saadi, Arif Sholahuddin	1076-1084	
PDF mThis article have been read 17 times, downloaded 18 times		
The Influence of Listening Team Learning (LTL) Model on Students' Learning Outcome in Science		
Sudirman Sudirman	1085-1091	
PDF mfThis article have been read 35 times, downloaded 30 times		
Learning Tools Quality of Problem-Based Learning Model in Contextual Teaching and Learning Appro	oach on	
Condition of Seagrass Beds Ecosystem on Poncan Gadang Island Based on Macrozoobenthos Divers	sity	
Elpiyani, Ruri Rimenta Ximenez Diaz, Nuratika Ranza, Diana Khairiyah Sirait, Rusdi Machrizal	1277-1282	
PDF mThis article have been read 21 times, downloaded 22 times		
Conformity Level Analysis of Physics Daily Test Questions Based on Minimum Competency Assessn	nent	
Luthfiyah Khairi, Desnita	1283-1291	
PDF mf This article have been read 16 times, downloaded 14 times		
Possible Usage of Various Microalgae Species from Rawa Besar Small Lake as Aquaculture Feedant		
Fadhlurrahman Maulana, Nining Betawati Prihantini	1292-1296	
D PDF mfThis article have been read 17 times, downloaded 13 times		
Secondary Science Teachers Perception on STEM Learning for Sustainable Development		
Abdul Aziz Rahman, Ida Kaniawati, Riandi, Sumar Hendayana	1297-1303	
This article have been read 98 times downloaded 34 times		Ŧ





similarity


Ps

-

FLAG (BOUTH OF

IN 🔺 🕪 🍡 15:15 11/04/2023

BUKTI PRINT OUT INDEKSING JURNAL





Journal of Research in Science Education

http://jppipa.unram.ac.id/index.php/jppipa/index



Condition of Seagrass Beds Ecosystem on Poncan Gadang Island Based on Macrozoobenthos Diversity

Elpiyani¹, Rury Rimenta Ximenez Diaz¹, Nuratika Ranza¹, Diana Khairiyah Sirait², Rusdi Machrizal^{1*}

¹, Biology education study program, University of Labuhanbatu, Rantauprapat, Indonesia.

^{2,} Matemathic education study program, University of Labuhanbatu, Rantauprapat, Indonesia.

Received: August 25, 2022 Revised: March 9, 2023 Accepted: March 25, 2023 Published: March 31, 2023

Corresponding Author: Rusdi Machrizal rusdimachrizal@gmail.com

DOI: 10.29303/jppipa.v9i3.2320

© 2023 The Authors. This open access article is distributed under a (CC-BY License



Abstract: The seagrass ecosystem of Poncan Gadang island is one of the ecosystems that often come under pressure due to ecotourism activities. Pressure on these ecosystems can have an impact on the diversity of the types of animals that live in them. This research is aimed at knowing the condition of seagrass ecosystems based on the diversity of macrozoobenthos that live in them. The observation point is divided into 5 stations. At each point, a square transect of 1x1 meters is made as many as 10 pieces. Collection of macrozoobenthos samples is carried out by the hand sorting method. The samples collected were then identified at the Ecology Laboratory of the Faculty of Teacher Training and Education, University of Labuhanbatu. Data analysis uses the shannon wienner index (H'), Dominance Index (C') and Similarity Index (IS) formulas. Data analysis was done by computer program Plymouth Routines In Multivariate Ecological Research (Primer) 7th version. The results showed that there were 30 species of macrozobenthos living in the seagrass ecosystem of Poncan Gadang island, with a diversity index (H') of 3.031-3.191, a dominance index (C') of 0.0038 - 0.0053, then a similarity index (IS) of 86.792 - 98.305%. This result indicates the condition of the seagrass beds ecosystem of Poncan Gadang Island is in good condition, with a moderate level of uniformity, low dominance and high similarity.

Keywords: Macrozoobenthos; Poncan Gadang Island; Seagrass ecosystem

Introduction

Macrozoobentos are communities of organisms that live based on bottom or sediments in an aquatic habitat. They have a relatively fixed and very limited living habitat, therefore they are more susceptible to environmental disturbances such as changes in water quality and sediments, but are very well used as biological indicators determining conditions in the aquatic ecosystem (Bai'un et al., 2021; Saputri et al., 2021; Siahaan et al., 2021). Macrozoobenthos are a group of organisms that are often found alive associated with seagrass beds ecosystem (Machrizal et al., 2019).

Seagrass is one of the flowering plant communities that live in the intertidal zone (Machrizal et al., 2019; McKenzie et al., 2020; Thangaradjou & Bhatt, 2018). Seagrass is one of the communities in the coastal area that plays an important and effective role as one of the coastal protectors and land safety in coastal areas, so that seagrasses are also capable of stabilizes the substrate (sediment), resists waves and absorbs contaminants (Sholihah et al., 2020). Seagrass beds are an environment that can providing life support for various types of marine organisms including macrozoobenthos. Seagrass beds are home to various types of fish and other biota for shelter, forage, lay eggs and raise cubs (Herawati et al., 2017).

Research on seagrass in Indonesia has been widely carried out by the researchers such as correlation of diversity macrozoobentos with seagrass density at Semawang Beach Sanur Bali (Sholihah et al., 2020), macrozoobentos community structure in ecosystems seagrass in Paciran, Lamongan Regency, East Java (Arfiati et al., 2019), density of macrozoobentos in vegetated areas (Seagrass) and un vegetated in Doreri Gulf Manokwari (Leatemia et al., 2017). Poncan Gadang Island is one of the one island located in the bay of Tapian Nauli, Madya Sibolga City. The island is become one of the tourist destinations for the community because it has a view beautiful underwater. Ecotourism

How to Cite:

Elpiyani, E., Diaz, R.R.X., Ranza, N., Sirait, D.K., & Machrizal, R. (2023). Condition of Seagrass Beds Ecosystem on Poncan Gadang Island Based on Macrozoobenthos Diversity. *Jurnal Penelitian Pendidikan IPA*, 9(3), 1277–1282. https://doi.org/10.29303/jppipa.v9i3.2320

Jurnal Penelitian Pendidikan IPA (JPPIPA)

activities in the waters of Poncan Gadang Island causing the surrounding ecosystem to gain pressure. Pressure against seagrass ecosystems that are constantly occurring are feared to cause the presence of macrozobentos present in it becomes disturbed. Research this is intended to find out the condition of the seagrass ecosystem based on macrozoobenthos diversity on Poncan Gadang Island, so that it can utilized in the sustainable management of marine ecotourism.

Method

Time and Place

This research was carried out in 2021, sampling was carried out on Poncan Gadang Island. North Poncan Province Figure 1.



Figure 1. Research Location Map

Sampling Techniques

Sampling is carried out at low tide using the quadratic transect method. The transects used were 15 pieces per transect placement study site starting 10 meters from the shoreline to the sea, each transect was given a distance of 10 meters (Figure 2). Macrozoobenthos are taken using the Hand sorting technique. The samples obtained were collected and preserved with 70% alcohol to be identified in the integrated biological laboratory of Labuhanbatu University.




Figure 2. Illustration of transect laying (Sepriani et al., 2021)

Data Analysis Diversity Index (H')

The diversity index (H') serves to describe the condition of population diversity mathematically in order to facilitate the process of analyzing the number of individuals of each type in a community. The calculation of the Diversity index (H') refers to the Shannon-Wiener equation (Krebs, 1989).

$$H' - \underbrace{\Psi}_{i=1} (pi \ln pi)$$
(1)

Where:

s

H' = Shannon-Wiener diversity index S = Number of species Pi = Number of individuals of each type (i=1,2,3...) With H' values : 0<H'<2,3,02 = low diversity 2,302<H'<6,907 = moderate diversity H'>6,907 = high diversity

Dominance Index (C)

The dominance index is used to obtain information about the species that dominate in a community. The formula is as follows (Odum, 1996) :

$$C = \underbrace{\mathfrak{S}}_{i=1}^{n} \underbrace{\operatorname{ni}}_{n}^{2}$$
(2)

information:

C = Index of dominance

Ni = Value of each species (number of i-th individuals)

N = the total value of the entire species (the total number of individuals that have been found)

The dominance index value ranges from 0-1. A C value close to 1 means that there is one species with high abundance at one location (there is only one species at one station). A value of C close to 0 indicates that no species with high abundance are found in a single location.

Similarity Index (IS) or Similarity Index

The similarity index is used to find similarities between species at each research station. The calculation uses the sorensen similarity formula (Barbour et al., 1998).

$$IS = \frac{2c a}{+b} \times 100\%$$
 (3)

Where:

a = number of species at location a

b = number of species at location b c = same number of species at locations a and b with: IS=75-100% : Very similar

IS=75-100%	: Very similar
IS=50-75%	: Similar
IS=75-100%	: Not similar
IS=≤ 25%	: Very unlikely

Data analysis in this study was carried out using the computer software Plymouth Routines software in Multivariate Research Version 7th. This software will also be used to create dendograms on the sorensen similarity index.

Result and Discussion

The results of the identification of samples collected from seagrass ecosystems in around poncan gadang island shows there are 30 species of macrozobentos the living ones are associated with seagrass ecosystems (Table 1). This result is not far away in contrast to those obtained (Machrizal et al., 2020) where there are 25 species macrozobenthos live associated in seagrass ecosystems on the beach of Natal, Sumatra North.

Table 1. The composition of macrozoobentos species inthe seagrass ecosystem of poncan gadang island.

Spesies	ST 1	ST 2	ST3	ST 4	ST 5
Littoria scabra	+	+	+	+	+
Cymatium Intermedium	+	+	+	+	+
Luria isabella	+	+	+	+	+
Terebridae	+	+	+	+	+
Pugettia gracilis	+	+	+	+	+
diodon holocanthus	+	+	+	+	+
Mauritia arabica	+	+	+	+	+
Asterias amurencis	+	+	+	+	+
Holothuria atra	+	+	+	+	+
Acrosterigma Cygnonim	+	+	+	+	+
Anadara trapezia	+	+	+	+	+
Sesarma sp	+	+	+	+	+
Actrina pectinata	+	+	+	+	+
Leganum Depressum	+	+	-	+	+
Anadara inaequevalvis	+	+	+	+	+
Perna viridis	+	+	+	-	+
Scylla oceanica	+	-	+	-	+
Dardanus calidus	+	+	-	+	+
Holothuria edulis	+	+	+	+	+
Ocypode kuhli	+	+	+	+	+
Holothuria scabra	+	+	+	+	+
Polinices lacteus	+	+	+	+	+
Atrina vexillum	+	+	+	-	+
Astraea caelata	+	+	+	+	+
Conus betulinus	+	+	+	+	+
Cryptochiton sp	+	+	+	+	+
Cypraea pyrum	+	+	+	+	+
Cypreae zonaria	+	-	+	+	+
Trocus niloticus	+	+	-	+	+
Faunus ater	-	+	+	-	+

Note: (+) = Present; (-) = Absent

The results of the diversity index (H') analysis using shannonwienner's equation (table 2), show that the value of the diversity index macrozobenthos on the island of poncan gadang are in the moderate category with H' value (3.031-3.191), this result is not much different from that obtained by (Herawati et al., 2017) in the waters of Natal Beach with an H' value (2.52-2.59), furthermore (Machrizal et al., 2020) get an H' value (2.89-2.98) in the ecosystem seagrass waters of Natal Beach. These results indicate that the condition macrozoobentos diversity on Poncan Gadang Island in the moderate category. Moderate diversity indicates that environmental conditions waters are quite supportive for macrozoobentos life and ecosystems seagrass in such locations has sufficient productivity, ecosystem conditions are sufficient balanced and moderate ecological pressure (Herawati et al., 2017; Machrizal et al., 2020; Siahaan et al., 2021; Wijana et al., 2019).

 Table 2. Diversity Index (H') and Dominance (C') values

Shannon Wienner	Dominance Index(C')
Index (H')	
3.191	0.0053
3.188	0.0047
3.044	0.0049
3.031	0.0049
3.181	0.0038
	Index (H') 3.191 3.188 3.044 3.031

The results of the analysis of the dominance index at the 5 research stations showed the value of close to 0, this indicates that on Poncan Gadang Island there is no one of the predominate types of macrozobentos (found in numbers a lot). A C value close to 1 means that there is one species with high abundance at one location (there is only one type at one station) (Azimah et al., 2021; Machrizal et al., 2020; Wahab et al., 2019). Value C close to 0 indicates that there are no species with high abundance that found in one location. The value of the acquired dominance index ranges from 0.0038 - 0.0053 and is classified as low. This result is not much different from that of the obtained (Herawati et al., 2017; Machrizal et al., 2020) where the index value dominance (C') in the seagrass ecosystem of Natal beach, North Sumatra is in range values from 0.002 to 0.009. This shows that the community is in a state of affairs stable, there has been no ecological pressure resulting in environmental changes. According to Machrizal et al., (2020) say that the presence of dominance indicates a place such have low kind of wealth with an uneven distribution, which says that within the observed community, there are species that dominate other species (Munandar et al., 2016). High and low diversity, and dominance at each observation station is due to temperature, salinity, pH, dissolved oxygen and behavior of an organism that is able to adjust itself to these environmental conditions (Alwi et al., 2020).

The value of the similarity index indicates the similarity of the types of macrobenthos fauna which composes a very high community (Taqwa et al., 2017) at a location that different. The similarity index at all research stations is within the range 86-98%. Station 1 with Station 5 has the most similarity index values high with a value of 98.305% while it is the lowest similarity index value of 86.792% (table 3).

Table 3. Similarity Index Value At the research site

iunity inuc	<u>A vuiuc i</u>	It the It.	Jearen Ji	
ST 1	ST 2	ST 3	ST 4	ST 5
94.737				
92.857	90.909			
94.545	92.593	86.792		
<u>98.305</u>	<u>96.552</u>	<u>94.737</u>	92.857	
	ST 1 94.737 92.857 94.545	ST 1 ST 2 94.737 92.857 94.545 92.593	ST 1 ST 2 ST 3 94.737 92.857 90.909 94.545 92.593 86.792	94.737 92.857 90.909 94.545 92.593 86.792




Figure 3. Dendogram of Macrozoobenthos Similarity Index in Poncan Gadang Island Waters

Poncan Gadang Based on data analysis, we can see that the degree of similarity between species from 5 stations are very high because the index shows IS=75-100%. The results of this study are not much different from those obtained (Machrizal et al., 2020) above 90%. This high degree of similarity is due to the whole the research station has almost the same characteristics. Same thing expressed by (Ningrum & Kuntjoro, 2022; Ningsih et al., 2020; Sepriani et al., 2021) the value of the similarity index can be influenced by ecological factors and chemical physical factors at the research site. Almost the same ecological characteristics cause the similarity of species values in a region is very similar.

Conclusion

Judging from the level of macrozoobenthos diversity which is in the moderate category at the five observation points on poncan gadang island, this indicates that the condition of the seagrass ecosystem of Poncan Gadang Island is in good condition.

Acknowledgements

Thank you we convey to the Directorate General of Higher Education, Research, and Technology (Ditjen Diktiristek) through the Directorate of Learning and Student Affairs (Belmawa) which has financed this publication through the PKM AI scheme in 2022.

References

- Alwi, D., Muhammad, S. Hi., & Herat, H. (2020). Keanekaragaman Dan Kelimpahan Makrozoobenthos Pada Ekosistem Mangrove Desa Daruba Pantai Kabupaten Pulau Morotai. Jurnal Enggano, 5(1), 64–77. https://doi.org/10. 31186/jenggano.5.1.64-77
- Arfiati, D., Herawati, E. Y., Buwono, N. R., Firdaus, A., Winarno, M. S., & Puspitasari, A. W. (2019). Struktur Komunitas Makrozoobentos Pada Ekosistem Lamun Paciran, Kabupaten di Lamongan, Jawa timur. Journal of Fisheries and RESEARCH, Marine 3(1), 1 - 7.https://doi.org/10.21776/ub.jfmr.2019.003.01.1
- Azimah, N., Nurdin, M., & Zainal, S. (2021). Keanekaragaman Makrozoobentos Di Perairan Pusat Laut Kecamatan Banawa Kabupaten Donggala Serta Pemanfaatannya Sebagai Media Pembelajaran. https://doi.org/10.22487/jbse.v9i2.1735
- Bai'un, N. H., Riyantini, I., Mulyani, Y., & Zallesa, S. (2021). Keanekaragaman Makrozoobentos Sebagai Indikator Kondisi Perairan Di Ekosistem Mangrove Pulau Pari,Kepulauan Seribu. *Journal of Fisheries and Marine Research*, 5(2), 227–238. https://doi.org/10.21776/ub.jfmr.2021.005.02.7
- Barbour, M. G., Burk, J. H., & Pitts, W. D. (1998). *Terresterial Plant Ecology* (3rd ed.). An Imprint of Addison Wesley Longman.
- Herawati, P., Barus, T. A., & Wahyuningsih, H. (2017). Keanekaragaman Makrozoobentos Dan Hubungannya Dengan Penutupan Padang Lamun (Seagrass) Di Perairan Mandailing Natal Sumatera Utara. *Jurnal Biosains*, 3(2). https://doi.org/10.24114/jbio.v3i2.7434
- Krebs, C. J. (1989). *Ecological Methodology*. Harper Collins Publisher.
- Leatemia, S. P. O., Pakilaran, E. L., & Kopalit, H. (2017). Macrozoobenthos Abundancein the Vegetated (Seagrass)and Un-vegetated Areas of Doreri Bay-Manokwari. *Jurnal Sumberdaya Akuatik Indopasifik*, 1(1), 15–26. https://doi.org/10.30862/jsai-fpikunipa.2017.Vol.1.No.1.13
- Machrizal, R., Khairul, K., Chastanti, I., Sari, N. F., Ritonga, N., & Sepriani, Y. (2019). A study on the density and the cover of seagrass species along the West Coast of Natal. *IOP Conference Series: Earth and*

Environmental Science, 348(1). https://doi.org/10.1088/1755-1315/348/1/ 012004

- Machrizal, R., Khairul, K., & Dimenta, R. H. (2020). Diversity of Macrozoobenthos on Seagrass Beds Ecosystem in Natal Waters North Sumatera. *Gorontalo Fisheries Journal*, *3*(1), 56–67. https://doi.org/10.32662/gfj.v3i1.998
- McKenzie, L. J., Nordlund, L. M., Jones, B. L., Cullen-Unsworth, L. C., Roelfsema, C., & Unsworth, R. K.
 F. (2020). The global distribution of seagrass meadows. *Environmental Research Letters*, 15(7). https://doi.org/10.1088/1748-9326/ab7d06
- Munandar, A., Ali, Ms., Karina, S., (2016). Community Structure Macrozoobenthos Estuari Kuala Rigaih District Of Setia Bakti Aceh Jaya. Jurnal Ilmiah Mahasiswa Kelautan Dan Perikanan Unsyiah, 1, 331– 336.

https://jim.usk.ac.id/fkp/article/view/1605/pdf

- Ningrum, N. C., & Kuntjoro, S. (2022). Kualitas Perairan Sungai Brangkal Mojokerto Berdasarkan Indeks Keanekaragaman Makrozoobentos. *LenteraBio*, *11*(1), 71-79. https://doi.org/https://doi.org/10.26740/lentera bio.v11n1.p71-79
- Ningsih, S. W., Setyati, W. A., & Taufiq-Spj, N. (2020). Tingkat Kelimpahan Makrozoobenthos di Padang Lamun Perairan Telaga dan Pulau Bengkoang, Karimunjawa. *Journal of Marine Research*, 9(3), 223– 229. https://doi.org/10.14710/jmr.v9i3.27418
- Odum E P. (1996). *Dasar-dasar ekologi* (3rd ed.). Gadjah Mada University Press.
- Saputri, A. E., Amin, B., & Yoswaty, D. (2021). Structure of The Macrozoobentos Community in The north coastal waters of Bengkalis Island, Riau Province. In *Asian Journal of Aquatic Sciences* (Vol. 4, Issue 3). https://doi.org/10.31258/ajoas.4.3.225-235
- Sepriani, Y., Simamora, S. S., Safitri, R., Machrizal, R., Dimenta, R. H., & Khairul, K. (2021). Seagrass diversity in Poncan Gadang Island, Sibolga, Indonesia (Vol. 14, Issue 1). http://www.bioflux.com.ro/docs/2021.561-569.pdf
- Sholihah, H., Arthana, I. W., & Ekawaty, R. (2020). Hubungan Keanekaragaman Makrozoobentos dengan Kerapatan Lamun di Pantai Semawang Sanur Bali. *Current Trends in Aquatic Science*, 3(1), 1– 7.

https://ojs.unud.ac.id/index.php/CTAS/article/ download/51245/36014

Siahaan, J. W., Warsidah, & Nurdiansyah, S. I. (2021). Structure of the Macrozoobenthos Community at Gosong Beach, Sungai Raya Kepulauan District Bengkayang Rengency West Kalimantan. Jurnal Laut Khatulistiwa, 4(3), 130-138. http://dx.doi.org/10.26418/lkuntan.v4i3.48095 Taqwa, A., Supriharyono, S., & Ruswahyuni, R. (2017). Primary productivity analysis of phytoplankton and community structure of macrobenthos based on mangrove density in conservation area of Tarakan City, East Kalimantan. *Bonorowo Wetlands*, 3(1), 30-40.

https://doi.org/10.13057/bonorowo/w030103

- Thangaradjou, T., & Bhatt, J. R. (2018). Status of seagrass ecosystems in India. In *Ocean and Coastal Management* (Vol. 159, pp. 7–15). Elsevier Ltd. https://doi.org/10.1016/j. ocecoaman.2017.11.025
- Wahab, I., Madduppa, H., Kawaroe, M., & Nurafni.
 (2019). Analysis oF Macrozoobenthic Density at Different Moon Phases in seagrass, Panggang, Seribu Islands Jakarta. Jurnal Teknologi Perikanan Dan Kelautan, 10(1), 93-107.
 https://doi.org/10.24319/jtpk.10.93-107
- Wijana, I. M. S., Ernawati, N. M., & Pratiwi, M. A. (2019). Keanekaragaman Lamun dan Makrozoobentos sebagai indikator kondisi Perairan Pantai sindhu, sanur, bali. *Ecotrophic*, *13*(2), 238–247. <u>https://doi.org/10.24843/EJES.2019.v13.i02.p11</u>

SURAT PERMOHONAN

Kepada Yth:

Bapak/Ibu Kaprodi Risma Delima Harahap S.Pd., M.Pd Di Tempat

: Elpiyani

: Umum

: 1904100023 : VII(8)

· Pendidikan Biologi

Saya yang bertanda tangan dibawah ini:

Nama

NPM

Semester

Prodi

Konsentrasi

Dengan ini memohon kiranya Bapak/Ibu Kaprodi Risma Delima Haratap S.P.L., M.P.d bersedia memberikan Persetujuan pada saya untuk mengajukan pengganti tugas akhir yaitu: Artikel Ilmiah. Adapun syarat-syarat yang telah ditetapkan oleh Lativersitas Labuhanbatu telah saya pemuli. Sebagai bukti bagi bapak/Ibu disini saya lampirkan: 1.Transkrip nilai sementara yang sudah disetujui oleh BAAK Fakultas 2. Draft Artikel

 Lembar Pengesahan Keuangan dari Ka. Bidang Keuangan Universitas Demikian saya sampaikan. Alas perhalian yang Bapak/Ibu berikan, saya acapkan terimakasih.

> Rantauprapat, 10 Desember 2022 Hormat Saya,

Elpiyani 1904100023

1283



FAKULTAS KEGURUAN DAN ILMU PENDIDIKAN (FKIP) UNIVERSITAS LABUHANBATU

Program Studi : PEND.BIOLOGI PEND.PKN PEND.MATEMATIKA Kampus

: Terakreditasi BAN-PT No. 547/SK/BAN-PT/Ak-PPJ/S/I/2022 : Terakreditasi BAN-PT No. 4813/SK/BAN-PT/Ak-PNB/S/XII/2019 : Terakreditasi BAN-PT No. 4812/SK/BAN-PT/Ak-PNB/S/XII/2019 : JI.SM. Raja No. 125-A KM.3,5 Ask Tapa - Rantauprapat -Sumatera Utara Telepon / Fax (6624) 21901 - Website : fkip.ulb.ac.id

LEMBAR PENGESAHAN/PERSETUJUAN

	7420
Nama	: Elpiyani
NPM	: 1904100023
Semester	; VIII (8)
Prodi	Pendidikan Biologi
Fakultas	: Keguruan dan Hinri Pendidikan
Total SKS yang Lulus	: 148
Judul /	; Condition of Seagrass Beds Fcosytem on Poncan Gadang
1 Same	Island Based on Macrozoobenthos Diversity
Pilihan Karya Ilmiah	Artikel Nasional Terakreditasi
Terindeks	: Sinta ?
Status Karya Amiah	: Terbit
Dosen#	: Rustli Machrizal, S.Pi., M.Si
No. Page Contra	

DISETULU SEBAGAI PENGGANTI SKRIPSI (PELIJAN KARYA ILMIAH) Pada Tanggal 22 Desember 2022

Disetujui Oleh : Kepala Program Studi Pendidikan Biologi

Risma Delima Harabap, S.Pd.M.Pd

NIDN. 0130118502

Disahkan Oleh : Dekan Fakultas Keguruan dan Ilmu

Pendidkan

Dr. Sakinah Ubudiyah Siregar, M.Pd NIDN, 0109048702



FAKULTAS KEGURUAN DAN ILMU PENDIDIKAN (FKIP) UNIVERSITAS LABUHANBATU

Program Studi : PEND.BIOLOGI PEND.PKN PEND.MATEMATIKA Kampus

: Terakreditasi BAN-PT No. 547/SK/BAN-PT/Ak-PPJ/S/I/2022 : Terakreditasi BAN-PT No. 4813/SK/BAN-PT/Ak-PNB/S/XII/2019 : Terakreditasi BAN-PT No. 4812/SK/BAN-PT/Ak-PNB/S/XII/2019 : JI.SM. Raja No. 126-A KM.3,5 Aek Tapa - Rantauprapat -Sumatera Utara Telepon / Fax (0624) 21901 - Website : fkip.ulb.ac.id

LEMBAR PENUNJUKAN DOSEN PENDAMPING

Nama	: Elpiyani	
NPM	: 1904110023	ş
Semester	: VIII (8)	
Prodi	Pendidikan Biologi	
Kosentrasi	:Umum	
Fakultas	: Keguruan dan Ilmu Pendidikan	
Total SKS yang Lulus	: 151	
Judul	Condition of Seagrass Beds Ecosytem on Poncan Galang	
. 11 Marsh 71	Island Based on Macrozoobenthos Diversity	
Status Karya Ilmiah*	: Terbit	
一個種目的		

Dengan ini menunjuk dan menetapkan dosen pendamping sebagai berikut :

Dosen*

: Rusdi Machrizal, S.Pi., M.Si

Disahkan Oleh:

Dekan Fakultas Kegunian dan Ilmu

DEndjälun

Dr. Sokinah Ubrahyah Siregar, M.Pd NIDN. 0109048702