

LampiranNo. Responden:.....

KUESIONER PENELITIAN

PENGARUH KETERSEDIAAN PRODUK, HARGA, KUALITAS PELAYANAN DAN STORE ATMOSPHERE TERHADAP KEPUTUSAN PEMBELIAN KONSUMEN PADA SUZUYA MALL RANTAUPRAPAT

Petunjuk pengisian kuesioner:

- 1) Mohon diberi tanda *checklist* (√) pada kolom jawaban Saudara/i anggap paling sesuai.
- 2) Setiap pertanyaan hanya membutuhkan satu jawaban saja.
- 3) Mohon memberikan jawaban yang sebenarnya karena data ini hanya untuk kepentingan penelitian dan akan dijaga kerahasiaannya oleh peneliti.
- 4) Setelah mengisi kuesioner mohon Saudara/i berikan kepada yang menyerahkan kuesioner.
- 5) Terima Kasih atas partisipasi Anda.

Identitas Responden

- 1) Nama Responden :
- 2) Jenis Kelamin : Pria Wanita
- 3) Usia :Tahun
- 4) Pendapat anda dinyatakan dalam skala 1 s/d 5 yang memiliki makna:

Sangat Setuju	(SS)	= 5
Setuju	(S)	= 4
Kurang Setuju	(KS)	= 3
Tidak Setuju	(TS)	= 2
Sangat Tidak Setuju	(STS)	= 1

KETERSEDIAAN PRODUK (X1)		Skala Pengukuran				
No	Pernyataan	SS	S	KS	TS	STS
1	Produk yang dijual di Suzuya Mall lengkap dan beragam.					
2	Berbagai macam pilihan merek dijual di Suzuya Mall.					
3	Dalam satu produk terdapat bermacam variasi yang dijual di Suzuya Mall					
4	Produk yang dijual di Suzuya Mall selalu tersedia.					
5	Saya melakukan pembelian karena stok pada Suzuya Mall lengkap di bandingkan di tempat yang sama jenis					
HARGA (X2)						
1	Saya merasa harga produk di Suzuya Mall terjangkau					
2	Saya merasa harga produk di Suzuya Mall sesuai dengan yang diinginkan					
3	Saya merasa harga produk di Suzuya Mall sesuai dengan produk yang ditawarkan					
4	Suzuya Mall menawarkan harga yang lebih murah dibanding pesaing.					
5	Saya merasa harga produk di Suzuya Mall sesuai dengan manfaat yang Saya rasakan					
KUALITAS PELAYANAN (X3)						
1	Karyawan Suzuya Mall memberikan layanan yang tepat sesuai dengan kebutuhan konsumen.					
2	Karyawan Suzuya Mall selalu merespon keluhan konsumen dengan cepat.					
3	Karyawan Suzuya Mall bersikap sopan dan ramah.					
4	Karyawan Suzuya Mall memberikan informasi secara jelas dan mudah dipahami.					
5	Karyawan Suzuya Mall memberikan perhatian khusus kepada konsumen.					
STORE ATMOSPHERE (X4)						
1	Saya nyaman berbelanja di Suzuya Mall karena kondisi ruangan yang bersih					
2	Jumlah kasir dan penempatan lokasi kasir memudahkan saya untuk melakukan Pembayaran					
3	Saya nyaman berbelanja di Suzuya Mall karena pencahayaan yang terang					
4	Pintu masuk yang lebar dan dengan penempatan yang tepat memudahkan saya masuk ke Suzuya					

	Mall					
5	Tampilan luar yang menarik membuat saya tertarik berbelanja di Suzuya Mall					
KEPUTUSAN PEMBELIAN (Y)						
1	Saya melakukan pembelian produk di Suzuya Mall sesuai dengan barang yang saya perlukan					
2	Saya melakukan pembelian produk di Suzuya Mall sesuai dengan merek yang saya cari					
3	Suzuya Mall menyediakan jumlah barang yang akan saya beli					
4	Saya dapat melakukan pembelian di Suzuya Mall sesuai waktu yang ada karena dapat membeli secara online					
5	Suzuya Mall menyediakan metode pembayaran secara online					

TERIMA KASIH ATAS WAKTU DAN KERJASAMANYA

Hasil Kuesioner

RESPONDEN	X1.1	X1.2	X1.3	X1.4	X1.5	TOTAL
1	5	5	4	4	5	23
2	5	5	4	4	4	22
3	4	4	4	4	4	20
4	4	4	5	5	4	22
5	4	4	4	4	4	20
6	5	4	4	4	4	21
7	5	5	5	4	5	24
8	5	4	4	4	4	21
9	5	4	5	5	5	24
10	5	5	4	5	4	23
11	5	4	5	5	4	23
12	4	5	5	4	4	22
13	5	5	5	5	5	25
14	4	5	5	5	5	24
15	3	3	3	3	3	15
16	4	4	4	5	4	21
17	5	5	4	5	4	23
18	4	4	4	5	5	22
19	4	5	4	4	4	21
20	4	4	4	4	4	20
21	4	4	4	5	4	21
22	5	5	4	5	5	24
23	3	3	3	3	3	15
24	4	4	5	5	5	23
25	4	4	5	4	4	21
26	5	5	5	5	5	25
27	5	5	5	5	5	25
28	4	4	4	4	4	20
29	4	4	4	4	4	20
30	5	5	5	5	5	25
31	5	5	4	4	5	23
32	5	5	4	4	4	22
33	4	4	4	4	4	20
34	4	4	5	5	4	22
35	4	4	4	4	4	20
36	5	4	4	4	4	21
37	5	5	5	4	5	24
38	5	4	4	4	4	21

39	5	4	5	5	5	24
40	5	5	4	5	4	23
41	5	4	5	5	4	23
42	4	5	5	4	4	22
43	5	5	5	5	5	25
44	4	5	5	5	5	24
45	3	3	3	3	3	15
46	4	4	4	5	4	21
47	5	5	4	5	4	23
48	4	4	4	5	5	22
49	4	5	4	4	4	21
50	4	4	4	4	4	20
51	4	4	4	5	4	21
52	5	5	4	5	5	24
53	3	3	3	3	3	15
54	4	4	5	5	5	23
55	4	4	5	4	4	21
56	5	5	5	5	5	25
57	5	5	5	5	5	25
58	4	4	4	4	4	20
59	4	4	4	4	4	20
60	5	5	5	5	5	25
61	5	5	4	4	5	23
62	5	5	4	4	4	22
63	4	4	4	4	4	20
64	4	4	5	5	4	22
65	4	4	4	4	4	20
66	5	4	4	4	4	21
67	5	5	5	4	5	24
68	5	4	4	4	4	21
69	5	4	5	5	5	24
70	5	5	4	5	4	23
71	5	4	5	5	4	23
72	4	5	5	4	4	22
73	5	5	5	5	5	25
74	4	5	5	5	5	24
75	3	3	3	3	3	15
76	4	4	4	5	4	21
77	5	5	4	5	4	23
78	4	4	4	5	5	22
79	4	5	4	4	4	21

80	4	4	4	4	4	20
81	4	4	4	5	4	21
82	5	5	4	5	5	24
83	3	3	3	3	3	15
84	4	4	5	5	5	23
85	4	4	5	4	4	21
86	5	5	5	5	5	25
87	5	5	5	5	5	25
88	4	4	4	4	4	20
89	4	4	4	4	4	20
90	5	5	5	5	5	25
91	5	5	4	4	5	23
92	5	5	4	4	4	22
93	4	4	4	4	4	20
94	4	4	5	5	4	22
95	4	4	4	4	4	20
96	5	4	4	4	4	21

RESPONDEN	X2.1	X2.2	X2.3	X2.4	X2.5	TOTAL
1	5	5	5	4	5	24
2	4	5	4	4	4	21
3	4	5	4	5	4	22
4	5	5	4	5	4	23
5	4	4	4	3	4	19
6	4	4	4	5	5	22
7	5	4	5	5	4	23
8	4	5	5	4	4	22
9	4	5	5	5	4	23
10	4	5	5	5	5	24
11	5	5	5	5	5	25
12	5	4	5	4	5	23
13	5	5	4	5	5	24
14	4	5	4	4	5	22
15	3	3	3	3	3	15
16	4	5	4	4	5	22
17	5	5	4	4	3	21
18	4	4	4	4	4	20
19	4	5	4	5	5	23
20	4	3	4	3	4	18
21	4	5	4	5	3	21

22	5	5	4	4	5	23
23	3	3	3	3	3	15
24	5	4	5	5	5	24
25	4	4	4	4	4	20
26	4	5	5	4	3	21
27	5	4	5	5	5	24
28	5	4	5	3	4	21
29	4	4	4	4	3	19
30	5	5	5	4	5	24
31	5	5	5	4	5	24
32	4	5	4	4	4	21
33	4	5	4	5	4	22
34	5	5	4	5	4	23
35	4	4	4	3	4	19
36	4	4	4	5	5	22
37	5	4	5	5	4	23
38	4	5	5	4	4	22
39	4	5	5	5	4	23
40	4	5	5	5	5	24
41	5	5	5	5	5	25
42	5	4	5	4	5	23
43	5	5	4	5	5	24
44	4	5	4	4	5	22
45	3	3	3	3	3	15
46	4	5	4	4	5	22
47	5	5	4	4	3	21
48	4	4	4	4	4	20
49	4	5	4	5	5	23
50	4	3	4	3	4	18
51	4	5	4	5	3	21
52	5	5	4	4	5	23
53	3	3	3	3	3	15
54	5	4	5	5	5	24
55	4	4	4	4	4	20
56	4	5	5	4	3	21
57	5	4	5	5	5	24
58	5	4	5	3	4	21
59	4	4	4	4	3	19
60	5	5	5	4	5	24
61	5	5	5	4	5	24
62	4	5	4	4	4	21

63	4	5	4	5	4	22
64	5	5	4	5	4	23
65	4	4	4	3	4	19
66	4	4	4	5	5	22
67	5	4	5	5	4	23
68	4	5	5	4	4	22
69	4	5	5	5	4	23
70	4	5	5	5	5	24
71	5	5	5	5	5	25
72	5	4	5	4	5	23
73	5	5	4	5	5	24
74	4	5	4	4	5	22
75	3	3	3	3	3	15
76	4	5	4	4	5	22
77	5	5	4	4	3	21
78	4	4	4	4	4	20
79	4	5	4	5	5	23
80	4	3	4	3	4	18
81	4	5	4	5	3	21
82	5	5	4	4	5	23
83	3	3	3	3	3	15
84	5	4	5	5	5	24
85	4	4	4	4	4	20
86	4	5	5	4	3	21
87	5	4	5	5	5	24
88	5	4	5	3	4	21
89	4	4	4	4	3	19
90	5	5	5	4	5	24
91	5	5	5	4	5	24
92	4	5	4	4	4	21
93	4	5	4	5	4	22
94	5	5	4	5	4	23
95	4	4	4	3	4	19
96	4	4	4	5	5	22

RESPONDEN	X3.1	X3.2	X3.3	X3.4	X3.5	TOTAL
1	4	5	5	5	5	24
2	4	5	5	4	4	22
3	4	5	4	4	4	21
4	5	4	5	5	5	24

5	4	4	4	4	4	20
6	5	4	4	4	4	21
7	5	5	5	5	5	25
8	4	4	4	5	5	22
9	4	4	4	5	5	22
10	4	5	3	4	4	20
11	5	5	5	5	4	24
12	5	4	5	5	5	24
13	4	5	4	5	4	22
14	4	4	5	5	4	22
15	3	3	3	3	3	15
16	4	4	3	4	4	19
17	5	5	5	5	5	25
18	4	4	4	4	5	21
19	4	4	4	5	5	22
20	4	4	4	4	5	21
21	4	4	4	4	4	20
22	4	4	5	4	5	22
23	3	3	3	3	3	15
24	4	4	4	5	4	21
25	4	4	4	5	3	20
26	4	5	5	4	5	23
27	5	5	4	5	5	24
28	5	5	5	5	5	25
29	4	3	5	4	4	20
30	3	3	5	5	4	20
31	4	5	5	5	5	24
32	4	5	5	4	4	22
33	4	5	4	4	4	21
34	5	4	5	5	5	24
35	4	4	4	4	4	20
36	5	4	4	4	4	21
37	5	5	5	5	5	25
38	4	4	4	5	5	22
39	4	4	4	5	5	22
40	4	5	3	4	4	20
41	5	5	5	5	4	24
42	5	4	5	5	5	24
43	4	5	4	5	4	22
44	4	4	5	5	4	22
45	5	3	5	3	5	21

46	4	4	3	4	4	19
47	5	5	5	5	5	25
48	4	4	4	4	5	21
49	4	4	4	5	5	22
50	4	4	4	4	5	21
51	4	4	4	4	4	20
52	4	4	5	4	5	22
53	3	3	3	3	3	15
54	4	4	4	5	4	21
55	4	4	4	5	3	20
56	4	5	5	4	5	23
57	5	5	4	5	5	24
58	5	5	5	5	5	25
59	4	3	3	4	4	18
60	3	3	5	5	4	20
61	4	5	5	5	5	24
62	4	5	5	4	4	22
63	4	5	4	4	4	21
64	5	4	5	5	5	24
65	4	4	4	4	4	20
66	5	4	4	4	4	21
67	5	5	5	5	5	25
68	4	4	4	5	5	22
69	4	4	4	5	5	22
70	4	5	3	4	4	20
71	5	5	5	5	4	24
72	5	4	5	5	5	24
73	4	5	4	5	4	22
74	4	4	5	5	4	22
75	3	3	3	3	3	15
76	4	4	3	4	4	19
77	5	5	5	5	5	25
78	4	4	4	4	5	21
79	4	4	4	5	5	22
80	4	4	4	4	5	21
81	4	4	4	4	4	20
82	4	4	5	4	5	22
83	3	3	3	3	3	15
84	4	4	4	5	4	21
85	4	4	4	5	3	20
86	4	5	5	4	5	23

87	5	5	4	5	5	24
88	5	5	5	5	5	25
89	4	3	3	4	4	18
90	3	3	5	5	4	20
91	4	5	5	5	5	24
92	4	5	5	4	4	22
93	4	5	4	4	4	21
94	5	4	5	5	5	24
95	4	4	4	4	4	20
96	5	4	4	4	4	21

RESPONDEN	X4.1	X4.2	X4.3	X4.4	X4.5	TOTAL
1	5	5	5	5	5	25
2	4	4	4	4	5	21
3	4	4	4	4	4	20
4	5	4	4	5	4	22
5	4	4	4	3	4	19
6	4	4	4	5	5	22
7	4	5	5	5	5	24
8	4	4	4	5	4	21
9	5	5	4	5	5	24
10	4	5	4	5	4	22
11	5	5	5	5	5	25
12	4	5	5	5	5	24
13	5	4	5	5	5	24
14	5	4	5	4	4	22
15	2	3	3	3	3	14
16	4	5	4	4	4	21
17	4	4	4	5	4	21
18	4	4	5	5	4	22
19	4	5	5	4	5	23
20	4	5	4	4	4	21
21	4	4	4	4	4	20
22	4	4	5	5	4	22
23	3	3	3	3	3	15
24	4	4	5	5	4	22
25	4	4	4	4	4	20
26	4	4	5	4	5	22
27	5	5	5	5	5	25
28	4	4	5	4	5	22

29	4	4	4	4	4	20
30	5	5	5	5	5	25
31	5	5	5	5	5	25
32	4	4	4	4	5	21
33	4	4	4	4	4	20
34	5	4	4	5	4	22
35	4	4	4	3	4	19
36	4	4	4	5	5	22
37	4	5	5	5	5	24
38	4	4	4	5	4	21
39	5	5	4	5	5	24
40	4	5	4	5	4	22
41	5	5	5	5	5	25
42	4	5	5	5	5	24
43	5	4	5	5	5	24
44	5	4	5	4	4	22
45	4	3	3	4	5	19
46	4	5	4	4	4	21
47	4	4	4	5	4	21
48	4	4	5	5	4	22
49	4	5	5	4	5	23
50	4	5	4	4	4	21
51	4	4	4	4	4	20
52	4	4	5	5	4	22
53	3	3	3	3	3	15
54	4	4	5	5	4	22
55	4	4	4	4	4	20
56	4	4	5	4	5	22
57	5	5	5	5	5	25
58	4	4	5	4	5	22
59	4	4	4	4	4	20
60	5	5	5	5	5	25
61	5	5	5	5	5	25
62	4	4	4	4	5	21
63	4	4	4	4	4	20
64	5	4	4	5	4	22
65	4	4	4	3	4	19
66	4	4	4	5	5	22
67	4	5	5	5	5	24
68	4	4	4	5	4	21
69	5	5	4	5	5	24

70	4	5	4	5	4	22
71	5	5	5	5	5	25
72	4	5	5	5	5	24
73	5	4	5	5	5	24
74	5	4	5	4	4	22
75	2	3	3	3	3	14
76	4	5	4	4	4	21
77	4	4	4	5	4	21
78	4	4	5	5	4	22
79	4	5	5	4	5	23
80	4	5	4	4	4	21
81	4	4	4	4	4	20
82	4	4	5	5	4	22
83	3	3	3	3	3	15
84	4	4	5	5	4	22
85	4	4	4	4	4	20
86	4	4	5	4	5	22
87	5	5	5	5	5	25
88	4	4	5	4	5	22
89	4	4	4	4	4	20
90	5	5	5	5	5	25
91	5	5	5	5	5	25
92	4	4	4	4	5	21
93	4	4	4	4	4	20
94	5	4	4	5	4	22
95	4	4	4	3	4	19
96	4	4	4	5	5	22

RESPONDEN	Y1	Y2	Y3	Y4	Y5	
1	5	5	4	4	5	23
2	5	5	4	4	4	22
3	4	4	4	4	4	20
4	4	4	5	5	4	22
5	4	4	4	4	4	20
6	5	4	4	4	4	21
7	5	5	5	4	5	24
8	5	4	4	4	4	21
9	5	4	5	5	5	24
10	5	5	4	5	4	23
11	5	4	5	5	4	23

12	4	5	5	4	4	22
13	5	5	5	5	5	25
14	4	5	5	5	5	24
15	3	3	3	3	3	15
16	4	4	4	5	4	21
17	5	5	4	5	4	23
18	4	4	4	5	5	22
19	4	5	4	4	4	21
20	4	4	4	4	4	20
21	4	4	4	5	4	21
22	5	5	4	5	5	24
23	3	3	3	3	3	15
24	4	4	5	5	5	23
25	4	4	5	4	4	21
26	5	5	5	5	5	25
27	5	5	5	5	5	25
28	4	4	4	4	4	20
29	4	4	4	4	4	20
30	5	5	5	5	5	25
31	5	5	4	4	5	23
32	5	5	4	4	4	22
33	4	4	4	4	4	20
34	4	4	5	5	4	22
35	4	4	4	4	4	20
36	5	4	4	4	4	21
37	5	5	5	4	5	24
38	5	4	4	4	4	21
39	5	4	5	5	5	24
40	5	5	4	5	4	23
41	5	4	5	5	4	23
42	4	5	5	4	4	22
43	5	5	5	5	5	25
44	4	5	5	5	5	24
45	3	3	3	3	3	15
46	4	4	4	5	4	21
47	5	5	4	5	4	23
48	4	4	4	5	5	22
49	4	5	4	4	4	21
50	4	4	4	4	4	20
51	4	4	4	5	4	21
52	5	5	4	5	5	24

53	3	3	3	3	3	15
54	4	4	5	5	5	23
55	4	4	5	4	4	21
56	5	5	5	5	5	25
57	5	5	5	5	5	25
58	4	4	4	4	4	20
59	4	4	4	4	4	20
60	5	5	5	5	5	25
61	5	5	4	4	5	23
62	5	5	4	4	4	22
63	4	4	4	4	4	20
64	4	4	5	5	4	22
65	4	4	4	4	4	20
66	5	4	4	4	4	21
67	5	5	5	4	5	24
68	5	4	4	4	4	21
69	5	4	5	5	5	24
70	5	5	4	5	4	23
71	5	4	5	5	4	23
72	4	5	5	4	4	22
73	5	5	5	5	5	25
74	4	5	5	5	5	24
75	3	3	3	3	3	15
76	4	4	4	5	4	21
77	5	5	4	5	4	23
78	4	4	4	5	5	22
79	4	5	4	4	4	21
80	4	4	4	4	4	20
81	4	4	4	5	4	21
82	5	5	4	5	5	24
83	3	3	3	3	3	15
84	4	4	5	5	5	23
85	4	4	5	4	4	21
86	5	5	5	5	5	25
87	5	5	5	5	5	25
88	4	4	4	4	4	20
89	4	4	4	4	4	20
90	5	5	5	5	5	25
91	5	5	4	4	5	23
92	5	5	4	4	4	22
93	4	4	4	4	4	20

94	4	4	5	5	4	22
95	4	4	4	4	4	20
96	5	4	4	4	4	21

Tabel r untuk df = 1 - 50

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
1	0.9877	0.9969	0.9995	0.9999	1.0000
2	0.9000	0.9500	0.9800	0.9900	0.9990
3	0.8054	0.8783	0.9343	0.9587	0.9911
4	0.7293	0.8114	0.8822	0.9172	0.9741
5	0.6694	0.7545	0.8329	0.8745	0.9509
6	0.6215	0.7067	0.7887	0.8343	0.9249
7	0.5822	0.6664	0.7498	0.7977	0.8983
8	0.5494	0.6319	0.7155	0.7646	0.8721
9	0.5214	0.6021	0.6851	0.7348	0.8470
10	0.4973	0.5760	0.6581	0.7079	0.8233
11	0.4762	0.5529	0.6339	0.6835	0.8010
12	0.4575	0.5324	0.6120	0.6614	0.7800
13	0.4409	0.5140	0.5923	0.6411	0.7604
14	0.4259	0.4973	0.5742	0.6226	0.7419
15	0.4124	0.4821	0.5577	0.6055	0.7247
16	0.4000	0.4683	0.5425	0.5897	0.7084
17	0.3887	0.4555	0.5285	0.5751	0.6932
18	0.3783	0.4438	0.5155	0.5614	0.6788
19	0.3687	0.4329	0.5034	0.5487	0.6652
20	0.3598	0.4227	0.4921	0.5368	0.6524
21	0.3515	0.4132	0.4815	0.5256	0.6402
22	0.3438	0.4044	0.4716	0.5151	0.6287
23	0.3365	0.3961	0.4622	0.5052	0.6178
24	0.3297	0.3882	0.4534	0.4958	0.6074
25	0.3233	0.3809	0.4451	0.4869	0.5974
26	0.3172	0.3739	0.4372	0.4785	0.5880
27	0.3115	0.3673	0.4297	0.4705	0.5790
28	0.3061	0.3610	0.4226	0.4629	0.5703
29	0.3009	0.3550	0.4158	0.4556	0.5620
30	0.2960	0.3494	0.4093	0.4487	0.5541
31	0.2913	0.3440	0.4032	0.4421	0.5465
32	0.2869	0.3388	0.3972	0.4357	0.5392
33	0.2826	0.3338	0.3916	0.4296	0.5322
34	0.2785	0.3291	0.3862	0.4238	0.5254
35	0.2746	0.3246	0.3810	0.4182	0.5189
36	0.2709	0.3202	0.3760	0.4128	0.5126
37	0.2673	0.3160	0.3712	0.4076	0.5066
38	0.2638	0.3120	0.3665	0.4026	0.5007
39	0.2605	0.3081	0.3621	0.3978	0.4950
40	0.2573	0.3044	0.3578	0.3932	0.4896
41	0.2542	0.3008	0.3536	0.3887	0.4843
42	0.2512	0.2973	0.3496	0.3843	0.4791
43	0.2483	0.2940	0.3457	0.3801	0.4742
44	0.2455	0.2907	0.3420	0.3761	0.4694
45	0.2429	0.2876	0.3384	0.3721	0.4647
46	0.2403	0.2845	0.3348	0.3683	0.4601
47	0.2377	0.2816	0.3314	0.3646	0.4557
48	0.2353	0.2787	0.3281	0.3610	0.4514
49	0.2329	0.2759	0.3249	0.3575	0.4473
50	0.2306	0.2732	0.3218	0.3542	0.4432

Tabel r untuk df = 51 - 100

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
51	0.2284	0.2706	0.3188	0.3509	0.4393
52	0.2262	0.2681	0.3158	0.3477	0.4354
53	0.2241	0.2656	0.3129	0.3445	0.4317
54	0.2221	0.2632	0.3102	0.3415	0.4280
55	0.2201	0.2609	0.3074	0.3385	0.4244
56	0.2181	0.2586	0.3048	0.3357	0.4210
57	0.2162	0.2564	0.3022	0.3328	0.4176
58	0.2144	0.2542	0.2997	0.3301	0.4143
59	0.2126	0.2521	0.2972	0.3274	0.4110
60	0.2108	0.2500	0.2948	0.3248	0.4079
61	0.2091	0.2480	0.2925	0.3223	0.4048
62	0.2075	0.2461	0.2902	0.3198	0.4018
63	0.2058	0.2441	0.2880	0.3173	0.3988
64	0.2042	0.2423	0.2858	0.3150	0.3959
65	0.2027	0.2404	0.2837	0.3126	0.3931
66	0.2012	0.2387	0.2816	0.3104	0.3903
67	0.1997	0.2369	0.2796	0.3081	0.3876
68	0.1982	0.2352	0.2776	0.3060	0.3850
69	0.1968	0.2335	0.2756	0.3038	0.3823
70	0.1954	0.2319	0.2737	0.3017	0.3798
71	0.1940	0.2303	0.2718	0.2997	0.3773
72	0.1927	0.2287	0.2700	0.2977	0.3748
73	0.1914	0.2272	0.2682	0.2957	0.3724
74	0.1901	0.2257	0.2664	0.2938	0.3701
75	0.1888	0.2242	0.2647	0.2919	0.3678
76	0.1876	0.2227	0.2630	0.2900	0.3655
77	0.1864	0.2213	0.2613	0.2882	0.3633
78	0.1852	0.2199	0.2597	0.2864	0.3611
79	0.1841	0.2185	0.2581	0.2847	0.3589
80	0.1829	0.2172	0.2565	0.2830	0.3568
81	0.1818	0.2159	0.2550	0.2813	0.3547
82	0.1807	0.2146	0.2535	0.2796	0.3527
83	0.1796	0.2133	0.2520	0.2780	0.3507
84	0.1786	0.2120	0.2505	0.2764	0.3487
85	0.1775	0.2108	0.2491	0.2748	0.3468
86	0.1765	0.2096	0.2477	0.2732	0.3449
87	0.1755	0.2084	0.2463	0.2717	0.3430
88	0.1745	0.2072	0.2449	0.2702	0.3412
89	0.1735	0.2061	0.2435	0.2687	0.3393
90	0.1726	0.2050	0.2422	0.2673	0.3375
91	0.1716	0.2039	0.2409	0.2659	0.3358
92	0.1707	0.2028	0.2396	0.2645	0.3341
93	0.1698	0.2017	0.2384	0.2631	0.3323
94	0.1689	0.2006	0.2371	0.2617	0.3307
95	0.1680	0.1996	0.2359	0.2604	0.3290
96	0.1671	0.1986	0.2347	0.2591	0.3274
97	0.1663	0.1975	0.2335	0.2578	0.3258
98	0.1654	0.1966	0.2324	0.2565	0.3242
99	0.1646	0.1956	0.2312	0.2552	0.3226
100	0.1638	0.1946	0.2301	0.2540	0.3211

Titik Persentase Distribusi t (df = 1 – 40)

Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
df	0.50	0.20	0.10	0.050	0.02	0.010	0.002
1	1.00000	3.07768	6.31375	12.70620	31.82052	63.65674	318.30884
2	0.81650	1.88562	2.91999	4.30265	6.96456	9.92484	22.32712
3	0.76489	1.63774	2.35336	3.18245	4.54070	5.84091	10.21453
4	0.74070	1.53321	2.13185	2.77645	3.74695	4.60409	7.17318
5	0.72669	1.47588	2.01505	2.57058	3.36493	4.03214	5.89343
6	0.71756	1.43976	1.94318	2.44691	3.14267	3.70743	5.20763
7	0.71114	1.41492	1.89458	2.36462	2.99795	3.49948	4.78529
8	0.70639	1.39682	1.85955	2.30600	2.89646	3.35539	4.50079
9	0.70272	1.38303	1.83311	2.26216	2.82144	3.24984	4.29681
10	0.69981	1.37218	1.81246	2.22814	2.76377	3.16927	4.14370
11	0.69745	1.36343	1.79588	2.20099	2.71808	3.10581	4.02470
12	0.69548	1.35622	1.78229	2.17881	2.68100	3.05454	3.92963
13	0.69383	1.35017	1.77093	2.16037	2.65031	3.01228	3.85198
14	0.69242	1.34503	1.76131	2.14479	2.62449	2.97684	3.78739
15	0.69120	1.34061	1.75305	2.13145	2.60248	2.94671	3.73283
16	0.69013	1.33676	1.74588	2.11991	2.58349	2.92078	3.68615
17	0.68920	1.33338	1.73961	2.10982	2.56693	2.89823	3.64577
18	0.68836	1.33039	1.73406	2.10092	2.55238	2.87844	3.61048
19	0.68762	1.32773	1.72913	2.09302	2.53948	2.86093	3.57940
20	0.68695	1.32534	1.72472	2.08596	2.52798	2.84534	3.55181
21	0.68635	1.32319	1.72074	2.07961	2.51765	2.83136	3.52715
22	0.68581	1.32124	1.71714	2.07387	2.50832	2.81876	3.50499
23	0.68531	1.31946	1.71387	2.06866	2.49987	2.80734	3.48496
24	0.68485	1.31784	1.71088	2.06390	2.49216	2.79694	3.46678
25	0.68443	1.31635	1.70814	2.05954	2.48511	2.78744	3.45019
26	0.68404	1.31497	1.70562	2.05553	2.47863	2.77871	3.43500
27	0.68368	1.31370	1.70329	2.05183	2.47266	2.77068	3.42103
28	0.68335	1.31253	1.70113	2.04841	2.46714	2.76326	3.40816
29	0.68304	1.31143	1.69913	2.04523	2.46202	2.75639	3.39624
30	0.68276	1.31042	1.69726	2.04227	2.45726	2.75000	3.38518
31	0.68249	1.30946	1.69552	2.03951	2.45282	2.74404	3.37490
32	0.68223	1.30857	1.69389	2.03693	2.44868	2.73848	3.36531
33	0.68200	1.30774	1.69236	2.03452	2.44479	2.73328	3.35634
34	0.68177	1.30695	1.69092	2.03224	2.44115	2.72839	3.34793
35	0.68156	1.30621	1.68957	2.03011	2.43772	2.72381	3.34005
36	0.68137	1.30551	1.68830	2.02809	2.43449	2.71948	3.33262
37	0.68118	1.30485	1.68709	2.02619	2.43145	2.71541	3.32563
38	0.68100	1.30423	1.68595	2.02439	2.42857	2.71156	3.31903
39	0.68083	1.30364	1.68488	2.02269	2.42584	2.70791	3.31279
40	0.68067	1.30308	1.68385	2.02108	2.42326	2.70446	3.30688

Titik Persentase Distribusi t (df = 81 –120)

df \ Pr	0.25		0.10		0.05		0.025		0.01		0.005		0.001	
	0.50	0.20	0.10	0.05	0.025	0.01	0.005	0.002	0.010	0.002	0.001	0.002	0.001	
81	0.67753	1.29209	1.66388	1.98969	2.37327	2.63790	3.19392							
82	0.67749	1.29196	1.66365	1.98932	2.37269	2.63712	3.19262							
83	0.67746	1.29183	1.66342	1.98896	2.37212	2.63637	3.19135							
84	0.67742	1.29171	1.66320	1.98861	2.37156	2.63563	3.19011							
85	0.67739	1.29159	1.66298	1.98827	2.37102	2.63491	3.18890							
86	0.67735	1.29147	1.66277	1.98793	2.37049	2.63421	3.18772							
87	0.67732	1.29136	1.66256	1.98761	2.36998	2.63353	3.18657							
88	0.67729	1.29125	1.66235	1.98729	2.36947	2.63286	3.18544							
89	0.67726	1.29114	1.66216	1.98698	2.36898	2.63220	3.18434							
90	0.67723	1.29103	1.66196	1.98667	2.36850	2.63157	3.18327							
91	0.67720	1.29092	1.66177	1.98638	2.36803	2.63094	3.18222							
92	0.67717	1.29082	1.66159	1.98609	2.36757	2.63033	3.18119							
93	0.67714	1.29072	1.66140	1.98580	2.36712	2.62973	3.18019							
94	0.67711	1.29062	1.66123	1.98552	2.36667	2.62915	3.17921							
95	0.67708	1.29053	1.66105	1.98525	2.36624	2.62858	3.17825							
96	0.67705	1.29043	1.66088	1.98498	2.36582	2.62802	3.17731							
97	0.67703	1.29034	1.66071	1.98472	2.36541	2.62747	3.17639							
98	0.67700	1.29025	1.66055	1.98447	2.36500	2.62693	3.17549							
99	0.67698	1.29016	1.66039	1.98422	2.36461	2.62641	3.17460							
100	0.67695	1.29007	1.66023	1.98397	2.36422	2.62589	3.17374							
101	0.67693	1.28999	1.66008	1.98373	2.36384	2.62539	3.17289							
102	0.67690	1.28991	1.65993	1.98350	2.36346	2.62489	3.17206							
103	0.67688	1.28982	1.65978	1.98326	2.36310	2.62441	3.17125							
104	0.67686	1.28974	1.65964	1.98304	2.36274	2.62393	3.17045							
105	0.67683	1.28967	1.65950	1.98282	2.36239	2.62347	3.16967							
106	0.67681	1.28959	1.65936	1.98260	2.36204	2.62301	3.16890							
107	0.67679	1.28951	1.65922	1.98238	2.36170	2.62256	3.16815							
108	0.67677	1.28944	1.65909	1.98217	2.36137	2.62212	3.16741							
109	0.67675	1.28937	1.65895	1.98197	2.36105	2.62169	3.16669							
110	0.67673	1.28930	1.65882	1.98177	2.36073	2.62126	3.16598							
111	0.67671	1.28922	1.65870	1.98157	2.36041	2.62085	3.16528							
112	0.67669	1.28916	1.65857	1.98137	2.36010	2.62044	3.16460							
113	0.67667	1.28909	1.65845	1.98118	2.35980	2.62004	3.16392							
114	0.67665	1.28902	1.65833	1.98099	2.35950	2.61964	3.16326							
115	0.67663	1.28896	1.65821	1.98081	2.35921	2.61926	3.16262							
116	0.67661	1.28889	1.65810	1.98063	2.35892	2.61888	3.16198							
117	0.67659	1.28883	1.65798	1.98045	2.35864	2.61850	3.16135							
118	0.67657	1.28877	1.65787	1.98027	2.35837	2.61814	3.16074							
119	0.67656	1.28871	1.65776	1.98010	2.35809	2.61778	3.16013							
120	0.67654	1.28865	1.65765	1.97993	2.35782	2.61742	3.15954							

Catatan: Probabilitas yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 41 – 80)

df \ Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.050	0.02	0.010	0.002
41	0.68052	1.30254	1.68288	2.01954	2.42080	2.70118	3.30127
42	0.68038	1.30204	1.68195	2.01808	2.41847	2.69807	3.29595
43	0.68024	1.30155	1.68107	2.01669	2.41625	2.69510	3.29089
44	0.68011	1.30109	1.68023	2.01537	2.41413	2.69228	3.28607
45	0.67998	1.30065	1.67943	2.01410	2.41212	2.68959	3.28148
46	0.67986	1.30023	1.67866	2.01290	2.41019	2.68701	3.27710
47	0.67975	1.29982	1.67793	2.01174	2.40835	2.68456	3.27291
48	0.67964	1.29944	1.67722	2.01063	2.40658	2.68220	3.26891
49	0.67953	1.29907	1.67655	2.00958	2.40489	2.67995	3.26508
50	0.67943	1.29871	1.67591	2.00856	2.40327	2.67779	3.26141
51	0.67933	1.29837	1.67528	2.00758	2.40172	2.67572	3.25789
52	0.67924	1.29805	1.67469	2.00665	2.40022	2.67373	3.25451
53	0.67915	1.29773	1.67412	2.00575	2.39879	2.67182	3.25127
54	0.67906	1.29743	1.67356	2.00488	2.39741	2.66998	3.24815
55	0.67898	1.29713	1.67303	2.00404	2.39608	2.66822	3.24515
56	0.67890	1.29685	1.67252	2.00324	2.39480	2.66651	3.24226
57	0.67882	1.29658	1.67203	2.00247	2.39357	2.66487	3.23948
58	0.67874	1.29632	1.67155	2.00172	2.39238	2.66329	3.23680
59	0.67867	1.29607	1.67109	2.00100	2.39123	2.66176	3.23421
60	0.67860	1.29582	1.67065	2.00030	2.39012	2.66028	3.23171
61	0.67853	1.29558	1.67022	1.99962	2.38905	2.65886	3.22930
62	0.67847	1.29536	1.66980	1.99897	2.38801	2.65748	3.22696
63	0.67840	1.29513	1.66940	1.99834	2.38701	2.65615	3.22471
64	0.67834	1.29492	1.66901	1.99773	2.38604	2.65485	3.22253
65	0.67828	1.29471	1.66864	1.99714	2.38510	2.65360	3.22041
66	0.67823	1.29451	1.66827	1.99656	2.38419	2.65239	3.21837
67	0.67817	1.29432	1.66792	1.99601	2.38330	2.65122	3.21639
68	0.67811	1.29413	1.66757	1.99547	2.38245	2.65008	3.21446
69	0.67806	1.29394	1.66724	1.99495	2.38161	2.64898	3.21260
70	0.67801	1.29376	1.66691	1.99444	2.38081	2.64790	3.21079
71	0.67796	1.29359	1.66660	1.99394	2.38002	2.64686	3.20903
72	0.67791	1.29342	1.66629	1.99346	2.37926	2.64585	3.20733
73	0.67787	1.29326	1.66600	1.99300	2.37852	2.64487	3.20567
74	0.67782	1.29310	1.66571	1.99254	2.37780	2.64391	3.20406
75	0.67778	1.29294	1.66543	1.99210	2.37710	2.64298	3.20249
76	0.67773	1.29279	1.66515	1.99167	2.37642	2.64208	3.20096
77	0.67769	1.29264	1.66488	1.99125	2.37576	2.64120	3.19948
78	0.67765	1.29250	1.66462	1.99085	2.37511	2.64034	3.19804
79	0.67761	1.29236	1.66437	1.99045	2.37448	2.63950	3.19663
80	0.67757	1.29222	1.66412	1.99006	2.37387	2.63869	3.19526

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	161	199	216	225	230	234	237	239	241	242	243	244	245	245	246
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.40	19.41	19.42	19.42	19.43
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.76	8.74	8.73	8.71	8.70
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.94	5.91	5.89	5.87	5.86
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.70	4.68	4.66	4.64	4.62
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.03	4.00	3.98	3.96	3.94
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.60	3.57	3.55	3.53	3.51
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.31	3.28	3.26	3.24	3.22
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.10	3.07	3.05	3.03	3.01
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.94	2.91	2.89	2.86	2.85
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.82	2.79	2.76	2.74	2.72
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.72	2.69	2.66	2.64	2.62
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.63	2.60	2.58	2.55	2.53
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.57	2.53	2.51	2.48	2.46
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.51	2.48	2.45	2.42	2.40
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.46	2.42	2.40	2.37	2.35
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.41	2.38	2.35	2.33	2.31
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.37	2.34	2.31	2.29	2.27
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.34	2.31	2.28	2.26	2.23
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.31	2.28	2.25	2.22	2.20
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.28	2.25	2.22	2.20	2.18
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.26	2.23	2.20	2.17	2.15
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.24	2.20	2.18	2.15	2.13
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.22	2.18	2.15	2.13	2.11
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.20	2.16	2.14	2.11	2.09
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.18	2.15	2.12	2.09	2.07
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.17	2.13	2.10	2.08	2.06
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.15	2.12	2.09	2.06	2.04
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.14	2.10	2.08	2.05	2.03
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.13	2.09	2.06	2.04	2.01
31	4.16	3.30	2.91	2.68	2.52	2.41	2.32	2.25	2.20	2.15	2.11	2.08	2.05	2.03	2.00
32	4.15	3.29	2.90	2.67	2.51	2.40	2.31	2.24	2.19	2.14	2.10	2.07	2.04	2.01	1.99
33	4.14	3.28	2.89	2.66	2.50	2.39	2.30	2.23	2.18	2.13	2.09	2.06	2.03	2.00	1.98
34	4.13	3.28	2.88	2.65	2.49	2.38	2.29	2.23	2.17	2.12	2.08	2.05	2.02	1.99	1.97
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.07	2.04	2.01	1.99	1.96
36	4.11	3.26	2.87	2.63	2.48	2.36	2.28	2.21	2.15	2.11	2.07	2.03	2.00	1.98	1.95
37	4.11	3.25	2.86	2.63	2.47	2.36	2.27	2.20	2.14	2.10	2.06	2.02	2.00	1.97	1.95
38	4.10	3.24	2.85	2.62	2.46	2.35	2.26	2.19	2.14	2.09	2.05	2.02	1.99	1.96	1.94
39	4.09	3.24	2.85	2.61	2.46	2.34	2.26	2.19	2.13	2.08	2.04	2.01	1.98	1.95	1.93
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.04	2.00	1.97	1.95	1.92
41	4.08	3.23	2.83	2.60	2.44	2.33	2.24	2.17	2.12	2.07	2.03	2.00	1.97	1.94	1.92
42	4.07	3.22	2.83	2.59	2.44	2.32	2.24	2.17	2.11	2.06	2.03	1.99	1.96	1.94	1.91
43	4.07	3.21	2.82	2.59	2.43	2.32	2.23	2.16	2.11	2.06	2.02	1.99	1.96	1.93	1.91
44	4.06	3.21	2.82	2.58	2.43	2.31	2.23	2.16	2.10	2.05	2.01	1.98	1.95	1.92	1.90
45	4.06	3.20	2.81	2.58	2.42	2.31	2.22	2.15	2.10	2.05	2.01	1.97	1.94	1.92	1.89

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
91	3.95	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.90	1.86	1.83	1.80	1.78
92	3.94	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.89	1.86	1.83	1.80	1.78
93	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.78
94	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.77
95	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.82	1.80	1.77
96	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
97	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
98	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
99	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.89	1.85	1.82	1.79	1.77
101	3.94	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.93	1.88	1.85	1.82	1.79	1.77
102	3.93	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.77
103	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
104	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
105	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.81	1.79	1.76
106	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
107	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
108	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.78	1.76
109	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
110	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
111	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
112	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.96	1.92	1.88	1.84	1.81	1.78	1.76
113	3.93	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.92	1.87	1.84	1.81	1.78	1.76
114	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
115	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
116	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
117	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
118	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
119	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
121	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
122	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
123	3.92	3.07	2.68	2.45	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
124	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
125	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
126	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.87	1.83	1.80	1.77	1.75
127	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.86	1.83	1.80	1.77	1.75
128	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.86	1.83	1.80	1.77	1.75
129	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
130	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
131	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
132	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
133	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
134	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
135	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.77	1.74

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
46	4.05	3.20	2.81	2.57	2.42	2.30	2.22	2.15	2.09	2.04	2.00	1.97	1.94	1.91	1.89
47	4.05	3.20	2.80	2.57	2.41	2.30	2.21	2.14	2.09	2.04	2.00	1.96	1.93	1.91	1.88
48	4.04	3.19	2.80	2.57	2.41	2.29	2.21	2.14	2.08	2.03	1.99	1.96	1.93	1.90	1.88
49	4.04	3.19	2.79	2.56	2.40	2.29	2.20	2.13	2.08	2.03	1.99	1.96	1.93	1.90	1.88
50	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.99	1.95	1.92	1.89	1.87
51	4.03	3.18	2.79	2.55	2.40	2.28	2.20	2.13	2.07	2.02	1.98	1.95	1.92	1.89	1.87
52	4.03	3.18	2.78	2.55	2.39	2.28	2.19	2.12	2.07	2.02	1.98	1.94	1.91	1.89	1.86
53	4.02	3.17	2.78	2.55	2.39	2.28	2.19	2.12	2.06	2.01	1.97	1.94	1.91	1.88	1.86
54	4.02	3.17	2.78	2.54	2.39	2.27	2.18	2.12	2.06	2.01	1.97	1.94	1.91	1.88	1.86
55	4.02	3.16	2.77	2.54	2.38	2.27	2.18	2.11	2.06	2.01	1.97	1.93	1.90	1.88	1.85
56	4.01	3.16	2.77	2.54	2.38	2.27	2.18	2.11	2.05	2.00	1.96	1.93	1.90	1.87	1.85
57	4.01	3.16	2.77	2.53	2.38	2.26	2.18	2.11	2.05	2.00	1.96	1.93	1.90	1.87	1.85
58	4.01	3.16	2.76	2.53	2.37	2.26	2.17	2.10	2.05	2.00	1.96	1.92	1.89	1.87	1.84
59	4.00	3.15	2.76	2.53	2.37	2.26	2.17	2.10	2.04	2.00	1.96	1.92	1.89	1.86	1.84
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.95	1.92	1.89	1.86	1.84
61	4.00	3.15	2.76	2.52	2.37	2.25	2.16	2.09	2.04	1.99	1.95	1.91	1.88	1.86	1.83
62	4.00	3.15	2.75	2.52	2.36	2.25	2.16	2.09	2.03	1.99	1.95	1.91	1.88	1.85	1.83
63	3.99	3.14	2.75	2.52	2.36	2.25	2.16	2.09	2.03	1.98	1.94	1.91	1.88	1.85	1.83
64	3.99	3.14	2.75	2.52	2.36	2.24	2.16	2.09	2.03	1.98	1.94	1.91	1.88	1.85	1.83
65	3.99	3.14	2.75	2.51	2.36	2.24	2.15	2.08	2.03	1.98	1.94	1.90	1.87	1.85	1.82
66	3.99	3.14	2.74	2.51	2.35	2.24	2.15	2.08	2.03	1.98	1.94	1.90	1.87	1.84	1.82
67	3.98	3.13	2.74	2.51	2.35	2.24	2.15	2.08	2.02	1.98	1.93	1.90	1.87	1.84	1.82
68	3.98	3.13	2.74	2.51	2.35	2.24	2.15	2.08	2.02	1.97	1.93	1.90	1.87	1.84	1.82
69	3.98	3.13	2.74	2.50	2.35	2.23	2.15	2.08	2.02	1.97	1.93	1.90	1.86	1.84	1.81
70	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.93	1.89	1.86	1.84	1.81
71	3.98	3.13	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.97	1.93	1.89	1.86	1.83	1.81
72	3.97	3.12	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.96	1.92	1.89	1.86	1.83	1.81
73	3.97	3.12	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.96	1.92	1.89	1.86	1.83	1.81
74	3.97	3.12	2.73	2.50	2.34	2.22	2.14	2.07	2.01	1.96	1.92	1.89	1.85	1.83	1.80
75	3.97	3.12	2.73	2.49	2.34	2.22	2.13	2.06	2.01	1.96	1.92	1.88	1.85	1.83	1.80
76	3.97	3.12	2.72	2.49	2.33	2.22	2.13	2.06	2.01	1.96	1.92	1.88	1.85	1.82	1.80
77	3.97	3.12	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.96	1.92	1.88	1.85	1.82	1.80
78	3.96	3.11	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.95	1.91	1.88	1.85	1.82	1.80
79	3.96	3.11	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.95	1.91	1.88	1.85	1.82	1.79
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.91	1.88	1.84	1.82	1.79
81	3.96	3.11	2.72	2.48	2.33	2.21	2.12	2.05	2.00	1.95	1.91	1.87	1.84	1.82	1.79
82	3.96	3.11	2.72	2.48	2.33	2.21	2.12	2.05	2.00	1.95	1.91	1.87	1.84	1.81	1.79
83	3.96	3.11	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.95	1.91	1.87	1.84	1.81	1.79
84	3.95	3.11	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.95	1.90	1.87	1.84	1.81	1.79
85	3.95	3.10	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.94	1.90	1.87	1.84	1.81	1.79
86	3.95	3.10	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.94	1.90	1.87	1.84	1.81	1.78
87	3.95	3.10	2.71	2.48	2.32	2.20	2.12	2.05	1.99	1.94	1.90	1.87	1.83	1.81	1.78
88	3.95	3.10	2.71	2.48	2.32	2.20	2.12	2.05	1.99	1.94	1.90	1.86	1.83	1.81	1.78
89	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.90	1.86	1.83	1.80	1.78
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.90	1.86	1.83	1.80	1.78

Dokumentasi





Data SPSS

Your temporary usage period for IBM SPSS Statistics will expire in 4670 days.

```
CORRELATIONS
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Correlations

Notes		
Output Created		19-MAR-2023 14:01:43
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.11

[DataSet0]

		X1.1	X1.2	X1.3	X1.4	X1.5	TOTAL
X1.1	Pearson Correlation	1	.685**	.423**	.475**	.587**	.790**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	96	96	96	96	96	96
X1.2	Pearson Correlation	.685**	1	.467**	.443**	.630**	.802**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	96	96	96	96	96	96
X1.3	Pearson Correlation	.423**	.467**	1	.618**	.647**	.781**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	96	96	96	96	96	96
X1.4	Pearson Correlation	.475**	.443**	.618**	1	.636**	.789**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	96	96	96	96	96	96
X1.5	Pearson Correlation	.587**	.630**	.647**	.636**	1	.866**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	96	96	96	96	96	96

TOTAL	Pearson Correlation	.790**	.802**	.781**	.789**	.866**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	96	96	96	96	96	96

** . Correlation is significant at the 0.01 level (2-tailed).

```
RELIABILITY
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.
```

Reliability

		Notes	
Output Created			19-MAR-2023 14:02:09
Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File		96
	Matrix Input		
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.	
Syntax		RELIABILITY /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.	
Resources	Processor Time		00:00:00.02
	Elapsed Time		00:00:00.01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	96	100.0
	Excluded ^a	0	.0
	Total	96	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.864	5

Item-Total Statistics

Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted

X1.1	17.40	3.842	.658	.842
X1.2	17.44	3.828	.678	.837
X1.3	17.48	3.915	.651	.844
X1.4	17.39	3.839	.657	.843
X1.5	17.51	3.705	.781	.812

CORRELATIONS

```

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

		Notes	19-MAR-2023 14:03:22
Output Created			
Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File		96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax		CORRELATIONS /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time		00:00:00.03
	Elapsed Time		00:00:00.05

Correlations

		X2.1	X2.2	X2.3	X2.4	X2.5	TOTAL
X2.1	Pearson Correlation	1	.365**	.623**	.353**	.482**	.754**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	96	96	96	96	96	96
X2.2	Pearson Correlation	.365**	1	.353**	.526**	.295**	.701**
	Sig. (2-tailed)	.000		.000	.000	.004	.000
	N	96	96	96	96	96	96
X2.3	Pearson Correlation	.623**	.353**	1	.336**	.418**	.725**
	Sig. (2-tailed)	.000	.000		.001	.000	.000
	N	96	96	96	96	96	96
X2.4	Pearson Correlation	.353**	.526**	.336**	1	.379**	.731**
	Sig. (2-tailed)	.000	.000	.001		.000	.000
	N	96	96	96	96	96	96
X2.5	Pearson Correlation	.482**	.295**	.418**	.379**	1	.726**
	Sig. (2-tailed)	.000	.004	.000	.000		.000
	N	96	96	96	96	96	96
TOTAL	Pearson Correlation	.754**	.701**	.725**	.731**	.726**	1

Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
N	96	96	96	96	96	96

** . Correlation is significant at the 0.01 level (2-tailed).

```
RELIABILITY
/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.
```

Reliability

		Notes
Output Created		19-MAR-2023 14:03:34
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Scale: ALL VARIABLES Case Processing Summary

		N	%
Cases	Valid	96	100.0
	Excluded ^a	0	.0
	Total	96	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.772	5

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	17.28	4.015	.612	.711
X2.2	17.14	4.013	.512	.741
X2.3	17.29	4.104	.573	.724
X2.4	17.38	3.795	.534	.735
X2.5	17.38	3.753	.517	.743

CORRELATIONS

```

/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 X3.7 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
    
```

Correlations

Notes

Output Created		19-MAR-2023 14:05:31
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 X3.7 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.06
	Elapsed Time	00:00:00.04

Correlations

		X3.1	X3.2	X3.3	X3.4	X3.5	X3.6	X3.7	TOTAL
X3.1	Pearson Correlation	1	.476**	.435**	.427**	.508**	1.000**	.476**	.810**
	Sig. (2-tailed)		.000	.000	.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96
X3.2	Pearson Correlation	.476**	1	.342**	.361**	.341**	.476**	1.000**	.775**
	Sig. (2-tailed)	.000		.001	.000	.001	.000	.000	.000
	N	96	96	96	96	96	96	96	96
X3.3	Pearson Correlation	.435**	.342**	1	.498**	.503**	.435**	.342**	.691**
	Sig. (2-tailed)	.000	.001		.000	.000	.000	.001	.000
	N	96	96	96	96	96	96	96	96
X3.4	Pearson Correlation	.427**	.361**	.498**	1	.431**	.427**	.361**	.669**
	Sig. (2-tailed)	.000	.000	.000		.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96

X3.5	Pearson Correlation	.508**	.341**	.503**	.431**	1	.508**	.341**	.695**
	Sig. (2-tailed)	.000	.001	.000	.000		.000	.001	.000
	N	96	96	96	96	96	96	96	96
X3.6	Pearson Correlation	1.000**	.476**	.435**	.427**	.508**	1	.476**	.810**
	Sig. (2-tailed)	.000	.000	.000	.000	.000		.000	.000
	N	96	96	96	96	96	96	96	96
X3.7	Pearson Correlation	.476**	1.000**	.342**	.361**	.341**	.476**	1	.775**
	Sig. (2-tailed)	.000	.000	.001	.000	.001	.000		.000
	N	96	96	96	96	96	96	96	96
TOTAL	Pearson Correlation	.810**	.775**	.691**	.669**	.695**	.810**	.775**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	
	N	96	96	96	96	96	96	96	96

** . Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

```

/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 X3.7
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

		Notes
Output Created		19-MAR-2023 14:05:52
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 X3.7 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Scale: ALL VARIABLES
Case Processing Summary

		N	%
Cases	Valid	96	100.0
	Excluded ^a	0	.0
	Total	96	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.865	7

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X3.1	25.83	8.119	.735	.833
X3.2	25.78	7.899	.672	.840
X3.3	25.74	8.174	.553	.858
X3.4	25.57	8.521	.545	.857
X3.5	25.65	8.336	.572	.854
X3.6	25.83	8.119	.735	.833
X3.7	25.78	7.899	.672	.840

CORRELATIONS

```

/VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8 X4.9 X4.10
X4.11 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

		Notes
Output Created		19-MAR-2023 14:08:58
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8 X4.9 X4.10 X4.11 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.02

Correlations

		X4.1	X4.2	X4.3	X4.4	X4.5	X4.6	X4.7	X4.8	X4.9	X4.1 0	X4.1 1	TOTA L
X4.1	Pearson Correlation	1	.537**	.550**	.583**	.558**	1.000**	.544**	.551**	.576**	.557**	.985**	.849**
	Sig. (2-tailed)		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.2	Pearson Correlation	.537**	1	.517**	.488**	.553**	.537**	.984**	.450**	.512**	.619**	.493**	.759**
	Sig. (2-tailed)	.000		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.3	Pearson Correlation	.550**	.517**	1	.521**	.602**	.550**	.488**	.942**	.545**	.668**	.504**	.787**
	Sig. (2-tailed)	.000	.000		.000	.000	.000	.000	.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.4	Pearson Correlation	.583**	.488**	.521**	1	.469**	.583**	.488**	.510**	.989**	.482**	.566**	.776**
	Sig. (2-tailed)	.000	.000	.000		.000	.000	.000	.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.5	Pearson Correlation	.558**	.553**	.602**	.469**	1	.558**	.587**	.652**	.443**	.942**	.571**	.789**
	Sig. (2-tailed)	.000	.000	.000	.000		.000	.000	.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.6	Pearson Correlation	1.000**	.537**	.550**	.583**	.558**	1	.544**	.551**	.576**	.557**	.985**	.849**
	Sig. (2-tailed)	.000	.000	.000	.000	.000		.000	.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.7	Pearson Correlation	.544**	.984**	.488**	.488**	.587**	.544**	1	.481**	.486**	.592**	.530**	.762**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000		.000	.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.8	Pearson Correlation	.551**	.450**	.942**	.510**	.652**	.551**	.481**	1	.483**	.602**	.564**	.774**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000		.000	.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.9	Pearson Correlation	.576**	.512**	.545**	.989**	.443**	.576**	.486**	.483**	1	.507**	.533**	.773**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000		.000	.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.1 0	Pearson Correlation	.557**	.619**	.668**	.482**	.942**	.557**	.592**	.602**	.507**	1	.512**	.802**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000		.000	.000
	N	96	96	96	96	96	96	96	96	96	96	96	96
X4.1 1	Pearson Correlation	.985**	.493**	.504**	.566**	.571**	.985**	.530**	.564**	.533**	.512**	1	.826**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000		.000
	N	96	96	96	96	96	96	96	96	96	96	96	96

N		96	96	96	96	96	96	96	96	96	96	96	96
TOTAL	Pearson Correlation	.849**	.759**	.787**	.776**	.789**	.849**	.762**	.774**	.773**	.802**	.826**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
	N	96	96	96	96	96	96	96	96	96	96	96	96

** . Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

```

/VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8 X4.9 X4.10
X4.11
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes		
Output Created		19-MAR-2023 14:09:16
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8 X4.9 X4.10 X4.11 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	96	100.0
	Excluded ^a	0	.0
	Total	96	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.941	11

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X4.1	43.43	22.963	.813	.933
X4.2	43.33	23.614	.706	.937
X4.3	43.24	23.258	.737	.936
X4.4	43.19	22.933	.718	.937
X4.5	43.23	23.357	.741	.936
X4.6	43.43	22.963	.813	.933
X4.7	43.32	23.695	.712	.937
X4.8	43.22	23.436	.723	.937
X4.9	43.20	22.855	.712	.937
X4.10	43.25	23.179	.755	.935
X4.11	43.42	23.067	.785	.934

CORRELATIONS

```

/VARIABLES=Y1 Y2 Y3 Y4 Y5 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		19-MAR-2023 14:10:59
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=Y1 Y2 Y3 Y4 Y5 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Correlations

		Y1	Y2	Y3	Y4	Y5	TOTAL
Y1	Pearson Correlation	1	.685**	.423**	.475**	.587**	.790**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	96	96	96	96	96	96
Y2	Pearson Correlation	.685**	1	.467**	.443**	.630**	.802**
	Sig. (2-tailed)	.000		.000	.000	.000	.000

	N	96	96	96	96	96	96
Y3	Pearson Correlation	.423**	.467**	1	.618**	.647**	.781**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	96	96	96	96	96	96
Y4	Pearson Correlation	.475**	.443**	.618**	1	.636**	.789**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	96	96	96	96	96	96
Y5	Pearson Correlation	.587**	.630**	.647**	.636**	1	.866**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	96	96	96	96	96	96
TOTAL	Pearson Correlation	.790**	.802**	.781**	.789**	.866**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	96	96	96	96	96	96

** . Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

```

/VARIABLES=Y1 Y2 Y3 Y4 Y5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		19-MAR-2023 14:11:09
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Y1 Y2 Y3 Y4 Y5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	96	100.0
	Excluded ^a	0	.0
	Total	96	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.864	5

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y1	17.40	3.842	.658	.842
Y2	17.44	3.828	.678	.837
Y3	17.48	3.915	.651	.844
Y4	17.39	3.839	.657	.843
Y5	17.51	3.705	.781	.812

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA COLLIN TOL
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER X1 X2 X3 X4
/SCATTERPLOT=(*SRESID ,*ZPRED)
/RESIDUALS NORMPROB(ZRESID) .

```

Regression

Notes

Output Created	19-MAR-2023 19:45:19	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 X3 X4 /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS NORMPROB(ZRESID).
Resources	Processor Time 00:00:01.61 Elapsed Time 00:00:00.52 Memory Required 4112 bytes Additional Memory Required for Residual Plots 288 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	STORE ATMOSPHERE (X4), KUALITAS PELAYANAN (X3), KETERSEDIAAN PRODUK (X1), HARGA (X2) ^b	.	Enter

- a. Dependent Variable: KEPUTUSAN PEMBELIAN (Y)
b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.998 ^a	.995	.995	.169

- a. Predictors: (Constant), STORE ATMOSPHERE (X4), KUALITAS PELAYANAN (X3), KETERSEDIAAN PRODUK (X1), HARGA (X2)
b. Dependent Variable: KEPUTUSAN PEMBELIAN (Y)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	545.244	4	136.311	47.047	.000 ^b
	Residual	2.590	91	.028		
	Total	547.833	95			

- a. Dependent Variable: KEPUTUSAN PEMBELIAN (Y)
b. Predictors: (Constant), STORE ATMOSPHERE (X4), KUALITAS PELAYANAN (X3), KETERSEDIAAN PRODUK (X1), HARGA (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.000	.178		-.003	.998		
	KETERSEDIAAN PRODUK (X1)	.001	.014	.001	5.044	.002	.258	3.883
	HARGA (X2)	.024	.015	.024	8.549	.020	.215	4.645
	KUALITAS PELAYANAN (X3)	.009	.011	.009	6.795	.008	.442	2.262
	STORE ATMOSPHERE (X4)	.441	.008	.970	7.264	.000	.157	6.381

a. Dependent Variable: KEPUTUSAN PEMBELIAN (Y)

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	(Constant)	Variance Proportions			
					KETERSEDIAAN PRODUK (X1)	HARGA (X2)	KUALITAS PELAYANAN (X3)	STORE ATMOSPHERE (X4)
1	1	4.984	1.000	.00	.00	.00	.00	.00
	2	.008	24.773	.86	.03	.03	.00	.02
	3	.005	32.179	.10	.07	.05	.79	.00
	4	.002	47.969	.01	.84	.44	.01	.03
	5	.001	60.999	.03	.06	.48	.20	.95



a. Dependent Variable: KEPUTUSAN PEMBELIAN (Y)

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	13.72	25.06	21.71	2.396	96
Std. Predicted Value	-3.334	1.400	.000	1.000	96
Standard Error of Predicted Value	.023	.087	.037	.011	96
Adjusted Predicted Value	13.68	25.07	21.71	2.396	96
Residual	-.502	.309	.000	.165	96
Std. Residual	-2.978	1.832	.000	.979	96
Stud. Residual	-3.473	1.866	-.001	1.016	96
Deleted Residual	-.683	.321	.000	.179	96
Stud. Deleted Residual	-3.708	1.892	-.004	1.035	96
Mahal. Distance	.849	24.144	3.958	3.431	96
Cook's Distance	.000	.868	.018	.089	96
Centered Leverage Value	.009	.254	.042	.036	96

a. Dependent Variable: KEPUTUSAN PEMBELIAN (Y)

Charts



KETERSEDIAAN PRODUK (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	45	46.9	46.9	53.1
	SS	45	46.9	46.9	100.0
	Total	96	100.0	100.0	

KETERSEDIAAN PRODUK (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	49	51.0	51.0	57.3
	SS	41	42.7	42.7	100.0
	Total	96	100.0	100.0	

KETERSEDIAAN PRODUK (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	53	55.2	55.2	61.5
	SS	37	38.5	38.5	100.0
	Total	96	100.0	100.0	

KETERSEDIAAN PRODUK (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	44	45.8	45.8	52.1
	SS	46	47.9	47.9	100.0
	Total	96	100.0	100.0	

KETERSEDIAAN PRODUK (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	56	58.3	58.3	64.6
	SS	34	35.4	35.4	100.0
	Total	96	100.0	100.0	

HARGA (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	52	54.2	54.2	60.4
	SS	38	39.6	39.6	100.0
	Total	96	100.0	100.0	

HARGA (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	9	9.4	9.4	9.4
	S	32	33.3	33.3	42.7
	SS	55	57.3	57.3	100.0
	Total	96	100.0	100.0	

HARGA (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	53	55.2	55.2	61.5
	SS	37	38.5	38.5	100.0
	Total	96	100.0	100.0	

HARGA (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	16	16.7	16.7	16.7
	S	41	42.7	42.7	59.4
	SS	39	40.6	40.6	100.0
	Total	96	100.0	100.0	

HARGA (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	18	18.8	18.8	18.8
	S	37	38.5	38.5	57.3
	SS	41	42.7	42.7	100.0
	Total	96	100.0	100.0	

KUALITAS PELAYANAN (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	8	8.3	8.3	8.3
	S	61	63.5	63.5	71.9
	SS	27	28.1	28.1	100.0
	Total	96	100.0	100.0	

KUALITAS PELAYANAN (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	12	12.5	12.5	12.5
	S	48	50.0	50.0	62.5
	SS	36	37.5	37.5	100.0
	Total	96	100.0	100.0	

KUALITAS PELAYANAN (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	13	13.5	13.5	13.5
	S	42	43.8	43.8	57.3
	SS	41	42.7	42.7	100.0
	Total	96	100.0	100.0	

KUALITAS PELAYANAN (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	40	41.7	41.7	47.9
	SS	50	52.1	52.1	100.0
	Total	96	100.0	100.0	

KUALITAS PELAYANAN (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	8	8.3	8.3	8.3
	S	43	44.8	44.8	53.1
	SS	45	46.9	46.9	100.0
	Total	96	100.0	100.0	

STORE ATMOSPHERE (X4)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	2	2.1	2.1	2.1
	KS	3	3.1	3.1	5.2
	S	65	67.7	67.7	72.9
	SS	26	27.1	27.1	100.0
	Total	96	100.0	100.0	

STORE ATMOSPHERE (X4)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	56	58.3	58.3	64.6
	SS	34	35.4	35.4	100.0
	Total	96	100.0	100.0	

STORE ATMOSPHERE (X4)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	47	49.0	49.0	55.2
	SS	43	44.8	44.8	100.0

Total		96	100.0	100.0
-------	--	----	-------	-------

STORE ATMOSPHERE (X4)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	9	9.4	9.4	9.4
	S	36	37.5	37.5	46.9
	SS	51	53.1	53.1	100.0
	Total	96	100.0	100.0	

STORE ATMOSPHERE (X4)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	5	5.2	5.2	5.2
	S	48	50.0	50.0	55.2
	SS	43	44.8	44.8	100.0
	Total	96	100.0	100.0	

KEPUTUSAN PEMBELIAN (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	45	46.9	46.9	53.1
	SS	45	46.9	46.9	100.0
	Total	96	100.0	100.0	

KEPUTUSAN PEMBELIAN (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	49	51.0	51.0	57.3
	SS	41	42.7	42.7	100.0
	Total	96	100.0	100.0	

KEPUTUSAN PEMBELIAN (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	53	55.2	55.2	61.5
	SS	37	38.5	38.5	100.0
	Total	96	100.0	100.0	

KEPUTUSAN PEMBELIAN (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3

	S	44	45.8	45.8	52.1
	SS	46	47.9	47.9	100.0
	Total	96	100.0	100.0	

KEPUTUSAN PEMBELIAN (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KS	6	6.3	6.3	6.3
	S	56	58.3	58.3	64.6
	SS	34	35.4	35.4	100.0
	Total	96	100.0	100.0	