


LAMPIRAN

Dokumentasi Penelitian



Sketch yang digunakan

```

<?php
session_start();
require_once 'config.php';

if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $username = clean_input($_POST['username']);
    $password = $_POST['password'];
    // role_input akan berisi 'korwil' atau 'dinaspendidikan' dari form login
    $role_input = $_POST['role'];

    // Ambil data user berdasarkan username dan role
    // Penting: role harus sesuai dengan ENUM di database ('korwil',
'dinaspendidikan')
    $stmt = $pdo->prepare("SELECT * FROM users WHERE username = ? AND
role = ?");
    $stmt->execute([$username, $role_input]);
    $user = $stmt->fetch();

    // Verifikasi keberadaan user dan kecocokan password (menggunakan
password_verify)
    if ($user && password_verify($password, $user['password'])) {
        // Set Session Data
        $_SESSION['user_id'] = $user['id'];
        $_SESSION['username'] = $user['username'];
        $_SESSION['nama'] = $user['nama_lengkap'];
        $_SESSION['role'] = $user['role'];
        $_SESSION['kecamatan'] = $user['wilayah_kecamatan'];

        // Redirect berdasarkan role yang tersimpan di database
        if ($user['role'] == 'korwil') {

```

```

        header("Location: dashboard_korwil.php");
    } elseif ($user['role'] == 'dinaspendidikan') {
        header("Location: dashboard_dinas.php");
    } else {
        // Jika ada role lain yang tidak terdefinisi halamannya
        header("Location: index.php?error=1");
    }
    exit();
} else {
    // Jika gagal (User tidak ditemukan atau password salah), kembali ke index
    dengan alert
    header("Location: index.php?error=1");
    exit();
}
}
?>

```

```

<?php
// Pengaturan Database
$host = 'localhost';
$db = 'u237810411_sim_gizilabura';
$user = 'u237810411_sim_gizilabura';
$password = 'Sim_gizilabura123';
$charset = 'utf8mb4';

// KUNCI ZONA WAKTU PHP KE WIB (Asia/Jakarta)
date_default_timezone_set('Asia/Jakarta');

$dns = "mysql:host=$host;dbname=$db;charset=$charset";
$options = [
    PDO::ATTR_ERRMODE => PDO::ERRMODE_EXCEPTION,

```

```

PDO::ATTR_DEFAULT_FETCH_MODE => PDO::FETCH_ASSOC,
PDO::ATTR_EMULATE_PREPARES => false,
];

try {
    $pdo = new PDO($dsn, $user, $pass, $options);

    // PERBAIKAN: Sinkronisasi zona waktu database ke WIB (+07:00) agar
    fungsi database seperti NOW() atau CURRENT_TIMESTAMP akurat
    $pdo->exec("SET time_zone = '+07:00'");

} catch (\PDOException $e) {
    throw new \PDOException($e->getMessage(), (int)$e->getCode());
}

// Fungsi pembersih input
function clean_input($data) {
    return htmlspecialchars(stripslashes(trim($data)));
}

?>

<?php
session_start();
require_once 'config.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] !== 'korwil') {
    header("Location: index.php");
    exit();
}

```

```

$user_id = $_SESSION['user_id'];
$name_user = $_SESSION['nama'];
$kecamatan = $_SESSION['kecamatan'];

$stmt = $pdo->prepare("SELECT * FROM sppg_units WHERE id_korwil = ?");
$stmt->execute([$user_id]);
$sppg_list = $stmt->fetchAll();

$today = date('Y-m-d');
$stmt_count = $pdo->prepare("SELECT COUNT(*) FROM laporan_sppg
WHERE user_id = ? AND tanggal = ?");
$stmt_count->execute([$user_id, $today]);
$laporan_hari_ini = $stmt_count->fetchColumn();

$stmt_total_sch = $pdo->prepare("SELECT COUNT(*) FROM sekolah s JOIN
sppg_units u ON s.sppg_id = u.id WHERE u.id_korwil = ?");
$stmt_total_sch->execute([$user_id]);
$total_sekolah_wilayah = $stmt_total_sch->fetchColumn();

$stmt_served = $pdo->prepare("
    SELECT COUNT(DISTINCT lsd.sekolah_id)
    FROM laporan_sekolah_detail lsd
    JOIN laporan_sppg ls ON lsd.laporan_id = ls.id
    JOIN sppg_units u ON ls.sppg_id = u.id
    WHERE u.id_korwil = ? AND ls.tanggal = ?
");
$stmt_served->execute([$user_id, $today]);
$sekolah_terlayani = $stmt_served->fetchColumn();
$sekolah_belum_terlayani = $total_sekolah_wilayah - $sekolah_terlayani;

```

```

$hari_ini =
["Sunday"=>"Minggu","Monday"=>"Senin","Tuesday"=>"Selasa","Wednesday"=
>"Rabu","Thursday"=>"Kamis","Friday"=>"Jumat","Saturday"=>"Sabtu"][(date('l'
)];
?>
<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
  <title>Dashboard | SIM-GIZI</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/chart.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
  <style>
    body { font-family: 'Plus Jakarta Sans', sans-serif; }
    @media (max-width: 767px) { .main-content { padding-bottom: 100px; } }
  </style>
</head>
<body class="bg-[#f0f0f0] text-slate-700 antialiased min-h-screen flex flex-col
md:flex-row">

  <!-- Sidebar: Skema Indigo Elegan -->
  <aside class="hidden md:flex w-64 bg-white border-r border-indigo-50 flex-col
sticky top-0 h-screen z-50">
    <div class="p-6 border-b border-slate-50 flex items-center gap-3">

```

```

<div class="w-10 h-10 bg-indigo-600 rounded-xl flex items-center justify-
center text-white shadow-lg shadow-indigo-100">
  <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
    <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
    <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
    <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
  </svg>
</div>
<div>
  <span class="font-black text-indigo-950 block text-sm leading-none
uppercase tracking-tight">SIM-GIZI</span>
  <span class="text-[10px] font-bold text-indigo-500 uppercase mt-1
tracking-widest">KORWIL</span>
</div>
</div>
<nav class="flex-1 p-4 space-y-2 mt-4">
  <a href="dashboard_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl bg-indigo-600 text-white shadow-lg shadow-indigo-200 transition-all
transform active:scale-95"><i class="fas fa-home w-5 text-center"></i><span
class="text-sm font-bold">Beranda</span></a>
  <a href="input_laporan.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-file-signature w-5 text-center"></i><span class="text-sm
font-semibold">Lapor Harian</span></a>
  <a href="riwayat_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-history w-5 text-center"></i><span class="text-sm font-
semibold">Riwayat</span></a>

```

```

    <a href="sekolah_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-database w-5 text-center"></i><span class="text-sm font-
semibold">Master Data</span></a>

```

```

    <a href="pengaduan_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-exclamation-triangle w-5 text-center"></i><span
class="text-sm font-semibold">Aduan Masuk</span></a>

```

```

</nav>

```

```

<div class="p-4 border-t border-slate-250">

```

```

    <a href="logout.php" class="flex items-center justify-center gap-2 w-full
py-3 text-rose-500 font-bold text-sm hover:bg-rose-50 rounded-xl transition-all">

```

```

        <i class="fas fa-sign-out-alt"></i> Keluar

```

```

    </a>

```

```

</div>

```

```

</aside>

```

```

<div class="flex-1 flex flex-col min-h-screen main-content">

```

```

    <!-- Header Mobile -->

```

```

    <header class="md:hidden bg-white border-b border-indigo-50 px-5 py-4
flex items-center justify-between sticky top-0 z-40">

```

```

        <div class="flex items-center gap-2">

```

```

            <div class="w-8 h-8 bg-indigo-600 rounded-lg flex items-center justify-
center text-white text-[10px] shadow-sm shadow-indigo-200">

```

```

                <svg viewBox="0 0 24 24" fill="none"

```

```

                xmlns="http://www.w3.org/2000/svg" class="w-4 h-4">

```

```

                    <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>

```

```

                    <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-
width="2" stroke-linecap="round"/>

```

```

        <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-
width="2" stroke-linecap="round"/>
    </svg>
</div>
    <h1 class="font-black text-indigo-950 text-sm tracking-tight">SIM-
GIZI</h1>
</div>
    <div class="flex flex-col items-end">
        <span class="text-[10px] font-black text-white bg-indigo-950 px-3 py-1
rounded-full uppercase tracking-tighter"><?php echo date('d M Y'); ?></span>
    </div>
</header>

<main class="flex-1 p-5 md:p-10 max-w-6xl mx-auto w-full">
    <!-- Bagian 1: Ucapan -->
    <div class="mb-8">
        <h2 class="text-3xl md:text-4xl font-black text-indigo-950 tracking-
tight leading-tight">Halo, <?php echo $nama_user; ?>!</h2>
        <p class="text-slate-500 text-xs md:text-sm font-bold uppercase
tracking-widest mt-2 flex items-center gap-2">
            <span class="w-2 h-2 bg-indigo-500 rounded-full animate-
pulse"></span> Sesi Korwil Wilayah <?php echo $kecamatan; ?>
        </p>
    </div>

    <!-- Pemisah Visual -->
    <hr class="border-indigo-100 mb-10">

    <!-- Bagian 2: Kartu Statistik - Indigo & Rose Accent -->
    <div class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-6 mb-10">

```

```

<div class="bg-white p-6 rounded-[35px] border border-indigo-50
shadow-sm relative overflow-hidden group hover:border-indigo-300 transition-all
duration-300">
    <i class="fas fa-building absolute -top-4 -right-4 text-7xl text-indigo-
600 opacity-[0.03]"></i>
    <div class="w-11 h-11 bg-indigo-50 text-indigo-600 rounded-2xl flex
items-center justify-center mb-5"><i class="fas fa-building text-sm"></i></div>
    <h3 class="text-3xl font-black text-indigo-950 leading-none"><?php
echo count($sppg_list); ?></h3>
    <p class="text-[10px] text-slate-400 font-black uppercase mt-3
tracking-widest">Unit SPPG</p>
</div>
<div class="bg-white p-6 rounded-[35px] border border-indigo-50
shadow-sm relative overflow-hidden group hover:border-indigo-300 transition-all
duration-300">
    <i class="fas fa-clipboard-check absolute -top-4 -right-4 text-7xl text-
amber-600 opacity-[0.03]"></i>
    <div class="w-11 h-11 bg-amber-50 text-amber-600 rounded-2xl flex
items-center justify-center mb-5"><i class="fas fa-clipboard-check text-
sm"></i></div>
    <h3 class="text-3xl font-black text-indigo-950 leading-none"><?php
echo $laporan_hari_ini; ?></h3>
    <p class="text-[10px] text-slate-400 font-black uppercase mt-3
tracking-widest">Laporan Masuk</p>
</div>
<div class="bg-white p-6 rounded-[35px] border border-indigo-50
shadow-sm relative overflow-hidden group hover:border-indigo-300 transition-all
duration-300">
    <i class="fas fa-check-double absolute -top-4 -right-4 text-7xl text-
indigo-600 opacity-[0.03]"></i>

```

```
<div class="w-11 h-11 bg-indigo-50 text-indigo-600 rounded-2xl flex
items-center justify-center mb-5 shadow-sm shadow-indigo-100"><i class="fas
fa-check-double text-sm"></i></div>
```

```
<h3 class="text-3xl font-black text-indigo-950 leading-none"><?php
echo $sekolah_terlayani; ?></h3>
```

```
<p class="text-[10px] text-slate-400 font-black uppercase mt-3
tracking-widest">Sekolah Terlayani</p>
```

```
</div>
```

```
<div class="bg-white p-6 rounded-[35px] border border-indigo-50
shadow-sm relative overflow-hidden group hover:border-rose-300 transition-all
duration-300">
```

```
<i class="fas fa-clock absolute -top-4 -right-4 text-7xl text-rose-600
opacity-[0.03]"></i>
```

```
<div class="w-11 h-11 bg-rose-50 text-rose-600 rounded-2xl flex
items-center justify-center mb-5"><i class="fas fa-clock text-sm"></i></div>
```

```
<h3 class="text-3xl font-black text-indigo-950 leading-none"><?php
echo $sekolah_belum_terlayani; ?></h3>
```

```
<p class="text-[10px] text-slate-400 font-black uppercase mt-3
tracking-widest">Sekolah Belum Terlayani</p>
```

```
</div>
```

```
</div>
```

```
<!-- Pemisah Visual -->
```

```
<hr class="border-indigo-100 mb-10">
```

```
<!-- Bagian 3: Grafik -->
```

```
<div class="grid grid-cols-1 lg:grid-cols-3 gap-8 mb-10">
```

```
<div class="lg:col-span-2 bg-white p-8 rounded-[40px] border border-
indigo-50 shadow-sm">
```

```
<h3 class="text-lg font-black text-indigo-950 uppercase tracking-
tight mb-8 flex items-center gap-3">
```

```

        <i class="fas fa-chart-bar text-indigo-600"></i> Visualisasi
Progres Wilayah
    </h3>
    <div class="h-64"><canvas id="progressChart"></canvas></div>
</div>
<div class="bg-indigo-600 p-8 rounded-[40px] text-white shadow-2xl
shadow-indigo-200 flex flex-col justify-between overflow-hidden relative group
transition-all duration-500 hover:bg-indigo-700">
    <div class="absolute -right-10 -bottom-10 w-40 h-40 bg-white/10
rounded-full group-hover:scale-125 transition-transform duration-700"></div>
    <div class="relative z-10">
        <i class="fas fa-info-circle text-4xl opacity-30 mb-6"></i>
        <h4 class="text-xl font-bold leading-tight">Pengingat
Operasional</h4>
        <p class="text-indigo-100 text-sm mt-4 leading-relaxed italic
opacity-90">"Pastikan setiap laporan sekolah yang Anda centang sudah sesuai
dengan tanda terima distribusi fisik di lapangan."</p>
    </div>
    <a href="input_laporan.php" class="relative z-10 mt-8 bg-white text-
indigo-700 font-black py-4 rounded-2xl text-center text-xs uppercase tracking-
widest hover:shadow-xl transition-all active:scale-95">Mulai Lapor Sekarang</a>
    </div>
</div>
</main>

<footer class="p-8 md:px-10 md:py-12 border-t border-indigo-50 bg-white
mt-auto flex flex-col md:flex-row justify-between items-center gap-6">
    <div class="text-center md:text-left">
        <h5 class="font-black text-indigo-950 text-sm uppercase italic leading-
none">SIM-GIZI LABURA</h5>

```

```

    <p class="text-[9px] text-slate-400 font-bold uppercase tracking-widest
mt-2">&copy; <?php echo date('Y'); ?> Dinas Pendidikan Kabupaten
Labuhanbatu Utara</p>

```

```

</div>

```

```

<div class="flex gap-6">

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase tracking-widest flex items-center gap-2"><i
class="fas fa-book"></i> Panduan</a>

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase tracking-widest flex items-center gap-2"><i
class="fas fa-headset"></i> Pusat Bantuan</a>

```

```

</div>

```

```

</footer>

```

```

<!-- Navigasi Mobile: Indigo & Slate -->

```

```

<nav class="md:hidden fixed bottom-0 left-0 w-full bg-white border-t
border-indigo-50 h-20 flex items-center justify-around z-50 rounded-t-[35px]
shadow-[0_-15px_40px_rgba(0,0,0,0.03)] px-6">

```

```

    <a href="dashboard_korwil.php" class="flex flex-col items-center gap-1
text-indigo-600"><i class="fas fa-home text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest text-center">Home</span></a>

```

```

    <a href="input_laporan.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-file-signature text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest text-center">Lapor</span></a>

```

```

    <a href="riwayat_korwil.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-history text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest text-center">Riwayat</span></a>

```

```

    <a href="sekolah_korwil.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-database text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest text-center">Data</span></a>

```

```

    <a href="pengaduan_korwil.php" class="flex flex-col items-center gap-1
text-slate-400"><i class="fas fa-exclamation-triangle text-lg"></i><span

```

```
class="text-[8px] font-black uppercase tracking-widest text-center">Aduan</span></a>
```

```
    <a href="logout.php" class="flex flex-col items-center gap-1 text-rose-500"><i class="fas fa-sign-out-alt text-lg"></i><span class="text-[8px] font-black uppercase tracking-widest text-center">Keluar</span></a>
```

```
  </nav>
```

```
</div>
```

```
<script>
```

```
  const ctx = document.getElementById('progressChart').getContext('2d');
  new Chart(ctx, {
    type: 'bar',
    data: {
      labels: ['Total Sekolah', 'Sudah Terlayani', 'Belum Terlayani'],
      datasets: [{
        label: 'Status Hari Ini',
        data: [<?php echo $total_sekolah_wilayah; ?>, <?php echo $sekolah_terlayani; ?>, <?php echo $sekolah_belum_terlayani; ?>],
        backgroundColor: [
          'rgba(226, 232, 240, 0.8)', // Slate (Total)
          'rgba(79, 70, 229, 0.9)', // Indigo (Sudah)
          'rgba(244, 63, 94, 0.9)' // Rose (Belum)
        ],
        borderRadius: 12,
        barThickness: 40,
        borderColor: 'rgba(255, 255, 255, 0)',
        borderWidth: 0
      }]
    },
    options: {
      responsive: true,
      maintainAspectRatio: false,
```

```

plugins: { legend: { display: false } },
scales: {
  y: {
    beginAtZero: true,
    grid: { color: 'rgba(0, 0, 0, 0.02)' },
    ticks: { font: { weight: 'bold', size: 10 }, color: '#94a3b8' }
  },
  x: {
    grid: { display: false },
    ticks: { font: { weight: 'bold', size: 10 }, color: '#64748b' }
  }
}
});
</script>
</body>
</html>

```

```

<?php
require_once 'config.php';

$sppg_id = isset($_GET['sppg_id']) ? (int)$_GET['sppg_id'] : 0;
$today = date('Y-m-d');

if ($sppg_id > 0) {
  // Ambil data sekolah dan cek di tabel detail apakah sudah dilaporkan hari ini
  $query = "SELECT
    s.id,
    s.nama_sekolah,
    s.jumlah_siswa,

```

```

        (SELECT COUNT(*)
        FROM laporan_sekolah_detail lsd
        JOIN laporan_sppg ls ON lsd.laporan_id = ls.id
        WHERE lsd.sekolah_id = s.id AND ls.tanggal = :today) as sudah_lapor
    FROM sekolah s
    WHERE s.sppg_id = :sppg_id";

$stmt = $pdo->prepare($query);
$stmt->execute(['today' => $today, 'sppg_id' => $sppg_id]);
$schools = $stmt->fetchAll();

foreach ($schools as &$school) {
    $school['sudah_lapor'] = $school['sudah_lapor'] > 0;
}

header('Content-Type: application/json');
echo json_encode($schools);
} else {
    echo json_encode([]);
}
?>

<?php
require_once 'config.php';

// --- LOGIKA AMBIL DATA UNTUK HALAMAN DEPAN ---
try {
    // Ambil data SPPG
    $stmt_sppg_f = $pdo->query("SELECT id, nama_sppg, lokasi FROM
sppg_units ORDER BY nama_sppg ASC");

```

```

    $sppg_data = $stmt_sppg_f->fetchAll();

    // Ambil data Sekolah
    $stmt_sch_f = $pdo->query("SELECT nama_sekolah, sppg_id FROM sekolah
ORDER BY nama_sekolah ASC");
    $sch_all = $stmt_sch_f->fetchAll();

    // Kelompokkan sekolah berdasarkan SPPG ID
    $mapped_schools = [];
    foreach ($sch_all as $s) {
        $mapped_schools[$s['sppg_id']] = $s['nama_sekolah'];
    }
} catch (PDOException $e) {
    $sppg_data = [];
}
?>

```

```

<!DOCTYPE html>
<html lang="id" class="scroll-pt-16 overflow-x-hidden">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
    <title>SIM-GIZI KORWIL | Labuhanbatu Utara</title>
    <script src="https://cdn.tailwindcss.com"></script>
    <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
    <!-- AOS Animation Library CSS -->
    <link href="https://unpkg.com/aos@2.3.1/dist/aos.css" rel="stylesheet">

```

```

<style>
  body { font-family: 'Plus Jakarta Sans', sans-serif; scroll-behavior: smooth; }
  .glass-nav {
    background: rgba(255, 255, 255, 0.95);
    backdrop-filter: blur(12px);
    -webkit-backdrop-filter: blur(12px);
  }
  .nav-link.active {
    color: #0d9488 !important;
    font-weight: 700;
  }
  #mobile-menu {
    transition: transform 0.4s cubic-bezier(0.4, 0, 0.2, 1);
    will-change: transform;
  }
  #mobile-menu.open {
    transform: translateX(0);
  }
  .section {
    scroll-margin-top: 4rem;
  }
  * { -webkit-tap-highlight-color: transparent; }

  /* Animasi Transisi Form Login */
  .login-step {
    transition: all 0.3s ease-in-out;
  }

  /* Perbaikan untuk mencegah pergeseran layout saat refresh (AOS) */
  [data-aos] {
    pointer-events: none;
  }

```

```

.aos-animate {
  pointer-events: auto;
}

@keyframes slideUp {
  from { opacity: 0; transform: translateY(40px); }
  to { opacity: 1; transform: translateY(0); }
}
.animate-slide-up { animation: slideUp 0.6s cubic-bezier(0.16, 1, 0.3, 1)
forwards; }
.animate-fade-in { animation: fadeIn 0.4s ease-out; }
@keyframes fadeIn { from { opacity: 0; } to { opacity: 1; } }
</style>
</head>
<body class="bg-[#f8f9fc] text-slate-800 antialiased overflow-x-hidden w-full">

<?php if(isset($_GET['error'])): ?>
<!-- MODAL ALERT LOGIN GAGAL -->
<div id="error-login-modal" class="fixed inset-0 z-[110] flex items-center
justify-center p-4">
  <div class="absolute inset-0 bg-slate-900/60 backdrop-blur-sm"
onclick="this.parentElement.remove()"></div>
  <div class="bg-white w-full max-w-[360px] rounded-[32px] p-8 text-center
shadow-2xl relative z-10 animate-slide-up border border-slate-100">
    <div class="w-16 h-16 bg-red-500 text-red-500 rounded-2xl flex items-
center justify-center mx-auto mb-6">
      <i class="fas fa-exclamation-circle text-2xl"></i>
    </div>
    <h4 class="text-xl font-bold text-slate-900 tracking-tight">Login
Gagal!</h4>

```

```

    <p class="text-sm text-slate-500 mt-2 leading-relaxed">Username atau
    password yang Anda masukkan <span class="font-bold text-red-
    500">salah</span>. Silakan periksa kembali kredensial Anda.</p>

```

```

    <button onclick="window.location.href='index.php'" class="w-full mt-8
    bg-slate-900 text-white font-bold py-4 rounded-2xl hover:bg-teal-600 transition-
    all text-xs uppercase tracking-widest">Coba Lagi</button>

```

```

    </div>

```

```

</div>

```

```

<?php endif; ?>

```

```

<?php if(isset($_GET['status']) && $_GET['status'] == 'sukses'): ?>
<div id="success-modal" class="fixed inset-0 z-[150] flex items-center justify-
center p-4">

```

```

    <div class="absolute inset-0 bg-slate-900/60 backdrop-blur-sm animate-fade-
in" onclick="this.parentElement.remove()"></div>

```

```

    <div class="bg-white w-full max-w-[380px] rounded-[40px] p-10 text-center
shadow-2xl relative z-10 animate-slide-up border border-slate-100">

```

```

    <div class="w-20 h-20 bg-emerald-50 text-emerald-500 rounded-[28px] flex
items-center justify-center mx-auto mb-8 shadow-sm">

```

```

        <i class="fas fa-check-circle text-4xl"></i>

```

```

    </div>

```

```

    <h4 class="text-2xl font-black text-slate-900 tracking-tight">Aduan
Terkirim!</h4>

```

```

    <p class="text-sm text-slate-500 mt-3 leading-relaxed">Terima kasih atas
laporan Anda. Pengaduan telah masuk ke sistem dan akan segera ditinjau oleh
Korwil wilayah terkait.</p>

```

```

    <button onclick="window.location.href='index.php'" class="w-full mt-10 bg-
indigo-600 text-white font-bold py-5 rounded-3xl hover:bg-slate-900 transition-all
text-xs uppercase tracking-[0.2em] shadow-lg shadow-indigo-100">

```

```

        Selesai

```

```

    </button>

```

```

</div>

```

```

</div>
<?php endif; ?>

<!-- Navigation -->
<nav class="fixed top-0 left-0 w-full z-50 glass-nav border-b border-slate-200/60 h-16">
  <div class="max-w-6xl mx-auto px-4 h-full flex items-center justify-between">
    <div class="flex items-center gap-2 md:gap-3">
      <div class="w-9 h-9 md:w-10 md:h-10 bg-teal-600 rounded-xl flex items-center justify-center shadow-lg shadow-teal-100 flex-shrink-0">
        <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
          <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21 16.9706 21 12H3Z" fill="white"/>
          <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2" stroke-linecap="round"/>
          <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2" stroke-linecap="round"/>
        </svg>
      </div>
      <div class="flex flex-col leading-none">
        <span class="font-bold text-slate-900 tracking-tight text-base md:text-lg leading-none">SIM-GIZI</span>
        <span class="text-[9px] md:text-[10px] font-bold text-teal-600 uppercase tracking-widest mt-0.5 md:mt-1">Labura</span>
      </div>
    </div>

    <!-- Desktop Menu -->
    <div class="hidden md:flex items-center gap-8">

```

```

        <a href="#statistik" class="nav-link text-sm font-medium text-slate-600
hover:text-teal-600 transition-colors">Statistik</a>
        <a href="#layanan" class="nav-link text-sm font-medium text-slate-600
hover:text-teal-600 transition-colors">Unit Layanan</a>
        <a href="#alur" class="nav-link text-sm font-medium text-slate-600
hover:text-teal-600 transition-colors">Alur Kerja</a>
        <a href="#jadwal" class="nav-link text-sm font-medium text-slate-600
hover:text-teal-600 transition-colors">Jadwal</a>
        <a href="#pengaduan" class="nav-link text-sm font-medium text-slate-
600 hover:text-teal-600 transition-colors">Pengaduan</a>
        <a href="#faq" class="nav-link text-sm font-medium text-slate-600
hover:text-teal-600 transition-colors">FAQ</a>
    </div>

    <div class="flex items-center gap-2">
        <button onclick="openLoginSelection()" class="hidden sm:flex items-
center text-sm font-semibold text-white bg-teal-600 px-5 py-2 rounded-full
hover:bg-teal-700 shadow-md shadow-teal-100 transition">
            Masuk <i class="fas fa-sign-in-alt ml-2"></i>
        </button>
        <button onclick="toggleMobileMenu()" class="md:hidden w-10 h-10
flex items-center justify-center text-slate-600 rounded-lg hover:bg-slate-100
transition focus:outline-none" aria-label="Menu">
            <i class="fas fa-bars text-xl" id="menu-icon"></i>
        </button>
    </div>
</div>
</nav>

<!-- Mobile Menu Sidebar -->
<div id="mobile-menu" class="fixed inset-y-0 right-0 w-72 bg-white z-[70]
shadow-2xl translate-x-full flex flex-col md:hidden">

```

```

<div class="flex items-center justify-between p-6 border-b border-slate-50">
  <span class="font-bold text-slate-900">Navigasi</span>
  <button onclick="toggleMobileMenu()" class="text-slate-400 hover:text-
slate-600 transition p-2">
    <i class="fas fa-times text-2xl"></i>
  </button>
</div>
<div class="flex flex-col p-6 gap-6 overflow-y-auto">
  <a href="#home" onclick="toggleMobileMenu()" class="nav-link text-lg
font-semibold text-slate-600 flex items-center gap-4 py-2">
    <i class="fas fa-home w-6 text-teal-600"></i> Home
  </a>
  <a href="#statistik" onclick="toggleMobileMenu()" class="nav-link text-
lg font-semibold text-slate-600 flex items-center gap-4 py-2">
    <i class="fas fa-chart-pie w-6 text-teal-600"></i> Statistik
  </a>
  <a href="#alur" onclick="toggleMobileMenu()" class="nav-link text-lg
font-semibold text-slate-600 flex items-center gap-4 py-2">
    <i class="fas fa-tasks w-6 text-teal-600"></i> Alur Kerja
  </a>
  <a href="#jadwal" onclick="toggleMobileMenu()" class="nav-link text-lg
font-semibold text-slate-600 flex items-center gap-4 py-2">
    <i class="fas fa-calendar-alt w-6 text-teal-600"></i> Jadwal
  </a>
  <a href="#faq" onclick="toggleMobileMenu()" class="nav-link text-lg
font-semibold text-slate-600 flex items-center gap-4 py-2">
    <i class="fas fa-question-circle w-6 text-teal-600"></i> FAQ
  </a>
  <hr class="border-slate-100 my-2">
  <button onclick="toggleMobileMenu(); openLoginSelection();" class="w-
full bg-teal-600 text-white font-bold py-4 rounded-2xl shadow-lg flex items-
center justify-center gap-2 active:scale-95 transition">

```

```

        <i class="fas fa-sign-in-alt"></i> Masuk Sistem
    </button>
</div>
</div>

<div id="menu-overlay" class="fixed inset-0 bg-slate-900/40 backdrop-blur-sm
z-[65] hidden md:hidden" onclick="toggleMobileMenu()"></div>

<!-- Hero Section -->
<section id="home" class="pt-40 md:pt-44 pb-16 px-4 max-w-full mx-auto
text-center" data-aos="fade-up" data-aos-duration="600">
    <div class="max-w-4xl mx-auto">
        <span class="inline-block py-1.5 px-4 rounded-full bg-teal-50 text-teal-
700 text-[10px] font-bold mb-6 tracking-widest uppercase border border-teal-
100">
            Dinas Pendidikan Labuhanbatu Utara
        </span>
        <h1 class="text-3xl md:text-6xl font-extrabold text-slate-900 leading-tight
mb-6 tracking-tight px-2">
            Monitoring Gizi Sekolah <br><span class="text-teal-600">Terpadu &
Akuntabel.</span>
        </h1>
        <p class="text-slate-500 text-sm md:text-lg mb-10 leading-relaxed max-
w-2xl mx-auto px-4">
            Sistem informasi yang dirancang untuk memudahkan Korwil dalam
melaporkan distribusi makanan bergizi secara transparan kepada Dinas
Pendidikan Kabupaten Labuhanbatu Utara.
        </p>

    <div class="flex flex-col sm:flex-row justify-center gap-4 px-6 sm:px-0">

```

```

    <button onclick="openLoginSelection()" class="bg-slate-900 text-white
px-8 py-4 rounded-2xl font-semibold shadow-xl shadow-slate-200 hover:bg-slate-
800 transition-all flex items-center justify-center">

```

```

    Mulai Pelaporan <i class="fas fa-paper-plane ml-3 text-xs opacity-
70"></i>

```

```

</button>

```

```

    <a href="#jadwal" class="bg-white border border-slate-200 text-slate-
600 px-8 py-4 rounded-2xl font-semibold hover:bg-slate-50 transition-all flex
items-center justify-center">

```

```

    <i class="far fa-clock mr-2 text-teal-600"></i> Jadwal Lapor

```

```

</a>

```

```

    <a href="#pengaduan" class="bg-white border border-slate-200 text-
slate-600 px-8 py-4 rounded-2xl font-semibold hover:bg-slate-50 transition-all
flex items-center justify-center">

```

```

    <i class="fas fa-phone-flip mr-2 text-teal-600"></i> Ajukan

```

```

Pengaduan

```

```

</a>

```

```

</div>

```

```

</div>

```

```

</section>

```

```

<!-- Quick Stats -->

```

```

<section id="statistik" class="px-5 py-20 max-w-6xl mx-auto section">

```

```

    <div class="grid grid-cols-1 md:grid-cols-3 gap-6">

```

```

        <div class="bg-white p-8 rounded-3xl border border-slate-100 shadow-sm
transition-transform hover:-translate-y-1" data-aos="fade-up" data-aos-
delay="100">

```

```

            <div class="w-12 h-12 bg-blue-50 text-blue-600 rounded-xl flex items-
center justify-center mb-6 relative">

```

```

                <i class="fas fa-building text-xl"></i>

```

```

                <div class="absolute -top-1 -right-1 w-5 h-5 bg-blue-600 rounded-
full flex items-center justify-center border-2 border-white">

```

```

        <i class="fas fa-check text-[10px] text-white"></i>
    </div>
</div>
<h2 class="text-3xl font-bold text-slate-900 mb-1">24</h2>
<p class="text-slate-500 font-medium text-sm md:text-base">Unit
SPPG Aktif</p>
</div>

<div class="bg-white p-8 rounded-3xl border border-slate-100 shadow-sm
transition-transform hover:-translate-y-1" data-aos="fade-up" data-aos-
delay="200">
    <div class="w-12 h-12 bg-teal-50 text-teal-600 rounded-xl flex items-
center justify-center mb-6">
        <i class="fas fa-school text-xl"></i>
    </div>
<h2 class="text-3xl font-bold text-slate-900 mb-1">115</h2>
<p class="text-slate-500 font-medium text-sm md:text-base">Sekolah
Terlayani</p>
</div>

<div class="bg-white p-8 rounded-3xl border border-slate-100 shadow-sm
transition-transform hover:-translate-y-1" data-aos="fade-up" data-aos-
delay="300">
    <div class="w-12 h-12 bg-orange-50 text-orange-600 rounded-xl flex
items-center justify-center mb-6">
        <i class="fas fa-box-open text-xl"></i>
    </div>
<h2 class="text-3xl font-bold text-slate-900 mb-1">4.200</h2>
<p class="text-slate-500 font-medium text-sm md:text-base">Target
Porsi Harian</p>
</div>
</div>

```

```

</section>

<!-- SECTION JANGKAUAN LAYANAN -->
<section id="layan" class="px-5 py-24 max-w-6xl mx-auto section overflow-
hidden">
  <div class="text-center mb-16" data-aos="fade-up">
    <!--<span class="inline-block py-1 px-3 rounded-full bg-indigo-50 text-
indigo-600 text-[10px] font-black mb-4 uppercase tracking-[0.2em] border
border-indigo-100">Transparansi Wilayah</span>-->
    <h2 class="text-3xl md:text-5xl font-black text-slate-900 mb-4 tracking-
tight">Unit Layanan & Sekolah</h2>
    <p class="text-slate-500 text-sm md:text-base max-w-2xl mx-
auto">Informasi daftar Unit SPPG dan Sekolah yang telah terintegrasi dalam
sistem monitoring gizi Labuhanbatu Utara.</p>
  </div>

  <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6" data-
aos="fade-up">
    <?php if(empty($sppg_data)): ?>
      <div class="col-span-full py-20 text-center bg-white rounded-[40px]
border border-dashed border-slate-200">
        <p class="text-slate-400 font-bold uppercase text-xs tracking-widest
italic">Belum ada data unit terdaftar.</p>
      </div>
    <?php else: ?>
      <?php foreach($sppg_data as $sppg): ?>
        <div class="bg-white rounded-[40px] border border-slate-100 shadow-
sm overflow-hidden flex flex-col group hover:border-teal-300 transition-all
duration-300">
          <div class="p-8">
            <div class="flex items-center gap-4 mb-6">

```

```

        <div class="w-12 h-12 bg-slate-50 text-slate-600 rounded-2xl
flex items-center justify-center border border-slate-100 group-hover:bg-teal-600
group-hover:text-white transition-all shadow-sm">
            <i class="fas fa-building text-sm"></i>
        </div>
        <div class="min-w-0">
            <h4 class="font-black text-slate-900 uppercase text-sm
leading-tight truncate"><?php echo $sppg['nama_sppg']; ?></h4>
            <p class="text-[9px] text-slate-400 font-bold uppercase
tracking-widest mt-1"><i class="fas fa-location-dot mr-1 text-teal-500"></i>
<?php echo $sppg['lokasi']; ?></p>
        </div>
    </div>

    <div class="space-y-2 max-h-48 overflow-y-auto pr-2 school-
scroller">
        <p class="text-[9px] font-black text-slate-300 uppercase
tracking-widest mb-3 italic">Daftar Sekolah Pelayanan:</p>
        <?php
        $u_id = $sppg['id'];
        if(isset($mapped_schools[$u_id])):
            foreach($mapped_schools[$u_id] as $sn):
                ?>
                    <div class="flex items-center gap-3 p-3 bg-slate-50 rounded-
2xl border border-slate-100 group-hover:bg-teal-50/50 transition-colors">
                        <div class="w-6 h-6 bg-white rounded-lg flex items-center
justify-center text-teal-600 border border-slate-100 shadow-sm"><i class="fas fa-
graduation-cap text-[8px]"></i></div>
                        <span class="text-[11px] font-bold text-slate-600 uppercase
truncate"><?php echo $sn; ?></span>
                    </div>
                <?php endforeach; else: ?>

```

```

        <p class="text-[10px] text-slate-400 italic text-center py-
4">Belum ada sekolah terdaftar</p>
        <?php endif; ?>
    </div>
</div>
</div>
<?php endforeach; ?>
<?php endif; ?>
</div>
</section>

<!-- Visi & Misi -->
<section id="alur" class="px-5 py-20 max-w-6xl mx-auto section overflow-
hidden">
    <div class="grid grid-cols-1 lg:grid-cols-2 gap-12 items-center">
        <div data-aos="fade-right">
            <h2 class="text-2xl md:text-3xl font-bold text-slate-900 mb-6 leading-
tight">Komitmen Kami untuk <span class="text-teal-600">Generasi Emas
Labura</span></h2>
            <div class="space-y-6">
                <div class="flex gap-4">
                    <i class="fas fa-check-circle text-teal-500 mt-1 flex-shrink-0"></i>
                    <p class="text-slate-600 text-sm md:text-base"><span class="font-
bold text-slate-900 italic">Transparansi:</span> Setiap porsi yang dikirimkan
terdata secara akurat dan dapat dipertanggungjawabkan.</p>
                </div>
                <div class="flex gap-4">
                    <i class="fas fa-check-circle text-teal-500 mt-1 flex-shrink-0"></i>
                    <p class="text-slate-600 text-sm md:text-base"><span class="font-
bold text-slate-900 italic">Kecepatan:</span> Memangkas birokrasi pelaporan
fisik menjadi pelaporan digital real-time.</p>
                </div>
            </div>
        </div>
    </div>

```

```

    <div class="flex gap-4">
      <i class="fas fa-check-circle text-teal-500 mt-1 flex-shrink-0"></i>
      <p class="text-slate-600 text-sm md:text-base"><span class="font-
bold text-slate-900 italic">Kualitas:</span> Membantu Dinas Pendidikan
memantau standar layanan gizi di setiap kecamatan.</p>
    </div>
  </div>
</div>
<div class="bg-teal-600 rounded-[32px] md:rounded-[40px] p-8 md:p-10
text-white relative overflow-hidden shadow-2xl shadow-teal-200" data-aos="fade-
left">
  <i class="fas fa-quote-left absolute top-6 left-6 text-teal-500 text-5xl
opacity-20"></i>
  <p class="text-lg md:text-xl leading-relaxed italic mb-8 relative z-10">
    "Kesehatan siswa adalah fondasi utama keberhasilan pendidikan.
Dengan data yang baik, kita bisa memastikan tidak ada satu pun anak yang
tertinggal dalam mendapatkan hak gizinya."
  </p>
  <div class="flex items-center gap-4 relative z-10">
    <div class="w-12 h-12 bg-white/20 rounded-full flex items-center
justify-center">
      <i class="fas fa-user-tie"></i>
    </div>
    <div>
      <p class="font-bold text-sm md:text-base leading-tight">Kepala
Dinas Pendidikan</p>
      <p class="text-xs opacity-80 mt-1">Kabupaten Labuhanbatu
Utara</p>
    </div>
  </div>
</div>
</div>

```

```

</section>

<!-- Jadwal Pelaporan Section -->
<section id="jadwal" class="px-4 py-20 bg-slate-900 text-white rounded-
[32px] md:rounded-[40px] mx-4 md:mx-5 mb-20 section" data-aos="zoom-in">
  <div class="max-w-4xl mx-auto text-center">
    <h2 class="text-2xl md:text-3xl font-bold mb-10">Jadwal Pelaporan
Harian</h2>
    <div class="grid grid-cols-1 sm:grid-cols-2 gap-6 md:gap-8">
      <div class="bg-white/10 p-8 rounded-3xl backdrop-blur-md border
border-white/10">
        <p class="text-teal-400 font-bold uppercase tracking-widest text-
[10px] mb-2">Batas Awal</p>
        <h3 class="text-3xl md:text-4xl font-bold">08:00 <span class="text-
lg font-normal opacity-60">WIB</span></h3>
      </div>
      <div class="bg-white/10 p-8 rounded-3xl backdrop-blur-md border
border-white/10">
        <p class="text-orange-400 font-bold uppercase tracking-widest text-
[10px] mb-2">Batas Akhir</p>
        <h3 class="text-3xl md:text-4xl font-bold">14:00 <span class="text-
lg font-normal opacity-60">WIB</span></h3>
      </div>
    </div>
    <p class="mt-8 text-slate-400 text-xs md:text-sm italic">Pastikan data
diinput sesuai dengan kondisi riil di lapangan.</p>
  </div>
</section>

<!-- Pengaduan -->
<section id="pengaduan" class="px-5 py-24 max-w-4xl mx-auto section">
  <div class="text-center mb-16" data-aos="fade-up">

```

```

<!--<span class="inline-block py-1 px-3 rounded-full bg-rose-50 text-rose-600 text-[10px] font-black mb-4 uppercase tracking-[0.2em] border border-rose-100">Layanan Publik</span>-->

```

```

<h2 class="text-3xl md:text-5xl font-black text-slate-900 mb-4 tracking-tight">Pengaduan Umum</h2>

```

```

<p class="text-slate-500 text-sm md:text-base max-w-xl mx-auto">Kami mendengarkan. Laporkan kendala secara langsung melalui form di bawah ini.</p>
</div>

```

```

<div class="bg-white p-8 md:p-12 rounded-[50px] border border-slate-100 shadow-2xl shadow-indigo-100/40" data-aos="zoom-in">

```

```

<form action="proses_pengaduan.php" method="POST"
enctype="multipart/form-data" class="space-y-8">

```

```

<div class="grid grid-cols-1 md:grid-cols-2 gap-8">

```

```

<div>

```

```

<label class="block text-[10px] font-black text-slate-400 uppercase tracking-widest mb-3 px-1">Judul Pengaduan</label>

```

```

<input type="text" name="judul" required placeholder="Contoh: Kualitas Makanan" class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-6 py-4 focus:ring-4 focus:ring-teal-500/10 focus:border-teal-500 outline-none transition text-sm font-bold text-slate-700">

```

```

</div>

```

```

<div>

```

```

<label class="block text-[10px] font-black text-slate-400 uppercase tracking-widest mb-3 px-1">Identitas Pelapor</label>

```

```

<select name="kategori_pelapor" required class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-6 py-4 focus:ring-4 focus:ring-teal-500/10 focus:border-teal-500 outline-none appearance-none transition text-sm font-bold text-slate-700 cursor-pointer">

```

```

<option value="Masyarakat">Masyarakat Umum</option>

```

```

<option value="Sekolah">Pihak Sekolah</option>

```

```

<option value="Siswa">Siswa</option>

```

```

        </select>
      </div>
    </div>

    <div class="grid grid-cols-1 md:grid-cols-2 gap-8">
      <div>
        <label class="block text-[10px] font-black text-slate-400 uppercase
tracking-widest mb-3 px-1">Nomor HP / WhatsApp</label>
        <input type="tel" name="nomor_pelapor" required
placeholder="Contoh: 081234567890" class="w-full bg-slate-50 border border-
slate-100 rounded-2xl px-6 py-4 focus:ring-4 focus:ring-teal-500/10 focus:border-
teal-500 outline-none transition text-sm font-bold text-slate-700">
      </div>
      <div>
        <label class="block text-[10px] font-black text-slate-400 uppercase
tracking-widest mb-3 px-1">Nama Sekolah / Lokasi</label>
        <input type="text" name="alamat_sekolah" required
placeholder="Contoh: SD Negeri 01 Kualuh Hulu" class="w-full bg-slate-50
border border-slate-100 rounded-2xl px-6 py-4 focus:ring-4 focus:ring-teal-
500/10 focus:border-teal-500 outline-none transition text-sm font-bold text-slate-
700">
      </div>
    </div>

    <div>
      <label class="block text-[10px] font-black text-slate-400 uppercase
tracking-widest mb-3 px-1">Keterangan Detail</label>
      <textarea name="keterangan" rows="4" required
placeholder="Jelaskan laporan pengaduan Anda..." class="w-full bg-slate-50
border border-slate-100 rounded-2xl px-6 py-4 focus:ring-4 focus:ring-teal-
500/10 focus:border-teal-500 outline-none transition text-sm font-bold text-slate-
700"></textarea>
    </div>

```

```
</div>
```

```
<div>
```

```
<label class="block text-[10px] font-black text-slate-400 uppercase
tracking-widest mb-3 px-1">Lampiran Foto Bukti (Wajib)</label>
```

```
<div class="relative w-full h-36 border-2 border-dashed border-slate-
200 rounded-[30px] flex items-center justify-center bg-slate-50 hover:bg-white
hover:border-teal-500 transition-all group overflow-hidden">
```

```
<input type="file" name="foto" id="foto-input" required
class="absolute inset-0 w-full h-full opacity-0 cursor-pointer z-10"
onchange="previewFile(this)">
```

```
<div class="text-center p-4">
```

```
<div class="w-12 h-12 bg-white rounded-2xl flex items-center
justify-center shadow-sm mx-auto mb-2 group-hover:scale-110 transition-
transform">
```

```
<i class="fas fa-camera text-slate-300 group-hover:text-teal-
600"></i>
```

```
</div>
```

```
<p id="file-name" class="text-[10px] font-black text-slate-400
uppercase tracking-widest transition-colors">Klik untuk pilih foto bukti</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<button type="submit" class="w-full bg-teal-600 text-white font-black
py-6 rounded-[30px] shadow-2xl shadow-teal-100 hover:bg-slate-900 transition-
all transform active:scale-95 text-xs uppercase tracking-[0.3em]">Kirim Laporan
Pengaduan</button>
```

```
</form>
```

```
</div>
```

```
</section>
```

```

<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
<script>
  AOS.init({ duration: 600, once: true });

  // FUNGSI JS PERBAIKAN: Menampilkan nama file yang dipilih
  function previewFile(input) {
    const fileNameElement = document.getElementById('file-name');
    if (input.files && input.files[0]) {
      const name = input.files[0].name;
      fileNameElement.innerText = "Terpilih: " + name;
      fileNameElement.classList.add('text-teal-600');
      fileNameElement.classList.remove('text-slate-400');
    } else {
      fileNameElement.innerText = "Klik untuk pilih foto bukti";
      fileNameElement.classList.remove('text-teal-600');
      fileNameElement.classList.add('text-slate-400');
    }
  }

  function openLoginSelection() { document.getElementById('login-
modal').classList.remove('hidden'); }

  function closeLogin() { document.getElementById('login-
modal').classList.add('hidden'); }
</script>

<!-- FAQ Section -->
<section id="faq" class="px-5 py-20 max-w-4xl mx-auto section">
  <div class="text-center mb-16" data-aos="fade-up">
    <h2 class="text-2xl md:text-3xl font-bold text-slate-900 mb-
4">Pertanyaan Umum (FAQ)</h2>
    <p class="text-slate-500 text-sm md:text-base">Hal-hal yang sering
ditanyakan mengenai penggunaan sistem.</p>

```

```

</div>
<div class="space-y-4" data-aos="fade-up">
  <div class="bg-white p-6 rounded-2xl border border-slate-100 shadow-sm">
    <h4 class="font-bold text-slate-900 mb-2 text-sm md:text-base">Bagaimana jika Unit SPPG tidak muncul?</h4>
    <p class="text-slate-500 text-xs md:text-sm leading-relaxed">Pastikan akun Anda sudah terdaftar sebagai Korwil di kecamatan tersebut. Jika masih tidak muncul, hubungi admin Dinas Pendidikan untuk pemutakhiran data.</p>
  </div>
  <div class="bg-white p-6 rounded-2xl border border-slate-100 shadow-sm">
    <h4 class="font-bold text-slate-900 mb-2 text-sm md:text-base">Apakah laporan bisa diedit setelah dikirim?</h4>
    <p class="text-slate-500 text-xs md:text-sm leading-relaxed">Demi integritas data, laporan yang sudah dikirim tidak dapat diedit secara mandiri. Perubahan data harus melalui persetujuan admin Dinas.</p>
  </div>
  <div class="bg-white p-6 rounded-2xl border border-slate-100 shadow-sm">
    <h4 class="font-bold text-slate-900 mb-2 text-sm md:text-base">Apakah sistem ini bisa dibuka di Smartphone?</h4>
    <p class="text-slate-500 text-xs md:text-sm leading-relaxed">Sangat bisa. SIM-GIZI didesain dengan konsep Mobile-First agar memudahkan Korwil melaporkan data langsung dari lapangan menggunakan ponsel.</p>
  </div>
</div>
</section>

<!-- Footer -->
<footer class="py-12 px-5 border-t border-slate-200">

```

```

<div class="max-w-6xl mx-auto flex flex-col md:flex-row justify-between
items-center gap-6">
  <div class="text-center md:text-left">
    <p class="font-bold text-slate-900">SIM-GIZI LABURA</p>
    <p class="text-xs text-slate-400 mt-1">&copy; 2026 Dinas Pendidikan
Kabupaten Labuhanbatu Utara</p>
  </div>
  <div class="flex gap-4 text-slate-400 text-sm">
    <a href="#" class="hover:text-teal-600 transition">Panduan</a>
    <a href="#" class="hover:text-teal-600 transition">Privasi</a>
    <a href="#" class="hover:text-teal-600 transition">Helpdesk</a>
  </div>
</div>
</footer>

<!-- MODAL LOGIN TERPADU -->
<div id="login-modal" class="hidden fixed inset-0 z-[100] flex items-center
justify-center p-4">
  <div class="absolute inset-0 bg-slate-900/60 backdrop-blur-md"
onclick="closeLogin()"></div>

  <!-- BAGIAN 1: PEMILIHAN ROLE -->
  <div id="selection-step" class="bg-white w-full max-w-[500px] rounded-
[32px] md:rounded-[40px] shadow-2xl overflow-hidden relative z-10 animate-
slide-up p-8">
    <div class="text-center mb-8">
      <h3 class="text-2xl font-bold text-slate-900">Selamat Datang</h3>
      <p class="text-slate-500 text-sm mt-1">Silakan pilih akses login
Anda</p>
    </div>

    <div class="grid grid-cols-1 md:grid-cols-2 gap-4">

```

```

<!-- Pilihan Korwil -->
<button onclick="showLoginForm('korwil')" class="group p-6 bg-teal-50 border-2 border-teal-100 rounded-3xl text-left hover:bg-teal-600 transition-all duration-300">
  <div class="w-12 h-12 bg-white rounded-2xl flex items-center justify-center mb-4 shadow-sm group-hover:scale-110 transition-transform">
    <i class="fas fa-user-tie text-teal-600 text-xl"></i>
  </div>
  <p class="font-bold text-slate-900 group-hover:text-white transition-colors">Login Korwil</p>
  <p class="text-xs text-teal-600/70 group-hover:text-teal-50 transition-colors mt-1">Input laporan harian wilayah</p>
</button>

<!-- Pilihan Dinas (Role disesuaikan ke 'dinaspendidikan') -->
<button onclick="showLoginForm('dinaspendidikan')" class="group p-6 bg-slate-100 border-2 border-slate-200 rounded-3xl text-left hover:bg-slate-800 transition-all duration-300">
  <div class="w-12 h-12 bg-white rounded-2xl flex items-center justify-center mb-4 shadow-sm group-hover:scale-110 transition-transform">
    <i class="fas fa-building-columns text-slate-600 text-xl"></i>
  </div>
  <p class="font-bold text-slate-900 group-hover:text-white transition-colors">Login Dinas</p>
  <p class="text-xs text-slate-500 group-hover:text-slate-300 transition-colors mt-1">Monitoring & rekapitulasi data</p>
</button>
</div>

<div class="mt-8 text-center">
  <button onclick="closeLogin()" class="text-sm font-semibold text-slate-400 hover:text-slate-600 transition">Kembali ke Halaman Depan</button>

```

```

    </div>
</div>

<!-- BAGIAN 2: FORM LOGIN (KORWIL / DINAS) -->
<div id="form-step" class="hidden bg-white w-full max-w-[400px] rounded-
[32px] md:rounded-[40px] shadow-2xl overflow-hidden relative z-10 animate-
slide-up">
    <div id="login-header" class="p-8 pt-10 text-center">
        <button onclick="backToSelection()" class="absolute left-6 top-6 text-
slate-400 hover:text-slate-600 transition">
            <i class="fas fa-arrow-left text-lg"></i>
        </button>
        <div id="role-icon-box" class="w-16 h-16 rounded-3xl flex items-
center justify-center mx-auto mb-4">
            <i id="role-icon" class="fas text-2xl"></i>
        </div>
        <h3 id="login-title" class="text-2xl font-bold text-slate-900 tracking-
tight"></h3>
        <p class="text-slate-500 text-sm mt-1">Gunakan kredensial yang
valid</p>
    </div>

    <form action="auth.php" method="POST" class="px-8 pb-8 space-y-5">
        <input type="hidden" name="role" id="role-input">
        <div>
            <label class="block text-[10px] font-bold text-slate-400 uppercase
tracking-widest mb-2 px-1">Username</label>
            <input type="text" name="username" required class="w-full bg-slate-
50 border border-slate-100 rounded-2xl px-5 py-4 focus:ring-2 outline-none
transition text-slate-700 text-sm" placeholder="Username Anda">
        </div>
        <div>

```

```

    <label class="block text-[10px] font-bold text-slate-400 uppercase
tracking-widest mb-2 px-1">Password</label>
    <div class="relative">
        <input type="password" id="password-input" name="password"
required class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-5 py-4
focus:ring-2 outline-none transition text-slate-700 text-sm"
placeholder="••••••••">
        <button type="button" onclick="togglePasswordVisibility()"
class="absolute right-4 top-1/2 -translate-y-1/2 text-slate-400 hover:text-teal-600
transition p-2">
            <i id="password-toggle-icon" class="fas fa-eye"></i>
        </button>
    </div>
</div>
    <button id="submit-btn" type="submit" class="w-full text-white font-
bold py-4 rounded-2xl shadow-lg transition-all mt-4 active:scale-95 text-sm
md:text-base">
        Konfirmasi & Masuk
    </button>
</form>

<div class="bg-slate-50 p-4 text-center">
    <p class="text-[10px] text-slate-400">Pastikan perangkat dalam kondisi
aman sebelum login</p>
</div>
</div>

<!-- AOS JS Library -->
<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
<script>
    // Inisialisasi AOS

```

```
AOS.init({
  duration: 600,
  once: true,
  offset: 30,
  startEvent: 'DOMContentLoaded'
});
```

```
function toggleMobileMenu() {
  const menu = document.getElementById('mobile-menu');
  const overlay = document.getElementById('menu-overlay');
  const icon = document.getElementById('menu-icon');
  menu.classList.toggle('open');
  overlay.classList.toggle('hidden');
  if(menu.classList.contains('open')) {
    document.body.style.overflow = 'hidden';
    icon.classList.replace('fa-bars', 'fa-times');
  } else {
    document.body.style.overflow = 'auto';
    icon.classList.replace('fa-times', 'fa-bars');
  }
}
```

```
function togglePasswordVisibility() {
  const passwordInput = document.getElementById('password-input');
  const icon = document.getElementById('password-toggle-icon');

  if (passwordInput.type === 'password') {
    passwordInput.type = 'text';
    icon.classList.replace('fa-eye', 'fa-eye-slash');
  } else {
    passwordInput.type = 'password';
    icon.classList.replace('fa-eye-slash', 'fa-eye');
  }
}
```

```

    }
}

```

```

function openLoginSelection() {
    document.getElementById('login-modal').classList.remove('hidden');
    document.getElementById('selection-step').classList.remove('hidden');
    document.getElementById('form-step').classList.add('hidden');
    document.body.style.overflow = 'hidden';
}

```

```

function showLoginForm(role) {
    document.getElementById('selection-step').classList.add('hidden');
    document.getElementById('form-step').classList.remove('hidden');

    const title = document.getElementById('login-title');
    const iconBox = document.getElementById('role-icon-box');
    const icon = document.getElementById('role-icon');
    const submitBtn = document.getElementById('submit-btn');
    const roleInput = document.getElementById('role-input');
    const inputs = document.querySelectorAll('#form-step input');
    const passwordToggle =
document.querySelector('[onclick="togglePasswordVisibility()"]');

    const passwordInput = document.getElementById('password-input');
    const eyeIcon = document.getElementById('password-toggle-icon');
    passwordInput.type = 'password';
    eyeIcon.classList.replace('fa-eye-slash', 'fa-eye');

    roleInput.value = role;

    if(role === 'korwil') {
        title.innerText = 'Login Korwil';
    }
}

```

```

        iconBox.className = 'w-16 h-16 bg-teal-50 text-teal-600 rounded-3xl
flex items-center justify-center mx-auto mb-4';
        icon.className = 'fas fa-user-tie text-2xl';
        submitBtn.className = 'w-full bg-teal-600 text-white font-bold py-4
rounded-2xl shadow-lg shadow-teal-100 hover:bg-teal-700 transition-all mt-4
active:scale-95 text-sm md:text-base';
        passwordToggle.className = 'absolute right-4 top-1/2 -translate-y-1/2
text-slate-400 hover:text-teal-600 transition p-2';

        inputs.forEach(input => {
            if(input.type !== 'hidden') input.className = 'w-full bg-slate-50
border border-slate-100 rounded-2xl px-5 py-4 focus:ring-2 focus:ring-teal-500
focus:bg-white outline-none transition text-slate-700 text-sm';
        });
    } else {
        title.innerText = 'Login Dinas';
        iconBox.className = 'w-16 h-16 bg-slate-100 text-slate-700 rounded-
3xl flex items-center justify-center mx-auto mb-4';
        icon.className = 'fas fa-building-columns text-2xl';
        submitBtn.className = 'w-full bg-slate-800 text-white font-bold py-4
rounded-2xl shadow-lg shadow-slate-200 hover:bg-slate-900 transition-all mt-4
active:scale-95 text-sm md:text-base';
        passwordToggle.className = 'absolute right-4 top-1/2 -translate-y-1/2
text-slate-400 hover:text-slate-800 transition p-2';

        inputs.forEach(input => {
            if(input.type !== 'hidden') input.className = 'w-full bg-slate-50
border border-slate-100 rounded-2xl px-5 py-4 focus:ring-2 focus:ring-slate-800
focus:bg-white outline-none transition text-slate-700 text-sm';
        });
    }
}
}

```

```

function backToSelection() {
  document.getElementById('form-step').classList.add('hidden');
  document.getElementById('selection-step').classList.remove('hidden');
}

function closeLogin() {
  document.getElementById('login-modal').classList.add('hidden');
  document.body.style.overflow = 'auto';
}

// Active Link handling
const sections = document.querySelectorAll('.section');
const navLinks = document.querySelectorAll('.nav-link');
window.addEventListener('scroll', () => {
  let current = "";
  sections.forEach(section => {
    const sectionTop = section.offsetTop;
    if (window.pageYOffset >= (sectionTop - 120)) {
      current = section.getAttribute('id');
    }
  });
  navLinks.forEach(link => {
    link.classList.remove('active');
    if (link.getAttribute('href') === `#${current}`)
link.classList.add('active');
  });
}, { passive: true });

// Smooth Scroll
document.querySelectorAll('a[href^="#"]').forEach(anchor => {
  anchor.addEventListener('click', function (e) {

```

```

const targetId = this.getAttribute('href');
if (targetId === '#') return;
e.preventDefault();
const targetElement = document.querySelector(targetId);
if (targetElement) {
  const headerOffset = 64;
  const elementPosition = targetElement.getBoundingClientRect().top;
  const offsetPosition = elementPosition + window.pageYOffset -
headerOffset;
  window.scrollTo({ top: offsetPosition, behavior: 'smooth' });
}
});
});
</script>

```

```

<style>
@keyframes slideUp {
  from { opacity: 0; transform: translateY(20px); }
  to { opacity: 1; transform: translateY(0); }
}
.animate-slide-up {
  animation: slideUp 0.4s cubic-bezier(0.16, 1, 0.3, 1) forwards;
}
</style>
</body>
</html>

```

```

<?php
session_start();
require_once 'config.php';

```

```

if (!isset($_SESSION['user_id']) || $_SESSION['role'] !== 'korwil') {
    header("Location: index.php");
    exit();
}

$user_id = $_SESSION['user_id'];
$name_user = $_SESSION['nama'];
$kecamatan = $_SESSION['kecamatan'];

// Ambil daftar SPPG yang dikelola oleh Korwil ini
$stmt = $pdo->prepare("SELECT * FROM sppg_units WHERE id_korwil = ?");
$stmt->execute([$user_id]);
$sppg_list = $stmt->fetchAll();

$today = date('Y-m-d');
?>
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
    <title>Lapor Harian | SIM-GIZI</title>
    <script src="https://cdn.tailwindcss.com"></script>
    <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
    <style>
        body { font-family: 'Plus Jakarta Sans', sans-serif; -webkit-tap-highlight-
color: transparent; }

```

```

    @media (max-width: 767px) { .main-content { padding-bottom: 100px; } }
    /* Mengubah warna checkbox aktif ke Indigo */
    .school-checkbox:checked + .school-card { border-color: #4f46e5;
background-color: #f5f3ff; }
    .school-checkbox:disabled + .school-card { opacity: 0.6; cursor: not-allowed;
background-color: #f1f5f9; }
    </style>
</head>
<body class="bg-[#fcfcfd] text-slate-700 antialiased min-h-screen flex flex-col
md:flex-row">

    <!-- SIDEBAR (Indigo & Rose Theme) -->
    <aside class="hidden md:flex w-64 bg-white border-r border-indigo-50 flex-col
sticky top-0 h-screen z-50">
        <div class="p-6 border-b border-slate-50 flex items-center gap-3">
            <div class="w-10 h-10 bg-indigo-600 rounded-xl flex items-center justify-
center text-white shadow-lg shadow-indigo-100">
                <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
                    <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
                    <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-
width="2" stroke-linecap="round"/>
                    <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-
width="2" stroke-linecap="round"/>
                </svg>
            </div>
            <div>
                <span class="font-black text-indigo-950 block text-sm tracking-tight
uppercase leading-none">SIM-GIZI</span>
                <span class="text-[10px] font-bold text-indigo-500 uppercase mt-1
tracking-widest">Korwil</span>

```

```

    </div>
</div>
<nav class="flex-1 p-4 space-y-2 mt-4">
    <a href="dashboard_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-home w-5 text-center"></i><span class="text-sm font-
semibold">Beranda</span></a>
    <a href="input_laporan.php" class="flex items-center gap-3 px-4 py-3
rounded-xl bg-indigo-600 text-white shadow-lg shadow-indigo-200"><i
class="fas fa-file-signature w-5 text-center"></i><span class="text-sm font-
bold">Lapor Harian</span></a>
    <a href="riwayat_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-history w-5 text-center"></i><span class="text-sm font-
semibold">Riwayat</span></a>
    <a href="sekolah_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-database w-5 text-center"></i><span class="text-sm font-
semibold">Master Data</span></a>
    <a href="pengaduan_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-exclamation-triangle w-5 text-center"></i><span
class="text-sm font-semibold">Aduan Masuk</span></a>
</nav>
<div class="p-4 border-t border-slate-250"><a href="logout.php" class="flex
items-center justify-center gap-2 w-full py-3 text-rose-500 font-bold text-sm
hover:bg-rose-50 rounded-xl transition-all"><i class="fas fa-sign-out-alt"></i>
Keluar</a></div>
</aside>

<div class="flex-1 flex flex-col min-h-screen main-content">
    <!-- Mobile Header (Indigo Theme) -->

```

```

<header class="md:hidden bg-white/80 backdrop-blur-md border-b border-indigo-50 px-5 py-4 flex items-center justify-between sticky top-0 z-40">
  <div class="flex items-center gap-2">
    <div class="w-8 h-8 bg-indigo-600 rounded-lg flex items-center justify-center text-white text-xs shadow-sm shadow-indigo-200">
      <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-4 h-4">
        <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21 16.9706 21 12H3Z" fill="white"/>
        <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2" stroke-linecap="round"/>
        <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2" stroke-linecap="round"/>
      </svg>
    </div>
    <h1 class="font-black text-indigo-950 text-sm tracking-tight italic">SIM-GIZI</h1>
  </div>
  <span class="text-[10px] font-black text-white bg-indigo-950 px-3 py-1 rounded-full uppercase tracking-widest"><?php echo date('d M Y'); ?></span>
</header>

<main class="flex-1 p-5 md:p-10">
  <div class="max-w-3xl mx-auto">
    <div class="flex items-center gap-5 mb-10">
      <div class="flex-shrink-0 w-12 h-12 bg-white rounded-2xl flex items-center justify-center shadow-sm text-indigo-600 border border-indigo-50"><i class="fas fa-file-signature text-xl"></i></div>
      <div><h3 class="text-2xl font-black text-indigo-950 uppercase tracking-tight">Pelaporan Harian</h3><p class="text-slate-400 text-[10px] font-bold uppercase tracking-[0.2em] mt-1">Kirim Data Distribusi Makanan Bergizi</p></div>
    </div>
  </div>
</main>

```

```

</div>

<form action="proses_laporan.php" method="POST" class="space-y-6"
id="report-form">
  <!-- Step 01 -->
  <div class="bg-white p-6 md:p-8 rounded-[40px] border border-
indigo-50 shadow-sm transition-all hover:border-indigo-200">
    <label class="block text-[10px] font-black text-slate-400 uppercase
tracking-widest mb-6">01. Pilih Unit SPPG Operasional</label>
    <div class="relative">
      <select name="sppg_id" id="sppg_select" required class="w-full
bg-slate-50 border border-slate-100 rounded-2xl px-6 py-4 appearance-none
focus:ring-4 focus:ring-indigo-500/10 focus:border-indigo-500 outline-none text-
indigo-950 font-bold cursor-pointer transition-all">
        <option value="">-- PILIH UNIT --</option>
        <?php foreach ($sppg_list as $sppg): ?>
          <option value="<?php echo $sppg['id']; ?>"><?php echo
$sppg['nama_sppg']; ?></option>
        <?php endforeach; ?>
      </select>
      <i class="fas fa-chevron-down absolute right-6 top-1/2 -
translate-y-1/2 text-slate-300 pointer-events-none text-xs"></i>
    </div>
  </div>

  <div id="school-list-container" class="opacity-0 translate-y-4
pointer-events-none transition-all duration-500 space-y-6 overflow-hidden max-h-
0">
    <!-- Step 02 -->
    <div class="bg-white p-6 md:p-8 rounded-[40px] border border-
indigo-50 shadow-sm">

```

```

<div class="flex items-center justify-between mb-8 border-b
border-slate-50 pb-5">
  <label class="text-[10px] font-black text-slate-400 uppercase
tracking-widest">02. Verifikasi Sekolah Terlayani</label>
  <span id="school-count" class="text-[9px] bg-indigo-600
text-white px-3 py-1.5 rounded-full font-black tracking-widest shadow-md
uppercase">0 SEKOLAH</span>
</div>
<div id="school-list" class="grid grid-cols-1 sm:grid-cols-2 gap-
4"></div>
</div>

<!-- Step 03 -->
<div class="bg-white p-6 md:p-8 rounded-[40px] border border-
indigo-50 shadow-sm">
  <label class="block text-[10px] font-black text-slate-400
uppercase tracking-widest mb-8 border-b border-slate-50 pb-5">03. Input Total
Porsi Unit</label>
  <div class="flex items-center gap-4 bg-slate-50 p-6 rounded-3xl
border-2 border-transparent focus-within:border-indigo-500 focus-within:bg-white
transition-all group">
    <div class="w-12 h-12 bg-white rounded-2xl flex items-
center justify-center shadow-sm text-indigo-600 border border-indigo-50 group-
focus-within:rotate-6 transition-all"><i class="fas fa-utensils text-lg"></i></div>
    <input type="number" name="total_porsi" required
placeholder="0" class="flex-1 bg-transparent border-none outline-none text-4xl
font-black text-indigo-950 placeholder:text-slate-200">
    <span class="font-black text-slate-300 mr-2 text-[10px]
tracking-widest uppercase">PORSI</span>
  </div>
</div>

```

```

<div class="flex flex-col gap-3 pt-4">
  <button type="submit" class="w-full bg-indigo-950 text-white
font-black py-6 rounded-[32px] shadow-2xl hover:bg-indigo-600 transition-all
transform active:scale-95 flex items-center justify-center gap-4 group">
    <span class="tracking-[0.2em] uppercase text-sm">Kirim
Laporan Operasional</span><i class="fas fa-paper-plane text-xs group-
hover:translate-x-2 transition-transform"></i>
  </button>
  <button type="button" onclick="closeForm()" class="w-full py-
4 text-slate-400 font-bold hover:text-rose-500 transition-all text-center text-[10px]
uppercase tracking-[0.2em]">Batalkan & Tutup Form</button>
</div>
</div>
</form>
</div>
</main>

```

```

<footer class="p-8 md:px-10 md:py-12 border-t border-indigo-50 bg-white
mt-auto flex flex-col md:flex-row justify-between items-center gap-6">
  <div class="text-center md:text-left">
    <h5 class="font-black text-indigo-950 text-sm uppercase italic leading-
none">SIM-GIZI LABURA</h5>
    <p class="text-[9px] text-slate-400 font-bold uppercase tracking-widest
mt-2">&copy; <?php echo date('Y'); ?> Dinas Pendidikan Kabupaten
Labuhanbatu Utara</p>
  </div>
  <div class="flex gap-6">
    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase tracking-widest flex items-center gap-2"><i
class="fas fa-book"></i> Panduan</a>

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase tracking-widest flex items-center gap-2 text-
center"><i class="fas fa-headset"></i> Pusat Bantuan</a>

```

```

    </div>

```

```

</footer>

```

```

<!-- BOTTOM NAV (Indigo & Slate) -->

```

```

<nav class="md:hidden fixed bottom-0 left-0 w-full bg-white border-t
border-indigo-50 h-20 flex items-center justify-around z-50 rounded-t-[35px]
shadow-[0_-15px_40px_rgba(0,0,0,0.03)] px-6">

```

```

    <a href="dashboard_korwil.php" class="flex flex-col items-center gap-1
text-slate-400"><i class="fas fa-home text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Home</span></a>

```

```

    <a href="input_laporan.php" class="flex flex-col items-center gap-1 text-
indigo-600"><i class="fas fa-file-signature text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Lapor</span></a>

```

```

    <a href="riwayat_korwil.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-history text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Riwayat</span></a>

```

```

    <a href="sekolah_korwil.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-database text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Data</span></a>

```

```

    <a href="sekolah_korwil.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-exclamation-triangle text-lg"></i><span class="text-
[8px] font-black uppercase tracking-widest">Aduan</span></a>

```

```

    <a href="logout.php" class="flex flex-col items-center gap-1 text-rose-
500"><i class="fas fa-sign-out-alt text-lg"></i><span class="text-[8px] font-black
uppercase tracking-widest">Keluar</span></a>

```

```

    </nav>

```

```

</div>

```

```

<script>

```

```
function showForm() { const c = document.getElementById('school-list-
container'); c.style.maxHeight = '3000px'; c.style.opacity = '1';
c.classList.remove('pointer-events-none'); }
```

```
function hideForm() { const c = document.getElementById('school-list-
container'); c.style.maxHeight = '0px'; c.style.opacity = '0';
c.classList.add('pointer-events-none'); }
```

```
function closeForm() {
  document.getElementById('sppg_select').value = "";
  hideForm();
}
```

```
document.getElementById('sppg_select').addEventListener('change',
function() {
  const sppgId = this.value;
  const list = document.getElementById('school-list');
  const countBadge = document.getElementById('school-count');
  if (sppgId) {
    list.innerHTML = '<div class="col-span-full py-10 text-center"><div
class="inline-block w-6 h-6 border-4 border-indigo-500/20 border-t-indigo-500
rounded-full animate-spin"></div><p class="text-[10px] text-slate-400 font-black
uppercase mt-3 tracking-widest">Sinkronisasi...</p></div>';
    showForm();
    fetch('get_schools.php?sppg_id=' + sppgId)
      .then(r => r.json())
      .then(data => {
        list.innerHTML = ""; countBadge.innerText = data.length + '
SEKOLAH';
        if (data.length > 0) {
          data.forEach((s) => {
            const isReported = s.sudah_lapor === true || s.sudah_lapor
=== 1;
```

```

list.innerHTML += `
    <label class="relative block cursor-pointer">
        <input type="checkbox" name="school_ids[]"
value="\${s.id}" class="school-checkbox hidden peer" \${isReported ? 'disabled' :
">"}>

        <div class="school-card flex items-center gap-4 p-4 bg-
slate-50 border border-slate-100 rounded-[22px] transition-all peer-
checked:border-indigo-600 peer-checked:bg-indigo-50/50">

            <div class="w-10 h-10 bg-white rounded-xl flex
items-center justify-center text-indigo-600 shadow-sm border border-indigo-50
flex-shrink-0"><i class="fas \${isReported ? 'fa-check-double text-slate-300' : 'fa-
graduation-cap'} text-xs"></i></div>

            <div class="min-w-0 flex-1"><p class="text-[11px]
font-black text-indigo-950 truncate uppercase leading-
tight">\${s.nama_sekolah}</p><p class="text-[9px] text-slate-400 font-black mt-1
uppercase">\${isReported ? '<span class="text-amber-600">Terlapor</span>' :
s.jumlah_siswa + ' Siswa'}</p></div>

            <div class="peer-checked:block hidden text-indigo-
600 pr-2"><i class="fas fa-check-circle"></i></div>

        </div>
    </label>`;
});
} else { list.innerHTML = '<div class="col-span-full py-8 text-
center text-rose-400 text-[10px] font-black uppercase tracking-widest">Unit
Kosong.</div>'; }
});
} else { hideForm(); }
});
</script>
</body>
</html>

```

```
<?php
session_start();
// Hapus semua data sesi
$_SESSION = [];

// Hancurkan sesi
session_destroy();

// Redirect kembali ke halaman landing/login
header("Location: index.php");
exit();
?>

<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Pemeliharaan Sistem | SIM-GIZI KORWIL</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@6.0.0/css/all.min.css" rel="stylesheet">
  <style>
    @import
url('https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;400;
500;600;700;800&display=swap');

    body {
      font-family: 'Plus Jakarta Sans', sans-serif;
      margin: 0;
      padding: 0;
```

```
}
```

```
.float-animation {  
  animation: floating 3s ease-in-out infinite;  
}
```

```
@keyframes floating {  
  0%, 100% { transform: translateY(0px); }  
  50% { transform: translateY(-10px); }  
}
```

```
.gradient-bg {  
  background: radial-gradient(circle at top right, #f0fdf4 0%, #f8fadc 100%);  
  background-attachment: fixed;  
}
```

```
.progress-bar {  
  width: 100%;  
  height: 6px;  
  background: #e2e8f0;  
  border-radius: 10px;  
  overflow: hidden;  
}
```

```
.progress-fill {  
  height: 100%;  
  background: linear-gradient(90deg, #10b981, #059669);  
  border-radius: 10px;  
  width: 65%;  
  transition: width 2s ease-in-out;  
}
```

```

/* Custom scrollbar */
::-webkit-scrollbar { width: 5px; }
::-webkit-scrollbar-thumb { background: #cbd5e1; border-radius: 10px; }
</style>
</head>
<body class="gradient-bg min-h-screen flex items-center justify-center p-4">

  <!-- Container Utama: Dibuat lebih ramping -->
  <div class="w-full max-w-2xl bg-white/40 backdrop-blur-sm border border-
white/60 p-6 md:p-10 rounded-[2.5rem] shadow-xl shadow-slate-200/50 text-
center animate-in fade-in zoom-in duration-500">

    <!-- Ikon Utama: Ukuran disesuaikan agar lebih proporsional -->
    <div class="mb-6 relative inline-block">
      <div class="w-24 h-24 md:w-32 md:h-32 bg-emerald-100 rounded-[2rem]
flex items-center justify-center mx-auto float-animation shadow-lg shadow-
emerald-100/50">
        <i class="fa-solid fa-screwdriver-wrench text-emerald-600 text-4xl
md:text-5xl"></i>
      </div>
      <div class="absolute -top-2 -right-2 w-10 h-10 bg-white rounded-xl
shadow-md flex items-center justify-center text-emerald-500 border border-
emerald-50">
        <i class="fa-solid fa-utensils text-sm"></i>
      </div>
    </div>

    <!-- Teks Informasi -->
    <div class="space-y-3">
      <span class="inline-block px-4 py-1 bg-emerald-50 text-emerald-700 text-
[10px] font-bold uppercase tracking-[0.2em] rounded-full mb-2">
        Pemeliharaan Rutin

```

```

</span>
<h2 class="text-2xl md:text-4xl font-extrabold text-slate-900 tracking-tight leading-tight">
  Sistem Sedang <span class="text-emerald-500">Ditingkatkan</span>
</h2>
<p class="text-slate-500 text-sm md:text-base max-w-md mx-auto leading-relaxed">
  Kami sedang mengoptimalkan basis data <span class="font-bold text-slate-700">SIM-GIZI KORWIL</span> untuk memastikan laporan harian Anda terkirim dengan lebih cepat.

```

```

</p>
</div>

```

```

<!-- Progress Indicator: Lebih minimalis -->
<div class="max-w-[240px] mx-auto mt-8">
  <div class="flex justify-between items-center mb-2">
    <span class="text-[9px] font-bold text-slate-400 uppercase tracking-widest">Sinkronisasi</span>
    <span class="text-[10px] font-black text-emerald-600">65%</span>
  </div>
  <div class="progress-bar">
    <div class="progress-fill"></div>
  </div>
</div>

```

```

<!-- Tombol Aksi: Jarak dikurangi -->
<div class="mt-8 pt-6 border-t border-slate-200/50">
  <div class="flex flex-col sm:flex-row justify-center items-center gap-3">
    <a href="https://wa.me/your_number" class="w-full sm:w-auto bg-white border border-slate-200 px-6 py-2.5 rounded-xl shadow-sm hover:bg-slate-50 transition-all flex items-center justify-center gap-2 group">

```

```

        <i class="fa-brands fa-whatsapp text-green-500 text-lg group-
hover:scale-110 transition-transform"></i>
        <span class="text-xs font-bold text-slate-700">Bantuan IT</span>
    </a>
    <button onclick="window.location.reload()" class="w-full sm:w-auto
bg-slate-900 text-white px-6 py-2.5 rounded-xl shadow-md hover:bg-slate-800
transition-all flex items-center justify-center gap-2 group">
        <i class="fa-solid fa-rotate-right text-xs group-hover:rotate-180
transition-transform duration-500"></i>
        <span class="text-xs font-bold">Cek Status</span>
    </button>
</div>
</div>

<!-- Footer: Jarak lebih dekat -->
<div class="mt-8">
    <p class="text-[10px] font-semibold text-slate-400 uppercase tracking-
tighter">
        &copy; 2026 Dinas Pendidikan Labuhanbatu Utara
    </p>
</div>
</div>

<!-- Dekorasi Background -->
<div class="fixed top-[-5%] left-[-5%] w-48 h-48 bg-emerald-100/40 rounded-
full blur-3xl -z-10"></div>
<div class="fixed bottom-[-5%] right-[-5%] w-64 h-64 bg-blue-100/40
rounded-full blur-3xl -z-10"></div>

</body>
</html>

```

```

<?php
session_start();
require_once 'config.php';

// Proteksi: Hanya role dinaspendidikan yang bisa masuk
if (!isset($_SESSION['user_id']) || $_SESSION['role'] !== 'dinaspendidikan') {
    header("Location: index.php");
    exit();
}

$message = "";
$status = "";

// --- LOGIKA CRUD USER ---
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // 1. TAMBAH USER
    if (isset($_POST['add_user'])) {
        $nama = clean_input($_POST['nama_lengkap']);
        $user = clean_input($_POST['username']);
        $pass = password_hash($_POST['password'], PASSWORD_DEFAULT);
        $role = $_POST['role'];
        $kec = ($role === 'korwil') ? $_POST['wilayah_kecamatan'] : 'Kabupaten';

        try {
            $stmt = $pdo->prepare("INSERT INTO users (username, password,
nama_lengkap, role, wilayah_kecamatan) VALUES (?, ?, ?, ?, ?)");
            $stmt->execute([$user, $pass, $nama, $role, $kec]);
            $message = "User baru berhasil ditambahkan!";
            $status = "success";
        } catch (PDOException $e) { $message = "Gagal: Username mungkin sudah
ada."; $status = "error"; }
    }
}

```

```

// 2. EDIT USER
if (isset($_POST['edit_user'])) {
    $id = (int)$_POST['user_id'];
    $nama = clean_input($_POST['nama_lengkap']);
    $role = $_POST['role'];
    $kec = ($role == 'korwil') ? $_POST['wilayah_kecamatan'] : 'Kabupaten';

    try {
        if (!empty($_POST['password'])) {
            $pass = password_hash($_POST['password'],
PASSWORD_DEFAULT);
            $stmt = $pdo->prepare("UPDATE users SET nama_lengkap=?, role=?,
wilayah_kecamatan=?, password=? WHERE id=?");
            $stmt->execute([$nama, $role, $kec, $pass, $id]);
        } else {
            $stmt = $pdo->prepare("UPDATE users SET nama_lengkap=?, role=?,
wilayah_kecamatan=? WHERE id=?");
            $stmt->execute([$nama, $role, $kec, $id]);
        }
        $message = "Data user berhasil diperbarui!";
        $status = "success";
    } catch (PDOException $e) { $message = "Gagal memperbarui data.";
$status = "error"; }
}

// 3. HAPUS USER
if (isset($_POST['delete_user'])) {
    $id = (int)$_POST['user_id'];
    if ($id != $_SESSION['user_id']) { // Cegah hapus diri sendiri
        $stmt = $pdo->prepare("DELETE FROM users WHERE id = ?");
        $stmt->execute([$id]);
    }
}

```

```

        $message = "User telah dihapus.";
        $status = "success";
    }
}
}

// Ambil semua data user
$users = $pdo->query("SELECT * FROM users ORDER BY role DESC,
wilayah_kecamatan ASC")->fetchAll();
?>
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
    <title>Manajemen User | SIM-GIZI</title>
    <script src="https://cdn.tailwindcss.com"></script>
    <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
    <style>
        body { font-family: 'Plus Jakarta Sans', sans-serif; -webkit-tap-highlight-
color: transparent; }
        @media (max-width: 767px) { .main-content { padding-bottom: 100px; } }
        .modal-blur { backdrop-filter: blur(8px); -webkit-backdrop-filter: blur(8px);
}
    </style>
</head>

```

```

<body class="bg-[#f1f5f9] text-slate-800 antialiased min-h-screen flex flex-col
md:flex-row">

  <!-- Sidebar Dinas -->
  <aside class="hidden md:flex w-64 bg-slate-900 text-white flex-col sticky top-
0 h-screen z-50">
    <div class="p-6 border-b border-slate-800 flex items-center gap-3">
      <div class="w-10 h-10 bg-indigo-500 rounded-xl flex items-center justify-
center shadow-lg">
        <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
          <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
          <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
          <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
        </svg>
      </div>
      <div>
        <span class="font-black text-white block text-sm uppercase">SIM-
GIZI</span>
        <span class="text-[10px] font-bold text-indigo-400 uppercase mt-1
tracking-widest leading-none">DINAS PENDIDIKAN</span>
      </div>
    </div>
    <div>
      <nav class="flex-1 p-4 space-y-2 mt-4">
        <a href="dashboard_dinas.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-home w-5 text-center"></i><span class="text-sm font-
semibold">Dashboard</span></a>

```

```

    <a href="rekap_laporan.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-file-invoice w-5 text-center"></i><span class="text-sm font-
semibold">Rekap Laporan</span></a>

```

```

    <a href="peta_wilayah.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-map-marked-alt w-5 text-center"></i><span class="text-sm font-
semibold">Peta Wilayah</span></a>

```

```

    <a href="manajemen_user.php" class="flex items-center gap-3 px-4 py-3
rounded-xl bg-indigo-600 text-white shadow-lg"><i class="fas fa-users-cog w-5
text-center"></i><span class="text-sm font-semibold">Manajemen
User</span></a>

```

```

</nav>

```

```

<div class="p-4 border-t border-slate-800"><a href="logout.php" class="flex
items-center justify-center gap-2 w-full py-3 text-red-400 font-bold text-sm
hover:bg-red-500/10 rounded-xl transition"><i class="fas fa-sign-out-alt"></i>
Keluar</a></div>

```

```

</aside>

```

```

<div class="flex-1 flex flex-col min-h-screen main-content">

```

```

<!-- Header Mobile -->

```

```

<header class="md:hidden bg-slate-900 text-white border-b border-slate-800
px-5 py-4 flex items-center justify-between sticky top-0 z-40">

```

```

<div class="flex items-center gap-2">

```

```

    <div class="w-8 h-8 bg-indigo-500 rounded-lg flex items-center justify-
center text-[10px]">

```

```

        <svg viewBox="0 0 24 24" fill="none"

```

```

xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">

```

```

        <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>

```

```

        <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>

```

```

        <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
    </svg>
</div>
    <h1 class="font-black text-sm tracking-tight">SIM-GIZI</h1>
</div>
    <span class="text-[10px] font-black bg-white/10 px-3 py-1.5 rounded-full
uppercase"><?php echo date('d/m/Y'); ?></span>
</header>

<main class="flex-1 p-5 md:p-10 max-w-7xl mx-auto w-full">
    <?php if($message): ?>
        <div id="alert" class="mb-6 p-4 rounded-2xl flex items-center gap-3
<?php echo $status == 'success' ? 'bg-emerald-50 text-emerald-700 border border-
emerald-100' : 'bg-red-50 text-red-700 border border-red-100'; ?> animate-slide-
up">
            <i class="fas <?php echo $status == 'success' ? 'fa-check-circle' : 'fa-
exclamation-circle'; ?>"></i>
            <p class="text-xs font-bold uppercase tracking-widest"><?php echo
$message; ?></p>
        </div>
        <script>setTimeout(() => {
            const alert = document.getElementById('alert');
            if(alert) {
                alert.style.opacity = '0';
                setTimeout(() => alert.remove(), 500);
            }
        }, 3000);</script>
    <?php endif; ?>

    <header class="mb-10 flex flex-col md:flex-row justify-between items-
start md:items-center gap-6">

```

```

<div>
  <h2 class="text-3xl font-black text-slate-900 uppercase tracking-tight">Manajemen User</h2>
  <p class="text-slate-400 text-[10px] font-black uppercase tracking-[0.2em] mt-2">Kelola Akses Login Korwil & Admin Dinas</p>
</div>
<button onclick="toggleModal('modal-add')" class="bg-indigo-600 text-white px-6 py-3.5 rounded-2xl font-black text-[10px] uppercase tracking-widest shadow-lg shadow-indigo-100 flex items-center gap-2 hover:bg-slate-900 transition-all">
  <i class="fas fa-user-plus"></i> Tambah User Baru
</button>
</header>

<div class="bg-white rounded-[40px] border border-slate-200 shadow-sm overflow-hidden mb-10">
  <div class="overflow-x-auto">
    <table class="w-full text-left">
      <thead>
        <tr class="bg-slate-50 text-[10px] font-black text-slate-400 uppercase tracking-widest border-b">
          <th class="px-8 py-5">Nama Lengkap</th>
          <th class="px-8 py-5">Username</th>
          <th class="px-8 py-5">Role</th>
          <th class="px-8 py-5">Wilayah</th>
          <th class="px-8 py-5 text-center">Aksi</th>
        </tr>
      </thead>
      <tbody class="divide-y divide-slate-100">
        <?php foreach($users as $u): ?>
          <tr class="hover:bg-slate-50/50 transition-all group">

```

```

        <td class="px-8 py-5 font-black text-slate-700 text-sm"><?php echo $u['nama_lengkap']; ?></td>
        <td class="px-8 py-5 font-bold text-slate-500 text-xs tracking-wide"><?php echo $u['username']; ?></td>
        <td class="px-8 py-5 text-[10px]">
            <span class="px-3 py-1 rounded-full font-black uppercase <?php echo $u['role'] == 'korwil' ? 'bg-teal-50 text-teal-600' : 'bg-indigo-50 text-indigo-600'; ?>">
                <?php echo $u['role']; ?>
            </span>
        </td>
        <td class="px-8 py-5 font-bold text-slate-500 italic text-xs uppercase"><?php echo $u['wilayah_kecamatan']; ?></td>
        <td class="px-8 py-5 text-center">
            <div class="flex justify-center gap-2">
                <button onclick="openEdit('<?php echo $u['id']; ?>', '<?php echo addslashes($u['nama_lengkap']); ?>', '<?php echo $u['username']; ?>', '<?php echo $u['role']; ?>', '<?php echo $u['wilayah_kecamatan']; ?>')" class="w-8 h-8 bg-blue-50 text-blue-600 rounded-lg flex items-center justify-center hover:bg-blue-600 hover:text-white transition-all"><i class="fas fa-pen text-[10px]"></i></button>
                <?php if($u['id'] != $_SESSION['user_id']): ?>
                    <button onclick="confirmDelete('<?php echo $u['id']; ?>')" class="w-8 h-8 bg-red-50 text-red-500 rounded-lg flex items-center justify-center hover:bg-red-500 hover:text-white transition-all"><i class="fas fa-trash text-[10px]"></i></button>
                <?php endif; ?>
            </div>
        </td>
    </tr>
</tbody>

```

```

        </table>
    </div>
</div>
</main>

<!-- FOOTER DINAS -->
<footer class="p-8 md:px-10 md:py-12 border-t border-slate-200 bg-white
flex flex-col md:flex-row justify-between items-center gap-6 mt-auto">
    <div class="text-center md:text-left">
        <h5 class="font-black text-slate-900 text-sm uppercase italic leading-
none">SIM-GIZI LABURA</h5>
        <p class="text-[9px] text-slate-400 font-bold uppercase tracking-widest
mt-2">&copy; 2026 Dinas Pendidikan Kabupaten Labuhanbatu Utara</p>
    </div>
    <div class="flex gap-6">
        <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2 tracking-widest"><i
class="fas fa-book"></i> Panduan Admin</a>
        <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2 tracking-widest"><i
class="fas fa-headset"></i> Support</a>
    </div>
</footer>

<!-- Bottom Nav Mobile -->
<nav class="md:hidden fixed bottom-0 left-0 w-full bg-slate-900 text-white
border-t border-slate-800 h-20 flex items-center justify-around z-50 rounded-t-
[35px] px-6 shadow-2xl">
    <a href="dashboard_dinas.php" class="flex flex-col items-center gap-1.5
text-slate-400"><i class="fas fa-home text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Home</span></a>

```

```

    <a href="rekap_laporan.php" class="flex flex-col items-center gap-1.5
text-slate-400"><i class="fas fa-file-invoice text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Rekap</span></a>

```

```

    <a href="peta_wilayah.php" class="flex flex-col items-center gap-1.5 text-
slate-400"><i class="fas fa-map-marked-alt text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Map</span></a>

```

```

    <a href="manajemen_user.php" class="flex flex-col items-center gap-1.5
text-indigo-400"><i class="fas fa-users-cog text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Users</span></a>

```

```

    <a href="logout.php" class="flex flex-col items-center gap-1.5 text-red-
400"><i class="fas fa-sign-out-alt text-lg"></i><span class="text-[8px] font-black
uppercase tracking-widest">Keluar</span></a>

```

```

    </nav>

```

```

    </nav>

```

```

</div>

```

```

<!-- MODAL ADD USER -->

```

```

<div id="modal-add" class="fixed inset-0 z-[100] hidden flex items-center
justify-center p-4 bg-slate-900/60 modal-blur">

```

```

    <div class="bg-white w-full max-w-[400px] rounded-[40px] p-8 shadow-2xl
animate-slide-up">

```

```

        <h4 class="text-xl font-black text-slate-900 uppercase mb-8">Tambah
User</h4>

```

```

        <form method="POST" class="space-y-5">

```

```

            <div><label class="block text-[10px] font-black text-slate-400
uppercase tracking-widest mb-2">Nama Lengkap</label><input type="text"
name="nama_lengkap" required class="w-full bg-slate-50 border border-slate-100
rounded-2xl px-5 py-4 focus:ring-2 focus:ring-indigo-500 outline-none text-
sm"></div>

```

```

            <div><label class="block text-[10px] font-black text-slate-400
uppercase tracking-widest mb-2">Username</label><input type="text"
name="username" required class="w-full bg-slate-50 border border-slate-100

```

```
rounded-2xl px-5 py-4 focus:ring-2 focus:ring-indigo-500 outline-none text-sm"></div>
```

```
    <div><label class="block text-[10px] font-black text-slate-400 uppercase tracking-widest mb-2">Password</label><input type="password" name="password" required class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-5 py-4 focus:ring-2 focus:ring-indigo-500 outline-none text-sm"></div>
```

```
    <div class="grid grid-cols-2 gap-4">
```

```
      <div><label class="block text-[10px] font-black text-slate-400 uppercase tracking-widest mb-2">Role</label><select name="role" required class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-5 py-4 outline-none text-xs font-bold"><option value="korwil">Korwil</option><option value="dinaspendidikan">Dinas</option></select></div>
```

```
      <div><label class="block text-[10px] font-black text-slate-400 uppercase tracking-widest mb-2">Kecamatan</label><input type="text" name="wilayah_kecamatan" placeholder="Isi jika korwil" class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-5 py-4 outline-none text-xs font-bold"></div>
```

```
    </div>
```

```
    <button type="submit" name="add_user" class="w-full bg-indigo-600 text-white font-black py-5 rounded-3xl uppercase tracking-widest text-xs shadow-lg">Simpan Akun</button>
```

```
    <button type="button" onclick="toggleModal('modal-add')" class="w-full text-slate-400 font-bold text-[10px] uppercase tracking-widest mt-2">Batalkan</button>
```

```
  </form>
```

```
</div>
```

```
</div>
```

```
<!-- MODAL EDIT USER -->
```

```
<div id="modal-edit" class="fixed inset-0 z-[100] hidden flex items-center justify-center p-4 bg-slate-900/60 modal-blur">
```

```

<div class="bg-white w-full max-w-[400px] rounded-[40px] p-8 shadow-2xl
animate-slide-up">
  <h4 class="text-xl font-black text-slate-900 uppercase mb-8">Ubah Data
User</h4>
  <form method="POST" class="space-y-5">
    <input type="hidden" name="user_id" id="edit_id">
    <div><label class="block text-[10px] font-black text-slate-400
uppercase tracking-widest mb-2">Nama Lengkap</label><input type="text"
name="nama_lengkap" id="edit_nama" required class="w-full bg-slate-50 border
border-slate-100 rounded-2xl px-5 py-4 focus:ring-2 focus:ring-indigo-500
outline-none text-sm"></div>
      <div><label class="block text-[10px] font-black text-slate-400
uppercase tracking-widest mb-2">Ganti Password (Opsional)</label><input
type="password" name="password" placeholder="Kosongkan jika tetap"
class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-5 py-4
focus:ring-2 focus:ring-indigo-500 outline-none text-sm"></div>
    <div class="grid grid-cols-2 gap-4">
      <div><label class="block text-[10px] font-black text-slate-400
uppercase tracking-widest mb-2">Role</label><select name="role"
id="edit_role" class="w-full bg-slate-50 border border-slate-100 rounded-2xl px-5
py-4 outline-none text-xs font-bold"><option
value="korwil">Korwil</option><option
value="dinaspendidikan">Dinas</option></select></div>
      <div><label class="block text-[10px] font-black text-slate-400
uppercase tracking-widest mb-2">Kecamatan</label><input type="text"
name="wilayah_kecamatan" id="edit_kec" class="w-full bg-slate-50 border
border-slate-100 rounded-2xl px-5 py-4 outline-none text-xs font-bold"></div>
    </div>
    <button type="submit" name="edit_user" class="w-full bg-indigo-600
text-white font-black py-5 rounded-3xl uppercase tracking-widest text-xs shadow-
lg">Simpan Perubahan</button>

```

```

    <button type="button" onclick="toggleModal('modal-edit')" class="w-
full text-slate-400 font-bold text-[10px] uppercase tracking-widest mt-
2">Batalikan</button>

```

```

    </form>
  </div>
</div>

```

```

<form id="form-delete" method="POST" style="display:none;"><input
type="hidden" name="user_id" id="del_id"><input type="hidden"
name="delete_user"></form>

```

```

<script>
  function toggleModal(id) {
document.getElementById(id).classList.toggle('hidden'); }
  function openEdit(id, nama, user, role, kec) {
  document.getElementById('edit_id').value = id;
  document.getElementById('edit_nama').value = nama;
  document.getElementById('edit_role').value = role;
  document.getElementById('edit_kec').value = kec;
  toggleModal('modal-edit');
  }
  function confirmDelete(id) { if(confirm('Hapus user ini? Login akan
dinonaktifkan.')) { document.getElementById('del_id').value = id;
document.getElementById('form-delete').submit(); } }

  window.onclick = function(event) { if
(event.target.classList.contains('modal-blur')) {
event.target.classList.add('hidden'); } }
</script>
<style>@keyframes slideUp { from { opacity: 0; transform: translateY(20px); }
to { opacity: 1; transform: translateY(0); } } .animate-slide-up { animation:
slideUp 0.3s cubic-bezier(0.16, 1, 0.3, 1) forwards; }</style>

```

```
</body>
</html>

<?php
session_start();
require_once 'config.php';

// Proteksi halaman: Hanya Korwil yang boleh masuk
if (!isset($_SESSION['user_id']) || $_SESSION['role'] !== 'korwil') {
    header("Location: index.php");
    exit();
}

$user_id = $_SESSION['user_id'];
$name_user = $_SESSION['nama'];
$kecamatan = $_SESSION['kecamatan'];

// Ambil semua aduan terbaru
$stmt = $pdo->query("SELECT * FROM pengaduan ORDER BY tanggal_kirim
DESC");
$aduan = $stmt->fetchAll();
?>
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
    <title>Daftar Pengaduan | SIM-GIZI</title>
    <script src="https://cdn.tailwindcss.com"></script>
```

```

<link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
  <style>
    body { font-family: 'Plus Jakarta Sans', sans-serif; -webkit-tap-highlight-
color: transparent; }
    @media (max-width: 767px) { .main-content { padding-bottom: 100px; } }
  </style>
</head>
<body class="bg-[#fcfcfd] text-slate-700 antialiased min-h-screen flex flex-col
md:flex-row">

  <!-- SIDEBAR (Indigo Theme) -->
  <aside class="hidden md:flex w-64 bg-white border-r border-indigo-50 flex-col
sticky top-0 h-screen z-50">
    <div class="p-6 border-b border-slate-50 flex items-center gap-3">
      <div class="w-10 h-10 bg-indigo-600 rounded-xl flex items-center justify-
center text-white shadow-lg shadow-indigo-100">
        <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
          <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
          <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
          <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
        </svg>
      </div>
    </div>
  </div>

```

```

        <span class="font-black text-indigo-950 block text-sm leading-none
uppercase tracking-tight">SIM-GIZI</span>
        <span class="text-[10px] font-bold text-indigo-500 uppercase mt-1
tracking-widest text-left">KORWIL</span>
    </div>
</div>
<nav class="flex-1 p-4 space-y-2 mt-4">
    <a href="dashboard_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-home w-5 text-center"></i><span class="text-sm font-
semibold">Beranda</span></a>
    <a href="input_laporan.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-file-signature w-5 text-center"></i><span class="text-sm
font-semibold">Lapor Harian</span></a>
    <a href="riwayat_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-history w-5 text-center"></i><span class="text-sm font-
semibold">Riwayat</span></a>
    <a href="sekolah_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all"><i class="fas fa-database w-5 text-center"></i><span class="text-sm font-
semibold">Master Data</span></a>
    <a href="pengaduan_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl bg-indigo-600 text-white shadow-lg shadow-indigo-200 transition-all
transform active:scale-95">
        <i class="fas fa-exclamation-triangle w-5 text-center"></i><span
class="text-sm font-bold">Aduan Masuk</span>
    </a>
</nav>
<div class="p-4 border-t border-slate-250">

```

```

    <a href="logout.php" class="flex items-center justify-center gap-2 w-full
py-3 text-rose-500 font-bold text-sm hover:bg-rose-50 rounded-xl transition-all">
        <i class="fas fa-sign-out-alt"></i> Keluar
    </a>
</div>
</aside>

```

```

<div class="flex-1 flex flex-col min-h-screen main-content">
    <!-- HEADER MOBILE -->
    <header class="md:hidden bg-white border-b border-indigo-50 px-5 py-4
flex items-center justify-between sticky top-0 z-40">
        <div class="flex items-center gap-2">
            <div class="w-8 h-8 bg-indigo-600 rounded-lg flex items-center justify-
center text-white text-[10px] shadow-sm shadow-indigo-200">
                <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-4 h-4">
                    <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
                    <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-
width="2" stroke-linecap="round"/>
                    <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-
width="2" stroke-linecap="round"/>
                </svg>
            </div>
            <h1 class="font-black text-indigo-950 text-sm tracking-tight leading-
none uppercase">SIM-GIZI</h1>
        </div>
        <span class="text-[10px] font-black text-white bg-indigo-950 px-3 py-1
rounded-full uppercase"><?php echo date('d M Y'); ?></span>
    </header>

    <main class="flex-1 p-5 md:p-10 max-w-6xl mx-auto w-full">

```

```

<header class="mb-10">
  <h2 class="text-3xl font-black text-indigo-950 uppercase tracking-tight
leading-none">Aduan Masyarakat</h2>
  <p class="text-slate-400 text-[10px] font-bold uppercase tracking-
widest mt-3 italic">Laporan kendala operasional dari lapangan secara real-
time</p>
</header>

<div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
  <?php if(empty($aduan)): ?>
    <div class="col-span-full py-32 text-center bg-white rounded-[40px]
border border-dashed border-slate-200">
      <div class="w-24 h-24 bg-slate-50 rounded-full flex items-center
justify-center mx-auto mb-6">
        <i class="fas fa-inbox text-slate-200 text-5xl"></i>
      </div>
      <p class="text-slate-400 font-bold uppercase text-xs tracking-
widest leading-relaxed">Belum ada pengaduan yang masuk untuk saat ini.</p>
    </div>
  <?php else: ?>
    <?php foreach($aduan as $a): ?>
      <div class="bg-white rounded-[35px] border border-indigo-50
shadow-sm overflow-hidden flex flex-col group hover:border-indigo-300
transition-all duration-300">
        <?php if($a['foto']): ?>
          <div class="h-56 overflow-hidden">
            
          </div>
        <?php else: ?>

```

```

        <div class="h-56 bg-slate-50 flex items-center justify-center
text-slate-200"><i class="fas fa-image text-5xl"></i></div>
    <?php endif; ?>

    <div class="p-8 flex-1 flex flex-col">
        <div class="flex justify-between items-start mb-4">
            <span class="bg-indigo-50 text-indigo-600 text-[9px] font-
black px-3 py-1.5 rounded-full uppercase tracking-tighter shadow-sm"><?php
echo $a['kategori_pelapor']; ?></span>
            <span class="text-slate-400 text-[10px] font-bold uppercase
tracking-tighter"><?php echo date('d M Y', strtotime($a['tanggal_kirim']));
?></span>
        </div>

        <h4 class="font-black text-indigo-950 uppercase mb-2 leading-
tight text-lg"><?php echo $a['judul']; ?></h4>

        <!-- INFO: NOMOR HP PELAPOR & SEKOLAH -->
        <div class="flex flex-col gap-1 mb-4">
            <p class="text-[11px] text-indigo-500 font-black italic
tracking-tight">
                <i class="fas fa-map-marker-alt mr-1"></i> <?php echo
$a['alamat_sekolah']; ?>
            </p>
            <a href="https://wa.me/<?php echo preg_replace('/[^0-9]/', '',
$a['nomor_pelapor']); ?>" target="_blank" class="text-[11px] text-emerald-600
font-black tracking-tight hover:underline flex items-center gap-1">
                <i class="fab fa-whatsapp"></i> <?php echo
$a['nomor_pelapor']; ?> (Hubungi Pelapor)
            </a>
        </div>

```

```

        <p class="text-sm text-slate-500 leading-relaxed line-clamp-
4"><?php echo $a['keterangan']; ?></p>

        <div class="mt-auto pt-6 border-t border-slate-50">
            <p class="text-[9px] font-black text-slate-300 uppercase
tracking-widest flex items-center gap-2">
                <i class="far fa-clock"></i> Masuk: <?php echo date('H:i',
strtotime($a['tanggal_kirim'])); ?> WIB
            </p>
        </div>
    </div>
</div>
<?php endforeach; ?>
<?php endif; ?>
</div>
</main>

<!-- FOOTER -->
<footer class="p-8 md:px-10 md:py-12 border-t border-indigo-50 bg-white
mt-auto flex flex-col md:flex-row justify-between items-center gap-6">
    <div class="text-center md:text-left">
        <h5 class="font-black text-indigo-950 text-sm uppercase italic leading-
none">SIM-GIZI LABURA</h5>
        <p class="text-[9px] text-slate-400 font-bold uppercase tracking-widest
mt-2">&copy; <?php echo date('Y'); ?> Dinas Pendidikan Kabupaten
Labuhanbatu Utara</p>
    </div>
    <div class="flex gap-6">
        <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2 text-center"><i class="fas fa-
book"></i> Panduan</a>

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2 text-center"><i class="fas fa-
headset"></i> Pusat Bantuan</a>

```

```

    </div>

```

```

</footer>

```

```

<!-- BOTTOM NAV MOBILE (Indigo Theme) -->

```

```

<nav class="md:hidden fixed bottom-0 left-0 w-full bg-white border-t
border-indigo-50 h-20 flex items-center justify-around z-50 rounded-t-[35px]
shadow-[0_-15px_40px_rgba(0,0,0,0.03)] px-6">

```

```

    <a href="dashboard_korwil.php" class="flex flex-col items-center gap-1
text-slate-400"><i class="fas fa-home text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest text-center">Home</span></a>

```

```

    <a href="input_laporan.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-file-signature text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest text-center">Lapor</span></a>

```

```

    <a href="riwayat_korwil.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-history text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest text-center">Riwayat</span></a>

```

```

    <a href="sekolah_korwil.php" class="flex flex-col items-center gap-1 text-
slate-400"><i class="fas fa-database text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest text-center">Data</span></a>

```

```

    <a href="pengaduan_korwil.php" class="flex flex-col items-center gap-1
text-indigo-600"><i class="fas fa-exclamation-triangle text-lg"></i><span
class="text-[8px] font-black uppercase tracking-widest text-
center">Aduan</span></a>

```

```

    <a href="logout.php" class="flex flex-col items-center gap-1 text-rose-
500"><i class="fas fa-sign-out-alt text-lg"></i><span class="text-[8px] font-black
uppercase tracking-widest text-center">Keluar</span></a>

```

```

    </nav>

```

```

</div>

```

```

</body>
</html>

<?php
session_start();
require_once 'config.php';

// Proteksi: Hanya role dinaspendidikan yang bisa masuk
if (!isset($_SESSION['user_id']) || $_SESSION['role'] !== 'dinaspendidikan') {
    header("Location: index.php");
    exit();
}

$today = date('Y-m-d');

// Ambil Agregat Per Kecamatan (Mapping Wilayah)
$stmt = $pdo->query("
    SELECT
        u.id,
        u.wilayah_kecamatan,
        u.nama_lengkap as nama_korwil,
        (SELECT COUNT(id) FROM sppg_units WHERE id_korwil = u.id) as
total_sppg,
        (SELECT COUNT(s.id) FROM sekolah s JOIN sppg_units su ON s.sppg_id
= su.id WHERE su.id_korwil = u.id) as total_sekolah,
        (SELECT SUM(l.total_porsi) FROM laporan_sppg l WHERE l.user_id =
u.id AND l.tanggal = '$today') as porsi_hari_ini
    FROM users u
    WHERE u.role = 'korwil'
    ORDER BY u.wilayah_kecamatan ASC
");

```

```

$map_data = $stmt->fetchAll();
?>
<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
  <title>Peta Wilayah | SIM-GIZI</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
  <style>
    body { font-family: 'Plus Jakarta Sans', sans-serif; -webkit-tap-highlight-
color: transparent; }
    /* Memastikan konten mobile tidak tertutup navigasi bawah */
    @media (max-width: 767px) {
      .main-content { padding-bottom: 100px; }
    }
  </style>
</head>
<body class="bg-[#f1f5f9] text-slate-800 antialiased min-h-screen flex flex-col
md:flex-row">

  <!-- Sidebar Dinas -->
  <aside class="hidden md:flex w-64 bg-slate-900 text-white flex-col sticky top-
0 h-screen z-50">
    <div class="p-6 border-b border-slate-800 flex items-center gap-3">

```

```

<div class="w-10 h-10 bg-indigo-500 rounded-xl flex items-center justify-
center shadow-lg">
  <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
    <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
    <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
    <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
  </svg>
</div>
<div>
  <span class="font-black text-white block text-sm uppercase">SIM-
GIZI</span>
  <span class="text-[10px] font-bold text-indigo-400 uppercase mt-1
tracking-widest leading-none">DINAS PENDIDIKAN</span>
</div>
</div>
<nav class="flex-1 p-4 space-y-2 mt-4">
  <a href="dashboard_dinas.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-home w-5 text-center"></i><span class="text-sm font-
semibold">Dashboard</span></a>
  <a href="rekap_laporan.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-file-invoice w-5 text-center"></i><span class="text-sm font-
semibold">Rekap Laporan</span></a>
  <a href="peta_wilayah.php" class="flex items-center gap-3 px-4 py-3
rounded-xl bg-indigo-600 text-white shadow-lg"><i class="fas fa-map-marked-alt
w-5 text-center"></i><span class="text-sm font-semibold">Peta
Wilayah</span></a>

```

```

        <a href="manajemen_user.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-users-cog w-5 text-center"></i><span class="text-sm font-
semibold">Manajemen User</span></a>
    </nav>
    <div class="p-4 border-t border-slate-800"><a href="logout.php" class="flex
items-center justify-center gap-2 w-full py-3 text-red-400 font-bold text-sm
hover:bg-red-500/10 rounded-xl transition"><i class="fas fa-sign-out-alt"></i>
Keluar</a></div>
</aside>

<div class="flex-1 flex flex-col min-h-screen main-content">
    <!-- Header Mobile -->
    <header class="md:hidden bg-slate-900 text-white border-b border-slate-800
px-5 py-4 flex items-center justify-between sticky top-0 z-40">
        <div class="flex items-center gap-2">
            <div class="w-8 h-8 bg-indigo-500 rounded-lg flex items-center justify-
center text-[10px]">
                <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
                    <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
                    <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
                    <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
                </svg>
            </div>
            <h1 class="font-black text-sm tracking-tight">SIM-GIZI</h1>
        </div>
        <span class="text-[10px] font-black bg-white/10 px-3 py-1.5 rounded-full
uppercase tracking-widest"><?php echo date('d M Y'); ?></span>

```

```

</header>

<main class="flex-1 p-5 md:p-10 max-w-7xl mx-auto w-full">
  <header class="mb-12">
    <h2 class="text-3xl font-black text-slate-900 uppercase tracking-
tight">Sebaran Wilayah</h2>
    <p class="text-slate-400 text-[10px] font-black uppercase tracking-
[0.2em] mt-2">Visualisasi Infrastruktur Gizi Per Kecamatan</p>
  </header>

  <!-- Map View (Grid Based Cards) -->
  <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8 mb-10">
    <?php foreach($map_data as $data): ?>
      <div class="bg-white rounded-[40px] p-8 border border-slate-200
shadow-sm relative overflow-hidden group hover:border-indigo-400 transition-
all">

        <!-- Decor -->
        <div class="absolute -top-4 -right-4 w-24 h-24 bg-indigo-50 rounded-
full opacity-50 group-hover:scale-110 transition-transform"></div>

        <div class="relative z-10">
          <div class="flex items-center gap-3 mb-6">
            <div class="w-10 h-10 bg-indigo-600 rounded-xl flex items-
center justify-center text-white shadow-lg"><i class="fas fa-map-pin text-
xs"></i></div>
            <h3 class="font-black text-lg text-slate-900 uppercase italic
tracking-tight"><?php echo $data['wilayah_kecamatan']; ?></h3>
          </div>

          <div class="space-y-6">
            <div class="flex justify-between items-end border-b border-
dashed pb-3">

```

```

        <div><p class="text-[9px] font-black text-slate-400 uppercase
tracking-widest">Koordinator</p><p class="text-sm font-bold text-slate-
700"><?php echo $data['nama_korwil']; ?></p></div>
        <div class="text-right">
            <span class="text-[10px] font-black <?php echo
($data['porsi_hari_ini'] > 0) ? 'text-emerald-500' : 'text-orange-400'; ?>
uppercase">
                <?php echo ($data['porsi_hari_ini'] > 0) ? '<i class="fas
fa-check-circle"></i> Aktif : '<i class="fas fa-clock"></i> Menunggu'; ?>
            </span>
        </div>
    </div>

    <div class="grid grid-cols-2 gap-4">
        <div class="bg-slate-50 p-4 rounded-2xl text-center border
border-slate-100">
            <p class="text-xl font-black text-indigo-600 leading-
none"><?php echo $data['total_sppg']; ?></p>
            <p class="text-[8px] font-black text-slate-400 uppercase
mt-2">Unit SPPG</p>
        </div>
        <div class="bg-slate-50 p-4 rounded-2xl text-center border
border-slate-100">
            <p class="text-xl font-black text-emerald-600 leading-
none"><?php echo $data['total_sekolah']; ?></p>
            <p class="text-[8px] font-black text-slate-400 uppercase
mt-2">Sekolah</p>
        </div>
    </div>

    <div class="pt-2">

```

```

        <div class="flex justify-between text-[9px] font-black text-
slate-400 uppercase mb-2">
            <span>Porsi Terlapor Hari Ini</span>
            <span class="text-indigo-600"><?php echo
number_format($data['porisi_hari_ini'] ?: 0); ?> PORSI</span>
        </div>
        <div class="w-full bg-slate-100 h-2 rounded-full overflow-
hidden">
            <div class="bg-indigo-500 h-full transition-all duration-
1000" style="width: <?php echo ($data['porisi_hari_ini'] > 0) ? '100%' : '0%';
?>"></div>
        </div>
    </div>
</div>
</div>
</div>
</div>
<?php endforeach; ?>
</div>
</main>

<!-- FOOTER DINAS -->
<footer class="p-8 md:px-10 md:py-12 border-t border-slate-200 bg-white
flex flex-col md:flex-row justify-between items-center gap-6 mt-auto">
    <div class="text-center md:text-left">
        <h5 class="font-black text-slate-900 text-sm uppercase italic leading-
none">SIM-GIZI LABURA</h5>
        <p class="text-[9px] text-slate-400 font-bold uppercase tracking-widest
mt-2">&copy; 2026 Dinas Pendidikan Kabupaten Labuhanbatu Utara</p>
    </div>
    <div class="flex gap-6">

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2 tracking-widest"><i
class="fas fa-book"></i> Panduan Admin</a>

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2 tracking-widest"><i
class="fas fa-headset"></i> Support</a>

```

```

    </div>

```

```

</footer>

```

```

<!-- Bottom Nav Mobile -->

```

```

<nav class="md:hidden fixed bottom-0 left-0 w-full bg-slate-900 text-white
border-t border-slate-800 h-20 flex items-center justify-around z-50 rounded-t-
[35px] px-6 shadow-2xl">

```

```

    <a href="dashboard_dinas.php" class="flex flex-col items-center gap-1.5
text-slate-400"><i class="fas fa-home text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Home</span></a>

```

```

    <a href="rekap_laporan.php" class="flex flex-col items-center gap-1.5
text-slate-400"><i class="fas fa-file-invoice text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Rekap</span></a>

```

```

    <a href="peta_wilayah.php" class="flex flex-col items-center gap-1.5 text-
indigo-400"><i class="fas fa-map-marked-alt text-lg"></i><span class="text-
[8px] font-black uppercase tracking-widest">Map</span></a>

```

```

    <a href="manajemen_user.php" class="flex flex-col items-center gap-1.5
text-slate-400"><i class="fas fa-users-cog text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Users</span></a>

```

```

    <a href="logout.php" class="flex flex-col items-center gap-1.5 text-red-
400"><i class="fas fa-sign-out-alt text-lg"></i><span class="text-[8px] font-black
uppercase tracking-widest">Keluar</span></a>

```

```

    </nav>

```

```

    </nav>

```

```

</div>

```

```

</body>

```

```
</html>
```

```
<?php
```

```
session_start();
```

```
require_once 'config.php';
```

```
// Pastikan zona waktu sudah Asia/Jakarta (sudah ada di config.php sebenarnya)
```

```
date_default_timezone_set('Asia/Jakarta');
```

```
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
```

```
    $user_id = $_SESSION['user_id'];
```

```
    $sppg_id = (int)$_POST['sppg_id'];
```

```
    $total_porsi = (int)$_POST['total_porsi'];
```

```
    $school_ids = isset($_POST['school_ids']) ? $_POST['school_ids'] : [];
```

```
    // Ambil waktu sekarang (WIB)
```

```
    $tanggal = date('Y-m-d');
```

```
    $jam = date('H:i:s');
```

```
    if (empty($school_ids)) {
```

```
        header("Location:
```

```
dashboard_korwil.php?status=error&msg=no_school_selected");
```

```
        exit();
```

```
    }
```

```
    // Buat ringkasan keterangan agar tidak NULL
```

```
    $jumlah_sekolah = count($school_ids);
```

```
    $keterangan = "Melaporkan " . $jumlah_sekolah . " sekolah terlayani.";
```

```

try {
    $pdo->beginTransaction();

    // 1. Simpan Header Laporan (Keterangan diisi agar tidak NULL)
    $stmt = $pdo->prepare("INSERT INTO laporan_sppg (sppg_id, user_id,
tanggal, jam_lapor, total_porsi, keterangan, status_operasional)
VALUES (?, ?, ?, ?, ?, ?, 'Sedang Berjalan')");
    $stmt->execute([$sppg_id, $user_id, $tanggal, $jam, $total_porsi,
$keterangan]);
    $laporan_id = $pdo->lastInsertId();

    // 2. Simpan Detail Sekolah ke tabel laporan_sekolah_detail
    $stmt_detail = $pdo->prepare("INSERT INTO laporan_sekolah_detail
(laporan_id, sekolah_id) VALUES (?, ?)");
    foreach ($school_ids as $sch_id) {
        $stmt_detail->execute([$laporan_id, (int)$sch_id]);
    }

    $pdo->commit();
    header("Location: dashboard_korwil.php?status=success");
    exit();

} catch (PDOException $e) {
    $pdo->rollBack();
    die("Gagal menyimpan laporan: " . $e->getMessage());
}
?>

```

```
<?php
```

```

require_once 'config.php';

if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $judul = clean_input($_POST['judul']);
    $kategori = clean_input($_POST['kategori_pelapor']);
    $nomor = clean_input($_POST['nomor_pelapor']); // DATA NOMOR HP
    $alamat = clean_input($_POST['alamat_sekolah']);
    $keterangan = clean_input($_POST['keterangan']);

    // Gunakan zona waktu WIB
    date_default_timezone_set('Asia/Jakarta');
    $tanggal_kirim = date('Y-m-d H:i:s');

    $foto_name = NULL;

    if (isset($_FILES['foto']) && $_FILES['foto']['error'] == 0) {
        $target_dir = "uploads/";
        if (!file_exists($target_dir)) { mkdir($target_dir, 0777, true); }
        $ext = pathinfo($_FILES["foto"]["name"], PATHINFO_EXTENSION);
        $foto_name = "ADUAN_" . time() . "_" . rand(100, 999) . "." . $ext;
        move_uploaded_file($_FILES["foto"]["tmp_name"], $target_dir .
        $foto_name);
    }

    try {
        // QUERY UPDATE DENGAN KOLOM NOMOR_PELAPOR
        $stmt = $pdo->prepare("INSERT INTO pengaduan (judul, kategori_pelapor,
        nomor_pelapor, alamat_sekolah, keterangan, foto, tanggal_kirim) VALUES (?, ?,
        ?, ?, ?, ?, ?)");
        $stmt->execute([$judul, $kategori, $nomor, $alamat, $keterangan,
        $foto_name, $tanggal_kirim]);
    }
}

```

```

        header("Location: index.php?status=sukses#pengaduan");
        exit();
    } catch (PDOException $e) {
        die("Gagal menyimpan pengaduan: " . $e->getMessage());
    }
}
?>

```

```

<?php
session_start();
require_once 'config.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] !== 'dinaspendidikan') {
    header("Location: index.php");
    exit();
}

// Pengaturan Filter
$filter_date_start = isset($_GET['start']) ? $_GET['start'] : date('Y-m-d');
$filter_date_end = isset($_GET['end']) ? $_GET['end'] : date('Y-m-d');
$filter_kecamatan = isset($_GET['kecamatan']) ? $_GET['kecamatan'] : 'Semua';

// Bangun Kueri SQL
$query_str = "
    SELECT l.*, u.nama_lengkap, u.wilayah_kecamatan, s.nama_sppg,
    (SELECT GROUP_CONCAT(sch.nama_sekolah SEPARATOR ', ') FROM
laporan_sekolah_detail lsd JOIN sekolah sch ON lsd.sekolah_id = sch.id WHERE
lsd.laporan_id = l.id) as sekolah_served
    FROM laporan_sppg l
    JOIN users u ON l.user_id = u.id

```

```

JOIN sppg_units s ON l.sppg_id = s.id
WHERE l.tanggal BETWEEN ? AND ?
";

$params = [$filter_date_start, $filter_date_end];

if ($filter_kecamatan !== 'Semua') {
    $query_str .= " AND u.wilayah_kecamatan = ?";
    $params[] = $filter_kecamatan;
}

$query_str .= " ORDER BY l.tanggal DESC, l.jam_lapor DESC";

$stmt = $pdo->prepare($query_str);
$stmt->execute($params);
$data_rekap = $stmt->fetchAll();

// Ambil list kecamatan untuk dropdown filter
$kecamatanans = $pdo->query("SELECT DISTINCT wilayah_kecamatan FROM
users WHERE role = 'korwil' ORDER BY wilayah_kecamatan ASC")-
>fetchAll();
?>
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
    <title>Rekapitulasi Laporan | SIM-GIZI</title>
    <script src="https://cdn.tailwindcss.com"></script>

```

```

<link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
  <style>
    body { font-family: 'Plus Jakarta Sans', sans-serif; }
    /* Memastikan konten mobile tidak tertutup navigasi bawah */
    @media (max-width: 767px) {
      .main-content { padding-bottom: 100px; }
    }
    @media print {
      .no-print { display: none !important; }
      .print-only { display: block !important; }
      body { background: white; }
      .card { border: none !important; box-shadow: none !important; }
    }
    .print-only { display: none; }
  </style>
</head>
<body class="bg-[#f1f5f9] text-slate-800 antialiased min-h-screen flex flex-col
md:flex-row">

  <!-- Sidebar Dinas -->
  <aside class="hidden md:flex w-64 bg-slate-900 text-white flex-col sticky top-
0 h-screen z-50 no-print">
    <div class="p-6 border-b border-slate-800 flex items-center gap-3">
      <div class="w-10 h-10 bg-indigo-500 rounded-xl flex items-center justify-
center shadow-lg">
        <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">

```

```

        <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
        <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
        <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
    </svg>
</div>
<div><span class="font-black text-white block text-sm uppercase">SIM-
GIZI</span><span class="text-[10px] font-bold text-indigo-400 uppercase mt-1
tracking-widest leading-none">DINAS PENDIDIKAN</span></div>
</div>
<nav class="flex-1 p-4 space-y-2 mt-4">
    <a href="dashboard_dinas.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-home w-5 text-center"></i><span class="text-sm font-
semibold">Dashboard</span></a>
    <a href="rekap_laporan.php" class="flex items-center gap-3 px-4 py-3
rounded-xl bg-indigo-600 text-white shadow-lg"><i class="fas fa-file-invoice w-5
text-center"></i><span class="text-sm font-semibold">Rekap
Laporan</span></a>
    <a href="peta_wilayah.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-map-marked-alt w-5 text-center"></i><span class="text-sm font-
semibold">Peta Wilayah</span></a>
    <a href="manajemen_user.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-400 hover:bg-slate-800 hover:text-white transition"><i
class="fas fa-users-cog w-5 text-center"></i><span class="text-sm font-
semibold">Manajemen User</span></a>
</nav>
<div class="p-4 border-t border-slate-800"><a href="logout.php" class="flex
items-center justify-center gap-2 w-full py-3 text-red-400 font-bold text-sm

```

```

hover:bg-red-500/10 rounded-xl transition"><i class="fas fa-sign-out-alt"></i>
Keluar</a></div>
</aside>

<div class="flex-1 flex flex-col min-h-screen main-content">
  <!-- Header Mobile (Hanya muncul di mobile) -->
  <header class="md:hidden bg-slate-900 text-white border-b border-slate-800
px-5 py-4 flex items-center justify-between sticky top-0 z-40 no-print">
    <div class="flex items-center gap-2">
      <div class="w-8 h-8 bg-indigo-500 rounded-lg flex items-center justify-
center text-[10px]">
        <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">
          <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
          <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
          <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
        </svg>
      </div>
      <h1 class="font-black text-sm tracking-tight">SIM-GIZI</h1>
    </div>
    <span class="text-[10px] font-black bg-white/10 px-3 py-1.5 rounded-full
uppercase tracking-widest"><?php echo date('d M Y'); ?></span>
  </header>

  <!-- Print Header -->
  <div class="print-only p-10 text-center border-b-4 border-slate-900 mb-8">
    <h1 class="text-2xl font-black uppercase">Rekapitulasi Pelaporan Gizi
Terpadu</h1>
    <h2 class="text-lg font-bold">Kabupaten Labuhanbatu Utara</h2>

```

```

    <p class="text-sm mt-2">Periode: <?php echo $filter_date_start; ?> s/d
    <?php echo $filter_date_end; ?> | Wilayah: <?php echo $filter_kecamatan;
    ?></p>

```

```

</div>

```

```

<main class="flex-1 p-5 md:p-10 max-w-7xl mx-auto w-full">

```

```

    <header class="mb-10 flex flex-col md:flex-row justify-between items-
    start md:items-center gap-6 no-print">

```

```

        <div>

```

```

            <h2 class="text-3xl font-black text-slate-900 uppercase tracking-
            tight">Rekapitulasi Data</h2>

```

```

            <p class="text-slate-400 text-[10px] font-black uppercase tracking-
            [0.2em] mt-2">Export dan cetak data laporan kabupaten</p>

```

```

        </div>

```

```

        <button onclick="window.print()" class="bg-slate-900 text-white px-8
        py-4 rounded-2xl font-black text-xs uppercase tracking-widest flex items-center
        gap-3 hover:bg-indigo-600 transition-all shadow-xl shadow-slate-200">

```

```

            <i class="fas fa-print"></i> Cetak Laporan

```

```

        </button>

```

```

    </header>

```

```

<!-- Filter Card -->

```

```

<div class="bg-white p-8 rounded-[40px] border border-slate-200 shadow-
sm mb-10 no-print">

```

```

    <form method="GET" class="grid grid-cols-1 md:grid-cols-4 gap-6
    items-end">

```

```

        <div>

```

```

            <label class="block text-[10px] font-black text-slate-400 uppercase
            tracking-widest mb-3 px-1">Tgl Mulai</label>

```

```

            <input type="date" name="start" value="<?php echo
            $filter_date_start; ?>" class="w-full bg-slate-50 border border-slate-100 rounded-

```

```

2xl px-5 py-3.5 focus:ring-2 focus:ring-indigo-500 outline-none text-sm font-bold
text-slate-700">
    </div>
    <div>
        <label class="block text-[10px] font-black text-slate-400 uppercase
tracking-widest mb-3 px-1">Tgl Akhir</label>
        <input type="date" name="end" value="<?php echo
$filter_date_end; ?>" class="w-full bg-slate-50 border border-slate-100 rounded-
2xl px-5 py-3.5 focus:ring-2 focus:ring-indigo-500 outline-none text-sm font-bold
text-slate-700">
    </div>
    <div>
        <label class="block text-[10px] font-black text-slate-400 uppercase
tracking-widest mb-3 px-1">Kecamatan</label>
        <select name="kecamatan" class="w-full bg-slate-50 border
border-slate-100 rounded-2xl px-5 py-3.5 focus:ring-2 focus:ring-indigo-500
outline-none text-sm font-bold text-slate-700 appearance-none">
            <option value="Semua">-- Semua Wilayah --</option>
            <?php foreach($kecamatan as $k): ?>
                <option value="<?php echo $k['wilayah_kecamatan']; ?>"
<?php echo $filter_kecamatan == $k['wilayah_kecamatan'] ? 'selected' : ";
?><?php echo $k['wilayah_kecamatan']; ?></option>
            <?php endforeach; ?>
        </select>
    </div>
    <button type="submit" class="bg-indigo-600 text-white font-black
py-4 rounded-2xl text-[10px] uppercase tracking-widest hover:bg-slate-900
transition-all shadow-lg shadow-indigo-100">Terapkan Filter</button>
</form>
</div>

<!-- Table Card -->

```

```

<div class="bg-white rounded-[40px] border border-slate-200 shadow-sm
overflow-hidden card">
  <div class="overflow-x-auto">
    <table class="w-full text-left">
      <thead>
        <tr class="bg-slate-50 text-[10px] font-black text-slate-400
uppercase tracking-widest border-b">
          <th class="px-8 py-6">Tanggal & Jam</th>
          <th class="px-8 py-6">Kecamatan (Korwil)</th>
          <th class="px-8 py-6">Unit SPPG</th>
          <th class="px-8 py-6">Porsi</th>
          <th class="px-8 py-6">Detail Sekolah</th>
        </tr>
      </thead>
      <tbody class="divide-y divide-slate-100">
        <?php if(empty($data_rekap)): ?>
          <tr><td colspan="5" class="px-8 py-20 text-center font-bold
text-slate-300 uppercase tracking-widest italic">Data Tidak Ditemukan</td></tr>
        <?php else: ?>
          <?php foreach($data_rekap as $row): ?>
            <tr class="hover:bg-slate-50 transition-all group">
              <td class="px-8 py-6">
                <p class="font-black text-xs text-slate-700"><?php echo
date('d/m/Y', strtotime($row['tanggal'])); ?></p>
                <p class="text-[10px] font-bold text-slate-400
uppercase"><?php echo $row['jam_lapor']; ?> WIB</p>
              </td>
              <td class="px-8 py-6">
                <p class="font-black text-xs text-indigo-600 italic
uppercase leading-none"><?php echo $row['wilayah_kecamatan']; ?></p>
                <p class="text-[9px] font-bold text-slate-400 mt-
1"><?php echo $row['nama_lengkap']; ?></p>

```

```

        </td>
        <td class="px-8 py-6 font-black text-xs text-slate-700
uppercase"><?php echo $row['nama_sppg']; ?></td>
        <td class="px-8 py-6">
            <span class="bg-emerald-50 text-emerald-700 px-3 py-
1.5 rounded-lg font-black text-lg"><?php echo
number_format($row['total_porsi']); ?></span>
        </td>
        <td class="px-8 py-6">
            <p class="text-[10px] text-slate-500 font-bold leading-
relaxed"><?php echo $row['sekolah_served']; ?></p>
        </td>
    </tr>
    <?php endforeach; ?>
    <?php endif; ?>
</tbody>
</table>
</div>
</div>
</main>

<footer class="p-8 md:px-10 md:py-12 border-t border-slate-200 bg-white
flex flex-col md:flex-row justify-between items-center gap-6 mt-auto no-print">
    <div class="text-center md:text-left">
        <h5 class="font-black text-slate-900 text-sm uppercase italic leading-
none">SIM-GIZI LABURA</h5>
        <p class="text-[9px] text-slate-400 font-bold uppercase tracking-widest
mt-2">&copy; 2026 Dinas Pendidikan Kabupaten Labuhanbatu Utara</p>
    </div>
    <div class="flex gap-6">

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2"><i class="fas fa-book"></i>
Panduan Admin</a>

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase flex items-center gap-2"><i class="fas fa-
headset"></i> Support</a>

```

```

    </div>

```

```

</footer>

```

```

<!-- Bottom Nav Dinas Mobile -->

```

```

<nav class="md:hidden fixed bottom-0 left-0 w-full bg-slate-900 text-white
border-t border-slate-800 h-20 flex items-center justify-around z-50 rounded-t-
[35px] px-6 no-print shadow-2xl">

```

```

    <a href="dashboard_dinas.php" class="flex flex-col items-center gap-1.5
text-slate-400"><i class="fas fa-home text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Home</span></a>

```

```

    <a href="rekap_laporan.php" class="flex flex-col items-center gap-1.5
text-indigo-400"><i class="fas fa-file-invoice text-lg"></i><span class="text-
[8px] font-black uppercase tracking-widest">Rekap</span></a>

```

```

    <a href="peta_wilayah.php" class="flex flex-col items-center gap-1.5 text-
slate-400"><i class="fas fa-map-marked-alt text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Map</span></a>

```

```

    <a href="manajemen_user.php" class="flex flex-col items-center gap-1.5
text-slate-400"><i class="fas fa-users-cog text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Users</span></a>

```

```

    <a href="logout.php" class="flex flex-col items-center gap-1.5 text-red-
400"><i class="fas fa-sign-out-alt text-lg"></i><span class="text-[8px] font-black
uppercase tracking-widest">Keluar</span></a>

```

```

    </nav>

```

```

</div>

```

```

</body>

```

```
</html>
```

```
<?php
```

```
session_start();
```

```
require_once 'config.php';
```

```
if (!isset($_SESSION['user_id']) || $_SESSION['role'] !== 'korwil') {
    header("Location: index.php");
    exit();
}
```

```
$user_id = $_SESSION['user_id'];
```

```
$nama_user = $_SESSION['nama'];
```

```
$kecamatan = $_SESSION['kecamatan'];
```

```
// Ambil riwayat laporan beserta detail sekolah yang dilayani
```

```
$stmt = $pdo->prepare("
    SELECT l.*, s.nama_sppg,
    (SELECT GROUP_CONCAT(sch.nama_sekolah SEPARATOR ', ')
    FROM laporan_sekolah_detail lsd
    JOIN sekolah sch ON lsd.sekolah_id = sch.id
    WHERE lsd.laporan_id = l.id) as daftar_sekolah
    FROM laporan_sppg l
    JOIN sppg_units s ON l.sppg_id = s.id
    WHERE l.user_id = ?
    ORDER BY l.tanggal DESC, l.jam_lapor DESC
");
$stmt->execute([$user_id]);
$riwayat = $stmt->fetchAll();
```

```

?>
<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no">
  <title>Riwayat Laporan | SIM-GIZI</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;4
00;500;600;700;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
  <style>
    body { font-family: 'Plus Jakarta Sans', sans-serif; -webkit-tap-highlight-
color: transparent; }
    @media (max-width: 767px) { .main-content { padding-bottom: 100px; } }
  </style>
</head>
<body class="bg-[#fcfcfd] text-slate-700 antialiased min-h-screen flex flex-col
md:flex-row">

  <!-- Sidebar Desktop (Indigo & Rose Theme) -->
  <aside class="hidden md:flex w-64 bg-white border-r border-indigo-50 flex-col
sticky top-0 h-screen z-50">
    <div class="p-6 border-b border-slate-50 flex items-center gap-3">
      <div class="w-10 h-10 bg-indigo-600 rounded-xl flex items-center justify-
center text-white shadow-lg shadow-indigo-100">
        <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-5 h-5 md:w-6 md:h-6">

```

```

        <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
        <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-width="2"
stroke-linecap="round"/>
        <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-width="2"
stroke-linecap="round"/>
    </svg>
</div>
<div>
    <span class="font-black text-indigo-950 block text-sm leading-none
uppercase tracking-tight">SIM-GIZI</span>
    <span class="text-[10px] font-bold text-indigo-500 uppercase mt-1
tracking-widest">Korwil</span>
</div>
</div>
<nav class="flex-1 p-4 space-y-2 mt-4">
    <a href="dashboard_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all">
        <i class="fas fa-home w-5 text-center"></i><span class="text-sm font-
semibold">Beranda</span>
    </a>
    <a href="input_laporan.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all">
        <i class="fas fa-file-signature w-5 text-center"></i><span class="text-
sm font-semibold">Lapor Harian</span>
    </a>
    <a href="riwayat_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl bg-indigo-600 text-white shadow-lg shadow-indigo-200">
        <i class="fas fa-history w-5 text-center"></i><span class="text-sm font-
bold">Riwayat</span>

```

```

    </a>
    <a href="sekolah_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all">
        <i class="fas fa-database w-5 text-center"></i><span class="text-sm
font-semibold">Master Data</span>
    </a>
    <a href="pengaduan_korwil.php" class="flex items-center gap-3 px-4 py-3
rounded-xl text-slate-500 hover:bg-indigo-50 hover:text-indigo-600 transition-
all">
        <i class="fas fa-exclamation-triangle w-5 text-center"></i><span
class="text-sm font-semibold">Aduan Masuk</span>
    </a>
</nav>
<div class="p-4 border-t border-slate-250">
    <a href="logout.php" class="flex items-center justify-center gap-2 w-full
py-3 text-rose-500 font-bold text-sm hover:bg-rose-50 rounded-xl transition-all">
        <i class="fas fa-sign-out-alt"></i> Keluar
    </a>
</div>
</aside>

<div class="flex-1 flex flex-col min-h-screen main-content">
    <!-- Header Mobile -->
    <header class="md:hidden bg-white border-b border-indigo-50 px-5 py-4
flex items-center justify-between sticky top-0 z-40">
        <div class="flex items-center gap-2">
            <div class="w-8 h-8 bg-indigo-600 rounded-lg flex items-center justify-
center text-white text-[10px] shadow-sm shadow-indigo-100">
                <svg viewBox="0 0 24 24" fill="none"
xmlns="http://www.w3.org/2000/svg" class="w-4 h-4">

```

```

        <path d="M3 12C3 16.9706 7.02944 21 12 21C16.9706 21 21
16.9706 21 12H3Z" fill="white"/>
        <path d="M12 10C12 10 13 5 17 5" stroke="white" stroke-
width="2" stroke-linecap="round"/>
        <path d="M12 10C12 10 11 6 8 6" stroke="white" stroke-
width="2" stroke-linecap="round"/>
    </svg>
</div>
<h1 class="font-black text-indigo-950 text-sm tracking-tight
italic">SIM-GIZI</h1>
</div>
<span class="text-[10px] font-black text-white bg-indigo-950 px-3 py-1
rounded-full uppercase tracking-widest"><?php echo date('d M Y'); ?></span>
</header>

<main class="flex-1 p-5 md:p-10 max-w-5xl mx-auto w-full">
    <header class="mb-10">
        <h2 class="text-3xl font-black text-indigo-950 uppercase tracking-tight
leading-none">Riwayat Pelaporan</h2>
        <p class="text-slate-400 text-[10px] font-black uppercase tracking-
[0.2em] mt-3">Daftar distribusi gizi yang telah terkirim</p>
    </header>

    <div class="grid grid-cols-1 gap-6 mb-10">
        <?php if (empty($riwayat)): ?>
            <div class="bg-white p-20 rounded-[40px] border border-indigo-50
shadow-sm text-center">
                <div class="w-20 h-20 bg-slate-50 rounded-full flex items-center
justify-center mx-auto mb-6">
                    <i class="fas fa-folder-open text-slate-200 text-4xl"></i>
                </div>
            </div>
        </div>

```

```

        <p class="text-slate-400 font-bold uppercase tracking-widest text-
xs">Belum ada riwayat laporan.</p>
    </div>
    <?php else: ?>
        <?php foreach ($riwayat as $l): ?>
            <div class="bg-white p-6 md:p-8 rounded-[40px] border border-
indigo-50 shadow-sm hover:shadow-md transition-all relative overflow-hidden
group">
                <div class="absolute top-0 right-0 p-6">
                    <span class="bg-indigo-50 text-indigo-600 px-3 py-1.5
rounded-full text-[10px] font-black uppercase tracking-widest shadow-sm border
border-indigo-100">
                        <i class="fas fa-check-circle mr-1"></i> Terkirim
                    </span>
                </div>
            <div class="flex flex-col md:flex-row md:items-center gap-6">
                <div class="w-16 h-16 bg-slate-50 rounded-3xl flex flex-col
items-center justify-center border border-slate-100 flex-shrink-0 group-hover:bg-
indigo-600 group-hover:text-white transition-all duration-300">
                    <span class="text-[10px] font-black uppercase leading-
none mb-1"><?php echo date('M', strtotime($l['tanggal'])); ?></span>
                    <span class="text-xl font-black"><?php echo date('d',
strtotime($l['tanggal'])); ?></span>
                </div>
                <div class="flex-1">
                    <h4 class="text-xl font-black text-indigo-950 group-
hover:text-indigo-600 transition-colors uppercase leading-tight"><?php echo
$l['nama_sppg']; ?></h4>
                    <div class="flex flex-wrap items-center gap-4 mt-3">
                        <p class="text-[10px] text-slate-500 font-black
uppercase flex items-center gap-1.5">

```

```

        <i class="far fa-clock text-indigo-600"></i> <?php
echo date('H:i', strtotime($l['jam_lapor'])); ?> WIB
    </p>
    <p class="text-[10px] text-slate-500 font-black
uppercase flex items-center gap-1.5">
        <i class="fas fa-bowl-food text-indigo-600"></i>
<?php echo number_format($l['total_porsi']); ?> Porsi
    </p>
</div>
<div class="mt-5 p-5 bg-slate-50 rounded-3xl border
border-slate-100 group-hover:bg-indigo-50/30 transition-all">
    <p class="text-[9px] font-black text-indigo-400
uppercase tracking-widest mb-2 italic">Sekolah Terlayani:</p>
    <p class="text-xs font-bold text-slate-600 leading-
relaxed"><?php echo $l['daftar_sekolah']; ?></p>
</div>
</div>
</div>
</div>
</div>
<?php endforeach; ?>
<?php endif; ?>
</div>
</main>

<!-- FOOTER -->
<footer class="p-8 md:px-10 md:py-12 border-t border-slate-200 bg-white
mt-auto flex flex-col md:flex-row justify-between items-center gap-6">
    <div class="text-center md:text-left">
        <h5 class="font-black text-indigo-950 text-sm uppercase italic leading-
none">SIM-GIZI LABURA</h5>

```

```

    <p class="text-[9px] text-slate-400 font-bold uppercase tracking-widest
mt-2">&copy; <?php echo date('Y'); ?> Dinas Pendidikan Kabupaten
Labuhanbatu Utara</p>

```

```

</div>

```

```

<div class="flex gap-6">

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase tracking-widest flex items-center gap-2"><i
class="fas fa-book"></i> Panduan</a>

```

```

    <a href="#" class="text-slate-400 hover:text-indigo-600 transition text-
[10px] font-black uppercase tracking-widest flex items-center gap-2"><i
class="fas fa-headset"></i> Pusat Bantuan</a>

```

```

</div>

```

```

</footer>

```

```

<!-- Bottom Nav Mobile (Indigo Theme) -->

```

```

<nav class="md:hidden fixed bottom-0 left-0 w-full bg-white/95 backdrop-
blur-xl border-t border-indigo-50 h-20 flex items-center justify-around z-50
rounded-t-[35px] shadow-[0_-15px_40px_rgba(0,0,0,0.03)] px-6">

```

```

    <a href="dashboard_korwil.php" class="flex flex-col items-center gap-1.5
text-slate-400">

```

```

        <i class="fas fa-home text-lg"></i><span class="text-[8px] font-black
uppercase tracking-widest">Home</span>

```

```

    </a>

```

```

    <a href="input_laporan.php" class="flex flex-col items-center gap-1.5
text-slate-400">

```

```

        <i class="fas fa-file-signature text-lg"></i><span class="text-[8px]
font-black uppercase tracking-widest">Lapor</span>

```

```

    </a>

```

```

    <a href="riwayat_korwil.php" class="flex flex-col items-center gap-1.5
text-indigo-600">

```

```

        <i class="fas fa-history text-lg"></i><span class="text-[8px] font-black
uppercase tracking-widest">Riwayat</span>

```

```
</a>
<a href="sekolah_korwil.php" class="flex flex-col items-center gap-1.5
text-slate-400">
  <i class="fas fa-database text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Data</span>
</a>
<a href="pengaduan_korwil.php" class="flex flex-col items-center gap-1.5
text-slate-400">
  <i class="fas fa-exclamation-triangle text-lg"></i><span class="text-
[8px] font-black uppercase tracking-widest">Aduan</span>
</a>
<a href="logout.php" class="flex flex-col items-center gap-1.5 text-rose-
500">
  <i class="fas fa-sign-out-alt text-lg"></i><span class="text-[8px] font-
black uppercase tracking-widest">Keluar</span>
</a>
</nav>
</div>
</body>
</html>
```

```
-- phpMyAdmin SQL Dump
-- version 5.2.2
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1:3306
-- Waktu pembuatan: 20 Apr 2026 pada 12.44
-- Versi server: 11.8.6-MariaDB-log
```

```
-- Versi PHP: 7.2.34
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
```

```
START TRANSACTION;
```

```
SET time_zone = "+00:00";
```

```
/*!40101 SET
```

```
@OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET
```

```
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS
```

```
*/;
```

```
/*!40101 SET
```

```
@OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
```

```
/*!40101 SET NAMES utf8mb4 */;
```

```
--
```

```
-- Database: `u237810411_sim_gizilabura`
```

```
--
```

```
-----
```

```
--
```

```
-- Struktur dari tabel `laporan_sekolah_detail`
```

```
--
```

```
CREATE TABLE `laporan_sekolah_detail` (
```

```
  `id` int(11) NOT NULL,
```

```
  `laporan_id` int(11) DEFAULT NULL,
```

```
  `sekolah_id` int(11) DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
```

```
COLLATE=utf8mb4_unicode_ci;
```

--

-- Dumping data untuk tabel `laporan_sekolah_detail`

--

```
INSERT INTO `laporan_sekolah_detail` (`id`, `laporan_id`, `sekolah_id`)
```

```
VALUES
```

```
(17, 13, 24),
```

```
(18, 13, 25),
```

```
(19, 13, 26),
```

```
(20, 14, 16),
```

```
(21, 14, 17),
```

```
(22, 14, 18),
```

```
(23, 14, 19),
```

```
(24, 14, 20),
```

```
(25, 15, 24),
```

```
(26, 15, 25),
```

```
(27, 15, 26),
```

```
(28, 16, 16),
```

```
(29, 16, 17),
```

```
(30, 16, 18),
```

```
(31, 16, 19),
```

```
(32, 16, 20),
```

```
(33, 16, 27),
```

```
(34, 17, 16),
```

```
(35, 17, 17),
```

```
(36, 17, 18),
```

```
(37, 17, 19),
```

```
(38, 17, 20),
```

```
(39, 17, 27),
```

```
(40, 18, 24),
```

```
(41, 18, 25),
```

```
(42, 18, 26),  
(43, 19, 16),  
(44, 19, 17),  
(45, 19, 18),  
(46, 19, 19),  
(47, 19, 20),  
(48, 19, 27),  
(49, 20, 21),  
(50, 20, 22),  
(51, 20, 23);
```

```
-----
```

```
--
```

```
-- Struktur dari tabel `laporan_sppg`
```

```
--
```

```
CREATE TABLE `laporan_sppg` (  
  `id` int(11) NOT NULL,  
  `sppg_id` int(11) DEFAULT NULL,  
  `user_id` int(11) DEFAULT NULL,  
  `tanggal` date NOT NULL,  
  `jam_lapor` time NOT NULL,  
  `status_operasional` enum('Persiapan','Sedang Berjalan','Selesai') DEFAULT  
'Sedang Berjalan',  
  `total_porsi` int(11) DEFAULT 0,  
  `keterangan` text DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4  
COLLATE=utf8mb4_unicode_ci;
```

```
--
```

```
-- Dumping data untuk tabel `laporan_sppg`
```

--

```
INSERT INTO `laporan_sppg` (`id`, `sppg_id`, `user_id`, `tanggal`, `jam_lapor`,
`status_operasional`, `total_porsi`, `keterangan`) VALUES
(13, 5, 1, '2026-04-08', '22:18:18', 'Sedang Berjalan', 750, 'Melaporkan 3 sekolah
terlayani.'),
(14, 6, 1, '2026-04-08', '22:19:08', 'Sedang Berjalan', 1150, 'Melaporkan 5 sekolah
terlayani.'),
(15, 5, 1, '2026-04-09', '13:42:41', 'Sedang Berjalan', 770, 'Melaporkan 3 sekolah
terlayani.'),
(16, 6, 1, '2026-04-12', '06:46:53', 'Sedang Berjalan', 2150, 'Melaporkan 6 sekolah
terlayani.'),
(17, 6, 1, '2026-04-12', '06:46:53', 'Sedang Berjalan', 2150, 'Melaporkan 6 sekolah
terlayani.'),
(18, 5, 1, '2026-04-17', '12:43:43', 'Sedang Berjalan', 750, 'Melaporkan 3 sekolah
terlayani.'),
(19, 6, 1, '2026-04-20', '08:53:15', 'Sedang Berjalan', 2250, 'Melaporkan 6 sekolah
terlayani.'),
(20, 7, 1, '2026-04-20', '11:13:55', 'Sedang Berjalan', 620, 'Melaporkan 3 sekolah
terlayani.');
```

--

-- Struktur dari tabel `pengaduan`

--

```
CREATE TABLE `pengaduan` (
  `id` int(11) NOT NULL,
  `judul` varchar(255) NOT NULL,
  `kategori_pelapor` enum('Masyarakat','Sekolah','Siswa') NOT NULL,
  `nomor_pelapor` varchar(20) NOT NULL,
```

```

`alamat_sekolah` text NOT NULL,
`keterangan` text NOT NULL,
`foto` varchar(255) DEFAULT NULL,
`tanggal_kirim` timestamp NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_unicode_ci;

--
-- Dumping data untuk tabel `pengaduan`
--

INSERT INTO `pengaduan` (`id`, `judul`, `kategori_pelapor`, `nomor_pelapor`,
`alamat_sekolah`, `keterangan`, `foto`, `tanggal_kirim`) VALUES
(11, 'Keterlambatan pengiriman', 'Sekolah', '081266664444', 'SD N kp pajak',
'Pengantaran tidak sesuai jadwal yang di tentukan',
'ADUAN_1775777487_926.jpg', '2026-04-09 23:31:27'),
(12, 'Keterlambatan pengiriman', 'Sekolah', '081288889638', 'SMK Dwi',
'pengiriman tidak sesuai waktu yang di setujui', 'ADUAN_1775794402_733.jpg',
'2026-04-10 04:13:22'),
(13, 'Keterlambatan pengiriman', 'Masyarakat', '081288889999', 'SMK Dwi',
'pengiriman tidak sesuai waktu yang di setujui', 'ADUAN_1775794510_390.jpg',
'2026-04-10 04:15:10'),
(14, 'Makanan basi', 'Masyarakat', '081288889638', 'SD N kp pajak', 'Gizi buruk',
'ADUAN_1775794878_829.jpg', '2026-04-10 04:21:18'),
(15, 'kualitas makanan', 'Masyarakat', '085296967744', 'Desa pamingke', 'Agar
lebih diperhatiin kualitas makanan', 'ADUAN_1776405134_328.jpg', '2026-04-17
05:52:14'),
(16, 'makanan busuk', 'Sekolah', '082377778888', 'smk gemilang', 'memperbaiki
penyajian', 'ADUAN_1776658256_388.jpeg', '2026-04-20 04:10:56');

```

```
--  
-- Struktur dari tabel `sekolah`  
--  
  
CREATE TABLE `sekolah` (  
  `id` int(11) NOT NULL,  
  `sppg_id` int(11) DEFAULT NULL,  
  `nama_sekolah` varchar(100) NOT NULL,  
  `jumlah_siswa` int(11) DEFAULT 0  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4  
COLLATE=utf8mb4_unicode_ci;  
  
--  
-- Dumping data untuk tabel `sekolah`  
--  
  
INSERT INTO `sekolah` (`id`, `sppg_id`, `nama_sekolah`, `jumlah_siswa`)  
VALUES  
(16, 6, 'SDN KP PAJAK', 300),  
(17, 6, 'SD IT', 250),  
(18, 6, 'TK RISKI', 50),  
(19, 6, 'SMK DWI', 300),  
(20, 6, 'SMP DWI', 250),  
(21, 7, 'SMA N', 350),  
(22, 7, 'TK indah', 20),  
(23, 7, 'SMP N', 250),  
(24, 5, 'SMA N1', 370),  
(25, 5, 'SDN SATAP', 150),  
(26, 5, 'SDN POLRES', 230),  
(27, 6, 'SMK gemilang', 1000),  
(28, 16, 'SMA N1 Na ix x', 700),  
(29, 16, 'Mts ZA', 600),
```

```
(30, 16, 'SDN suka rame', 700);
```

```
-----
```

```
--
-- Struktur dari tabel `sppg_units`
--
```

```
CREATE TABLE `sppg_units` (
  `id` int(11) NOT NULL,
  `nama_sppg` varchar(100) NOT NULL,
  `lokasi` text DEFAULT NULL,
  `kecamatan` varchar(100) DEFAULT NULL,
  `id_korwil` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_unicode_ci;
```

```
--
-- Dumping data untuk tabel `sppg_units`
--
```

```
INSERT INTO `sppg_units` (`id`, `nama_sppg`, `lokasi`, `kecamatan`,
`id_korwil`) VALUES
(5, 'SPPG Bandar Durian', 'aek natas', 'Labuhanbatu Utara', 1),
(6, 'SPPG KAMPUNG PAJAK', 'NA. IX. X', 'Labuhanbatu Utara', 1),
(7, 'SPPG MERBAU', 'Aek kuo', 'Labuhanbatu Utara', 1),
(8, 'SPPG Aek Korsik', 'Aek Kuo', 'Labuhanbatu Utara', 1),
(9, 'Sppg Aek Kanopan', 'Kualuh hulu', 'Labuhanbatu Utara', 1),
(10, 'Sppg Aek Kanopan timur atas', 'Kualuh hulu', 'Labuhanbatu Utara', 1),
(11, 'Sppg Aek Kanopan timur bawah', 'Kualuh hulu', 'Labuhanbatu Utara', 1),
(12, 'SPPG Aek Kanopan timur Tengah', 'Kualuh hulu', 'Labuhanbatu Utara', 1),
(13, 'Sppg suka rame', 'Kualuh hulu', 'Labuhanbatu Utara', 1),
```

(14, 'Sppg pulo dogom', 'Kualuh hulu', 'Labuhanbatu Utara', 1),
 (15, 'Sppg terang bulan', 'Aek natas', 'Labuhanbatu Utara', 1),
 (16, 'Sppg Aek kota batu', 'Na x -Ix', 'Labuhanbatu Utara', 1),
 (17, 'sppg panigoran', 'Na x-ix', 'Labuhanbatu Utara', 1),
 (18, 'Sppg tanjung ledong', 'Kualuh ledong', 'Labuhanbatu Utara', 1),
 (19, 'Sppg kampung mesjid', 'Kualuh hilir', 'Labuhanbatu Utara', 1),
 (20, 'sppg tanjung pasir', 'Kualuh selatan', 'Labuhanbatu Utara', 1),
 (21, 'Sppg damuli pekan bawah', 'Kualuh selatan', 'Labuhanbatu Utara', 1),
 (22, 'Sppg damuli pekan atas', 'Kualuh selatan', 'Labuhanbatu Utara', 1),
 (23, 'Sppg damuli pekan tengah', 'Kualuh selatan', 'Labuhanbatu Utara', 1),
 (24, 'Sppg damuli kebun depan', 'Kualuh selatan', 'Labuhanbatu Utara', 1),
 (25, 'Sppg damuli kebun belakang', 'Kualuh selatan', 'Labuhanbatu Utara', 1),
 (26, 'Sppg gunting saga', 'Kualuh selatan', 'Labuhanbatu Utara', 1),
 (27, 'Sppg Londut', 'Kualuh hulu', 'Labuhanbatu Utara', 1);

--

-- Struktur dari tabel `users`

--

```
CREATE TABLE `users` (
  `id` int(11) NOT NULL,
  `username` varchar(50) NOT NULL,
  `password` varchar(255) NOT NULL,
  `nama_lengkap` varchar(100) NOT NULL,
  `role` enum('korwil','dinaspendidikan') NOT NULL,
  `wilayah_kecamatan` varchar(100) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_unicode_ci;
```

--

```

-- Dumping data untuk tabel `users`
--

INSERT INTO `users` (`id`, `username`, `password`, `nama_lengkap`, `role`,
`wilayah_kecamatan`) VALUES
(1, 'korwil',
'$2y$12$KFXGmeFwaZwK5eFLx/4rmeXjUlcFYIji8piFfNKBGFRdGx8IvrzCO',
'Admin Korwil', 'korwil', 'Labuhanbatu Utara'),
(2, 'dispenlabura',
'$2y$12$m.OrZ06yIVVHH.9i.ITxq.qHIRb6NAf0pvFBD8HtoYvGg1Di9SuFW',
'Budi Admin Dinas', 'dinaspendidikan', 'Kabupaten Labuhanbatu Utara');

--

-- Indexes for dumped tables
--

--
-- Indeks untuk tabel `laporan_sekolah_detail`
--

ALTER TABLE `laporan_sekolah_detail`
  ADD PRIMARY KEY (`id`),
  ADD KEY `laporan_id` (`laporan_id`),
  ADD KEY `sekolah_id` (`sekolah_id`);

--

-- Indeks untuk tabel `laporan_sppg`
--

ALTER TABLE `laporan_sppg`
  ADD PRIMARY KEY (`id`),
  ADD KEY `user_id` (`user_id`),
  ADD KEY `laporan_sppg_unit_fk` (`sppg_id`);

```

```
--  
-- Indeks untuk tabel `pengaduan`  
--  
ALTER TABLE `pengaduan`  
  ADD PRIMARY KEY (`id`);  
  
--  
-- Indeks untuk tabel `sekolah`  
--  
ALTER TABLE `sekolah`  
  ADD PRIMARY KEY (`id`),  
  ADD KEY `sekolah_sppg_fk` (`sppg_id`);  
  
--  
-- Indeks untuk tabel `sppg_units`  
--  
ALTER TABLE `sppg_units`  
  ADD PRIMARY KEY (`id`),  
  ADD KEY `id_korwil` (`id_korwil`);  
  
--  
-- Indeks untuk tabel `users`  
--  
ALTER TABLE `users`  
  ADD PRIMARY KEY (`id`),  
  ADD UNIQUE KEY `username` (`username`);  
  
--  
-- AUTO_INCREMENT untuk tabel yang dibuang  
--  
--
```

```
-- AUTO_INCREMENT untuk tabel `laporan_sekolah_detail`  
--  
ALTER TABLE `laporan_sekolah_detail`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,  
  AUTO_INCREMENT=52;  
  
--  
-- AUTO_INCREMENT untuk tabel `laporan_sppg`  
--  
ALTER TABLE `laporan_sppg`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,  
  AUTO_INCREMENT=21;  
  
--  
-- AUTO_INCREMENT untuk tabel `pengaduan`  
--  
ALTER TABLE `pengaduan`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,  
  AUTO_INCREMENT=17;  
  
--  
-- AUTO_INCREMENT untuk tabel `sekolah`  
--  
ALTER TABLE `sekolah`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,  
  AUTO_INCREMENT=31;  
  
--  
-- AUTO_INCREMENT untuk tabel `sppg_units`  
--  
ALTER TABLE `sppg_units`
```

```
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,  
AUTO_INCREMENT=28;  
  
--  
-- AUTO_INCREMENT untuk tabel `users`  
--  
ALTER TABLE `users`  
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,  
AUTO_INCREMENT=3;  
  
--  
-- Ketidakleluasaan untuk tabel pelimpahan (Dumped Tables)  
--  
--  
-- Ketidakleluasaan untuk tabel `laporan_sekolah_detail`  
--  
ALTER TABLE `laporan_sekolah_detail`  
ADD CONSTRAINT `laporan_sekolah_detail_ibfk_1` FOREIGN KEY  
(`laporan_id`) REFERENCES `laporan_sppg` (`id`) ON DELETE CASCADE,  
ADD CONSTRAINT `laporan_sekolah_detail_ibfk_2` FOREIGN KEY  
(`sekolah_id`) REFERENCES `sekolah` (`id`) ON DELETE CASCADE;  
  
--  
-- Ketidakleluasaan untuk tabel `laporan_sppg`  
--  
ALTER TABLE `laporan_sppg`  
ADD CONSTRAINT `laporan_sppg_ibfk_2` FOREIGN KEY (`user_id`)  
REFERENCES `users` (`id`),  
ADD CONSTRAINT `laporan_sppg_unit_fk` FOREIGN KEY (`sppg_id`)  
REFERENCES `sppg_units` (`id`) ON DELETE CASCADE;
```

```
--  
-- Ketidakleluasaan untuk tabel `sekolah`  
--  
ALTER TABLE `sekolah`  
  ADD CONSTRAINT `sekolah_sppg_fk` FOREIGN KEY (`sppg_id`)  
  REFERENCES `sppg_units` (`id`) ON DELETE CASCADE;  
  
--  
-- Ketidakleluasaan untuk tabel `sppg_units`  
--  
ALTER TABLE `sppg_units`  
  ADD CONSTRAINT `sppg_units_ibfk_1` FOREIGN KEY (`id_korwil`)  
  REFERENCES `users` (`id`);  
COMMIT;  
  
/*!40101 SET  
CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;  
/*!40101 SET  
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;  
/*!40101 SET  
COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```