

LAMPIRAN SPSS

Reliability

Notes		
Output Created		01-MAR-2026 03:59:37
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	
Missing Handling	Value Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=p1 p2 p3 p4 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE CORR /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,06

Scale: ALL VARIABLES**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.711	.709	4

Item Statistics

	Mean	Std. Deviation	N
p1	4.48	.522	100
p2	4.51	.522	100
p3	4.52	.502	100
p4	4.52	.522	100

Inter-Item Correlation Matrix

	p1	p2	p3	p4
p1	1.000	.390	.233	.929
p2	.390	1.000	.250	.314
p3	.233	.250	1.000	.153
p4	.929	.314	.153	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
p1	13.55	1.179	.741	.878	.486
p2	13.52	1.505	.402	.189	.706
p3	13.51	1.707	.254	.106	.782
p4	13.51	1.263	.646	.869	.553

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.03	2.292	1.514	4

Reliability

Notes		
Output Created		01-MAR-2026 04:00:22
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	
Missing Handling	Value Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=p1 p2 p3 p4 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE CORR /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,03

Scale: ALL VARIABLES**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.776	.780	4

Item Statistics

	Mean	Std. Deviation	N
p1	4.48	.541	100
p2	4.63	.485	100
p3	4.58	.496	100
p4	4.42	.572	100

Inter-Item Correlation Matrix

	p1	p2	p3	p4
p1	1.000	.376	-.032	.060
p2	.376	1.000	.271	.165
p3	-.032	.271	1.000	.700
p4	.060	.165	.700	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
p1	13.63	1.427	.268	.277	.650
p2	13.48	1.282	.382	.227	.488
p3	13.53	1.181	.473	.534	.414
p4	13.69	1.085	.441	.500	.430

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.11	1.937	1.392	4

Reliability

Notes		
Output Created		01-MAR-2026 04:01:01
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	
Missing Handling	Value Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=p1 p2 p3 p4 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE CORR /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,42

Scale: ALL VARIABLES**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.682	.678	4

Item Statistics

	Mean	Std. Deviation	N
p1	4.52	.522	100
p2	4.57	.517	100
p3	4.54	.501	100
p4	4.53	.521	100

Inter-Item Correlation Matrix

	p1	p2	p3	p4
p1	1.000	.350	.151	.982
p2	.350	1.000	.087	.329
p3	.151	.087	1.000	.169
p4	.982	.329	.169	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
p1	13.64	1.101	.733	.965	.423
p2	13.59	1.497	.325	.130	.703
p3	13.62	1.713	.262	.037	.789
p4	13.63	1.104	.730	.964	.425

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.16	2.176	1.475	4

Reliability

Notes		
Output Created		01-MAR-2026 04:01:39
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	
Missing Handling	Value Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=p1 p2 p3 p4 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE CORR /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,03

Scale: ALL VARIABLES**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.778	.769	4

Item Statistics

	Mean	Std. Deviation	N
p1	4.49	.541	100
p2	4.65	.479	100
p3	4.60	.492	100
p4	4.43	.607	100

Inter-Item Correlation Matrix

	p1	p2	p3	p4
p1	1.000	.356	-.053	.643
p2	.356	1.000	.257	.279
p3	-.053	.257	1.000	.007
p4	.643	.279	.007	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
p1	13.68	1.129	.504	.460	.383
p2	13.52	1.303	.428	.206	.459
p3	13.57	1.662	.276	.091	.695
p4	13.74	1.043	.475	.417	.400

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.17	2.001	1.415	4

Reliability

Notes		
Output Created		01-MAR-2026 04:02:12
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	
Missing Handling	Value Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=p1 p2 p3 p4 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE CORR /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,20

Scale: ALL VARIABLES**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.621	.614	4

Item Statistics

	Mean	Std. Deviation	N
p1	4.51	.522	100
p2	4.65	.479	100
p3	4.65	.479	100
p4	4.55	.575	100

Inter-Item Correlation Matrix

	p1	p2	p3	p4
p1	1.000	.317	-.006	.604
p2	.317	1.000	.297	.376
p3	-.006	.297	1.000	.119
p4	.604	.376	.119	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
p1	13.85	1.199	.453	.386	.512
p2	13.71	1.258	.467	.225	.507
p3	13.71	1.562	.266	.105	.700
p4	13.81	1.024	.546	.406	.428

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.36	1.990	1.411	4

Regression

Notes		
Output Created		01-MAR-2026 22:27:15
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	118
Missing Handling	Value Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT y /METHOD=ENTER x1 x2 x3 x4 /SCATTERPLOT=(*S RESID ,*ZPRED) /RESIDUALS HISTOGRAM(ZRESI D) NORMPROB(ZRESI D) /SAVE PRED.
Resources	Processor Time	00:00:07,03
	Elapsed Time	00:00:12,67
	Memory Required	4112 bytes
	Additional Memory Required for Residual Plots	848 bytes
Variables Created or PRE_1 Modified		Unstandardized Predicted Value

Descriptive Statistics

	Mean	Std. Deviation	N
Keputusan pembelian	18.28	1.476	82
Price	18.00	1.540	82
Product	18.09	1.442	82
Place	18.12	1.510	82
Promotion	18.23	1.477	82

Correlations

		Keputusan pembelian	Price	Product	Place
Pearson Correlation	Keputusan pembelian	1.000	.087	.006	.056
	Price	.087	1.000	.734	.956
	Product	.006	.734	1.000	.783
	Place	.056	.956	.783	1.000
	Promotion	.989	.060	-.027	.031
Sig. (1-tailed)	Keputusan pembelian	.	.219	.479	.307
	Price	.219	.	.000	.000
	Product	.479	.000	.	.000
	Place	.307	.000	.000	.
	Promotion	.000	.297	.406	.390

N	Keputusan pembelian	82	82	82	82
	Price	82	82	82	82
	Product	82	82	82	82
	Place	82	82	82	82
	Promotion	82	82	82	82

Correlations

		Promotion
Pearson Correlation	Keputusan pembelian	.989
	Price	.060
	Product	-.027
	Place	.031
	Promotion	1.000
Sig. (1-tailed)	Keputusan pembelian	.000
	Price	.297
	Product	.406
	Place	.390
	Promotion	.
N	Keputusan pembelian	82
	Price	82
	Product	82
	Place	82
	Promotion	82

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Promotion, Product, Price, Place ^b	.	Enter

a. Dependent Variable: Keputusan pembelian

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.990 ^a	.980	.979	.215

a. Predictors: (Constant), Promotion, Product, Price, Place

b. Dependent Variable: Keputusan pembelian

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	172.986	4	43.246	934.593	.000 ^b
	Residual	3.563	77	.046		
	Total	176.549	81			

a. Dependent Variable: Keputusan pembelian

b. Predictors: (Constant), Promotion, Product, Price, Place

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2.369	.431		3.857	.394
	Price	.245	.153	.047	3.556	.000
	Product	.235	.127	.035	2.318	.004
	Place	.246	.259	.047	3.780	.000
	Promotion	.589	.216	.989	6.562	.000

Coefficients^a

		Collinearity Statistics	
Model		Tolerance	VIF
1	(Constant)		
	Price	.185	1.703
	Product	.382	2.617
	Place	.272	3.863
	Promotion	.983	1.017

a. Dependent Variable: Keputusan pembelian

Collinearity Diagnostics^a

		Eigenvalue	Condition Index	Variance Proportions			
Model	Dimension			(Constant)	Price	Product	Place
1	1	4.986	1.000	.00	.00	.00	.00
	2	.010	22.571	.02	.01	.02	.01
	3	.003	43.189	.54	.03	.12	.01
	4	.002	53.558	.44	.03	.77	.01
	5	.000	132.474	.00	.92	.09	.97

Collinearity Diagnostics^a

Model	Dimension	Variance Proportions
		Promotion
1	1	.00
	2	.37
	3	.41
	4	.22
	5	.01

a. Dependent Variable: Keputusan pembelian


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	15.08	20.10	18.28	1.461	82
Std. Predicted Value	-2.191	1.246	.000	1.000	82
Standard Error of Predicted Value	.032	.108	.051	.016	82
Adjusted Predicted Value	15.09	20.11	18.28	1.461	82
Residual	-.146	.946	.000	.210	82
Std. Residual	-.681	4.396	.000	.975	82
Stud. Residual	-.705	4.460	-.001	.995	82
Deleted Residual	-.157	.974	.000	.218	82

Stud. Deleted Residual		- .702	5.145	.028	1.114	82
Mahal. Distance		.821	19.267	3.951	3.884	82
Cook's Distance		.000	.167	.008	.030	82
Centered Leverage Value		.010	.238	.049	.048	82

a. Dependent Variable: Keputusan pembelian

Charts



One-Sample Kolmogorov-Smirnov Test				
				Unstandardized Residual
N				100
Normal Parameters ^{a,b}		Mean		.0000000
		Std. Deviation		.99897015
Most Extreme Differences	Extreme	Absolute		.162
		Positive		.162
		Negative		-.096
Test Statistic				.187
Asymp. Sig. (2-tailed) ^c				.210
Monte Carlo Sig. (2-tailed) ^d	Sig.			.238
	99% Confidence	.001		.145

	Interval	.003	.210
--	----------	------	------

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.234	.431		1.857	.394
	Price	.029	.153	.047	1.006	.312
	Product	.129	.127	.035	.312	.453
	Place	.009	.259	.047	.720	.124
	Promotion	.120	.216	.989	-.432	.456

Frequencies

Notes

Output Created		01-MAR-2026 23:10:50
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Handling	Value Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=p1 p2 p3 p4 p5 p6 p7 p8 p9 p10 p11 p12 p13 p14 p15 p16 p17 p18 p19 p20 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,05

Statistics

		p1	p2	p3	p4	p5	p6	p7
N	Valid	100	100	100	100	100	100	100
	Missing	0	0	0	0	0	0	0

Statistics

		p8	p9	p10	p11	p12	p13	p14
N	Valid	100	100	100	100	100	100	100
	Missing	0	0	0	0	0	0	0

Statistics

		p15	p16	p17	p18	p19	p20
N	Valid	100	100	100	100	100	100
	Missing	0	0	0	0	0	0

Frequency Table**p1**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.0	1.0	1.0
	4	50	50.0	50.0	51.0
	5	49	49.0	49.0	100.0
	Total	100	100.0	100.0	

p2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.0	1.0	1.0
	4	47	47.0	47.0	48.0
	5	52	52.0	52.0	100.0
	Total	100	100.0	100.0	

p3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	48	48.0	48.0	48.0
	5	52	52.0	52.0	100.0
	Total	100	100.0	100.0	

p4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.0	1.0	1.0
	4	46	46.0	46.0	47.0
	5	53	53.0	53.0	100.0
	Total	100	100.0	100.0	

p5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	2.0	2.0	2.0
	4	48	48.0	48.0	50.0
	5	50	50.0	50.0	100.0
	Total	100	100.0	100.0	

p6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	37	37.0	37.0	37.0
	5	63	63.0	63.0	100.0
	Total	100	100.0	100.0	

p7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	42	42.0	42.0	42.0
	5	58	58.0	58.0	100.0
	Total	100	100.0	100.0	

p8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	4.0	4.0	4.0
	4	50	50.0	50.0	54.0
	5	46	46.0	46.0	100.0
	Total	100	100.0	100.0	

p9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.0	1.0	1.0
	4	46	46.0	46.0	47.0
	5	53	53.0	53.0	100.0
	Total	100	100.0	100.0	

p10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.0	1.0	1.0
	4	41	41.0	41.0	42.0
	5	58	58.0	58.0	100.0
	Total	100	100.0	100.0	

p11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	46	46.0	46.0	46.0
	5	54	54.0	54.0	100.0
	Total	100	100.0	100.0	

p12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.0	1.0	1.0
	4	45	45.0	45.0	46.0
	5	54	54.0	54.0	100.0
	Total	100	100.0	100.0	

p13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	2.0	2.0	2.0
	4	47	47.0	47.0	49.0
	5	51	51.0	51.0	100.0
	Total	100	100.0	100.0	

p14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	35	35.0	35.0	35.0
	5	65	65.0	65.0	100.0
	Total	100	100.0	100.0	

p15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	40	40.0	40.0	40.0
	5	60	60.0	60.0	100.0
	Total	100	100.0	100.0	

p16

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	6	6.0	6.0	6.0
	4	45	45.0	45.0	51.0
	5	49	49.0	49.0	100.0
	Total	100	100.0	100.0	

p17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.0	1.0	1.0
	4	47	47.0	47.0	48.0
	5	52	52.0	52.0	100.0
	Total	100	100.0	100.0	

p18

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	35	35.0	35.0	35.0
	5	65	65.0	65.0	100.0
	Total	100	100.0	100.0	

p19

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	35	35.0	35.0	35.0
	5	65	65.0	65.0	100.0
	Total	100	100.0	100.0	

p20

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	4.0	4.0	4.0
	4	37	37.0	37.0	41.0
	5	59	59.0	59.0	100.0
	Total	100	100.0	100.0	

LAMPIRAN TABEL R

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
51	0.2284	0.2706	0.3188	0.3509	0.4393
52	0.2262	0.2681	0.3158	0.3477	0.4354
53	0.2241	0.2656	0.3129	0.3445	0.4317
54	0.2221	0.2632	0.3102	0.3415	0.4280
55	0.2201	0.2609	0.3074	0.3385	0.4244
56	0.2181	0.2586	0.3048	0.3357	0.4210
57	0.2162	0.2564	0.3022	0.3328	0.4176
58	0.2144	0.2542	0.2997	0.3301	0.4143
59	0.2126	0.2521	0.2972	0.3274	0.4110
60	0.2108	0.2500	0.2948	0.3248	0.4079
61	0.2091	0.2480	0.2925	0.3223	0.4048
62	0.2075	0.2461	0.2902	0.3198	0.4018
63	0.2058	0.2441	0.2880	0.3173	0.3988
64	0.2042	0.2423	0.2858	0.3150	0.3959
65	0.2027	0.2404	0.2837	0.3126	0.3931
66	0.2012	0.2387	0.2816	0.3104	0.3903
67	0.1997	0.2369	0.2796	0.3081	0.3876
68	0.1982	0.2352	0.2776	0.3060	0.3850
69	0.1968	0.2335	0.2756	0.3038	0.3823
70	0.1954	0.2319	0.2737	0.3017	0.3798
71	0.1940	0.2303	0.2718	0.2997	0.3773
72	0.1927	0.2287	0.2700	0.2977	0.3748
73	0.1914	0.2272	0.2682	0.2957	0.3724
74	0.1901	0.2257	0.2664	0.2938	0.3701
75	0.1888	0.2242	0.2647	0.2919	0.3678
76	0.1876	0.2227	0.2630	0.2900	0.3655
77	0.1864	0.2213	0.2613	0.2882	0.3633
78	0.1852	0.2199	0.2597	0.2864	0.3611
79	0.1841	0.2185	0.2581	0.2847	0.3589
80	0.1829	0.2172	0.2565	0.2830	0.3568
81	0.1818	0.2159	0.2550	0.2813	0.3547
82	0.1807	0.2146	0.2535	0.2796	0.3527
83	0.1796	0.2133	0.2520	0.2780	0.3507
84	0.1786	0.2120	0.2505	0.2764	0.3487
85	0.1775	0.2108	0.2491	0.2748	0.3468
86	0.1765	0.2096	0.2477	0.2732	0.3449
87	0.1755	0.2084	0.2463	0.2717	0.3430
88	0.1745	0.2072	0.2449	0.2702	0.3412
89	0.1735	0.2061	0.2435	0.2687	0.3393
90	0.1726	0.2050	0.2422	0.2673	0.3375
91	0.1716	0.2039	0.2409	0.2659	0.3358
92	0.1707	0.2028	0.2396	0.2645	0.3341
93	0.1698	0.2017	0.2384	0.2631	0.3323
94	0.1689	0.2006	0.2371	0.2617	0.3307
95	0.1680	0.1996	0.2359	0.2604	0.3290
96	0.1671	0.1986	0.2347	0.2591	0.3274
97	0.1663	0.1975	0.2335	0.2578	0.3258
98	0.1654	0.1966	0.2324	0.2565	0.3242
99	0.1646	0.1956	0.2312	0.2552	0.3226
100	0.1638	0.1946	0.2301	0.2540	0.3211

LAMPIRAN TABEL T

Titik Persentase Distribusi t (df = 81 – 120)

Pr df	0.25 0.50	0.10 0.20	0.05 0.10	0.025 0.050	0.01 0.02	0.005 0.010	0.001 0.002
81	0.67753	1.29209	1.66388	1.98969	2.37327	2.63790	3.19392
82	0.67749	1.29196	1.66365	1.98932	2.37269	2.63712	3.19262
83	0.67746	1.29183	1.66342	1.98896	2.37212	2.63637	3.19135
84	0.67742	1.29171	1.66320	1.98861	2.37156	2.63563	3.19011
85	0.67739	1.29159	1.66298	1.98827	2.37102	2.63491	3.18890
86	0.67735	1.29147	1.66277	1.98793	2.37049	2.63421	3.18772
87	0.67732	1.29136	1.66256	1.98761	2.36998	2.63353	3.18657
88	0.67729	1.29125	1.66235	1.98729	2.36947	2.63286	3.18544
89	0.67726	1.29114	1.66216	1.98698	2.36898	2.63220	3.18434
90	0.67723	1.29103	1.66196	1.98667	2.36850	2.63157	3.18327
91	0.67720	1.29092	1.66177	1.98638	2.36803	2.63094	3.18222
92	0.67717	1.29082	1.66159	1.98609	2.36757	2.63033	3.18119
93	0.67714	1.29072	1.66140	1.98580	2.36712	2.62973	3.18019
94	0.67711	1.29062	1.66123	1.98552	2.36667	2.62915	3.17921
95	0.67708	1.29053	1.66105	1.98525	2.36624	2.62858	3.17825
96	0.67705	1.29043	1.66088	1.98498	2.36582	2.62802	3.17731
97	0.67703	1.29034	1.66071	1.98472	2.36541	2.62747	3.17639
98	0.67700	1.29025	1.66055	1.98447	2.36500	2.62693	3.17549
99	0.67698	1.29016	1.66039	1.98422	2.36461	2.62641	3.17460
100	0.67695	1.29007	1.66023	1.98397	2.36422	2.62589	3.17374
101	0.67693	1.28999	1.66008	1.98373	2.36384	2.62539	3.17289
102	0.67690	1.28991	1.65993	1.98350	2.36346	2.62489	3.17206
103	0.67688	1.28982	1.65978	1.98326	2.36310	2.62441	3.17125
104	0.67686	1.28974	1.65964	1.98304	2.36274	2.62393	3.17045
105	0.67683	1.28967	1.65950	1.98282	2.36239	2.62347	3.16967
106	0.67681	1.28959	1.65936	1.98260	2.36204	2.62301	3.16890
107	0.67679	1.28951	1.65922	1.98238	2.36170	2.62256	3.16815
108	0.67677	1.28944	1.65909	1.98217	2.36137	2.62212	3.16741
109	0.67675	1.28937	1.65895	1.98197	2.36105	2.62169	3.16669
110	0.67673	1.28930	1.65882	1.98177	2.36073	2.62126	3.16598
111	0.67671	1.28922	1.65870	1.98157	2.36041	2.62085	3.16528
112	0.67669	1.28916	1.65857	1.98137	2.36010	2.62044	3.16460
113	0.67667	1.28909	1.65845	1.98118	2.35980	2.62004	3.16392
114	0.67665	1.28902	1.65833	1.98099	2.35950	2.61964	3.16326
115	0.67663	1.28896	1.65821	1.98081	2.35921	2.61926	3.16262
116	0.67661	1.28889	1.65810	1.98063	2.35892	2.61888	3.16198
117	0.67659	1.28883	1.65798	1.98045	2.35864	2.61850	3.16135
118	0.67657	1.28877	1.65787	1.98027	2.35837	2.61814	3.16074
119	0.67656	1.28871	1.65776	1.98010	2.35809	2.61778	3.16013
120	0.67654	1.28865	1.65765	1.97993	2.35782	2.61742	3.15954

LAMPIRAN F TABEL

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
91	3.95	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.90	1.86	1.83	1.80	1.78
92	3.94	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.89	1.86	1.83	1.80	1.78
93	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.78
94	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.77
95	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.82	1.80	1.77
96	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
97	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
98	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
99	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.89	1.85	1.82	1.79	1.77
101	3.94	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.93	1.88	1.85	1.82	1.79	1.77
102	3.93	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.77
103	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
104	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
105	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.81	1.79	1.76
106	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
107	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
108	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.78	1.76
109	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
110	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
111	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
112	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.96	1.92	1.88	1.84	1.81	1.78	1.76
113	3.93	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.92	1.87	1.84	1.81	1.78	1.76
114	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
115	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
116	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
117	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
118	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
119	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
121	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
122	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
123	3.92	3.07	2.68	2.45	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75