

LAMPIRAN

Lampiran 1 Lokasi Penelitian



Lokasi Penelitian



Pengaplikasian Erkatril



Gambar Buah Terserang Tikus



Gambar Buah Yang Terserang Saat di Pohon

Lampiran 2 Data Mentah

Perlakuan	U1	U2	U3	U4	U5	U6
E0 (Kontrol)	26-50%	26-50%	26-50%	26-50%	26-50%	26-50%
E1 (50 g)	26-50%	26-50%	26-50%	26-50%	26-50%	26-50%
E2 (100 g)	26-50%	1-25%	1-25%	1-25%	1-25%	1-25%
E3 (150 g)	26-50%	1-25%	1-25%	1-25%	1-25%	1-25%

Perlakuan	U1	U2	U3	U4	U5	U6
E0 (Kontrol)	Sedang	Sedang	Sedang	Sedang	Sedang	Sedang
E1 (50 g)	Sedang	Sedang	Sedang	Sedang	Sedang	Sedang
E2 (100 g)	Sedang	Ringan	Ringan	Ringan	Ringan	Ringan
E3 (150 g)	Sedang	Ringan	Ringan	Ringan	Ringan	Ringan

SPSS

Perlakuan	U1	U2	U3	U4	U5	U6
E0 (Kontrol)	2	2	2	2	2	2
E1 (50 g)	2	2	2	2	2	2
E2 (100 g)	2	1	1	1	1	1
E3 (150 g)	2	1	1	1	1	1

Perlakuan	Intensitas Awal	Intensitas Akhir	Penurunan
E0	26-50%	26-50%	Tidak ada
E1	26-50%	26-50%	Tidak ada
E2	26-50%	1-25%	Turun 1 kategori
E3	26-50%	1-25%	Turun 1 kategori

Perlakuan	Intensitas Awal	Intensitas Akhir
E0	Sedang	Sedang
E1	Sedang	Sedang
E2	Sedang	Ringan
E3	Sedang	Ringan

Hasil Uji SPSS

ANOVA					
Hasil					
	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	4,167	3	1,389	16,667	,000
Within Groups	1,667	20	,083		
Total	5,833	23			

Hasil				
Perlakuan		N	Subset for alpha = .05	
			1	2
Tukey HSD ^a	E0	6	1,0000	
	E1	6	1,0000	
	E2	6		1,8333
	E3	6		1,8333
	Sig.		1,000	1,000
Duncan ^a	E0	6	1,0000	
	E1	6	1,0000	
	E2	6		1,8333
	E3	6		1,8333
	Sig.		1,000	1,000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6,000.