

Lampiran 1 : Kuesioner

KUESIONER PENELITIAN

A. DATA RESPONDEN

Nama Responden :
Umur Responden :
Jenis Kelamin :
Jabatan :
Alamat :

A. PETUNJUK PENGISIAN RESPONDEN

Berikan tanda checklist (√) pada kolom jawaban yang telah disediakan dibawah ini sesuai pilihan anda.

SS	: Sangat Setuju	Nilai 5
S	: Setuju	Nilai 4
KS	: Kurang Setuju	Nilai 3
TS	: Tidak Setuju	Nilai 2
STS	: Sangat Tidak Setuju	Nilai 1

Kepuasan Pelanggan (X1)

No	Pernyataan	SS	S	KS	TS	STS
1.	Sesuai dengan harapan pengunjung dari yang disajikan					
2.	Ada niatan kembali berkunjung					
3.	Banyak pilihan yang disediakan					
4.	Menjadi pilihan utama saat berkunjung					
5.	Sebagai salah satu tempat tujuan					

Harga (X2)

No	Pernyataan	SS	S	KS	TS	STS
1.	Harga yang terjangkau					
2.	Sangat sesuai dengan kualitas					
3.	Harga memiliki persaingan yang beragam					
4.	Harga sesuai dengan manfaat yang saya rasakan					
5.	Harga yang dapat bersaing dengan produk lain					

Promosi (X3)

No	Pernyataan	SS	S	KS	TS	STS
1.	Baliho atau spanduk memiliki arti pesan					
2.	Terdapat media sosial baik fb, ig, dll.					
3.	Di waktu tertentu di adain promo					
4.	Karyawan memberitahukan secara langsung tentang promo yang ada kepada pelanggan.					
5.	Hubungan masyarakat/ <i>Public Relation</i> .					

Loyalitas Pelanggan (Y)

No	Pernyataan	SS	S	KS	TS	STS
1.	Selalu ada ketika inginkan					
2.	Jarang melakukan peralihan ke tempat lain					
3.	Eksistensi tempat jadi acuan kembali berkunjung					
4.	Tempat ini sudah memiliki nama yang terkenal					
5.	Karyawan cepat tanggap dalam pelanggan					

Lampiran 2 : Hasil Kuesioner

Kepuasan Pelanggan (X1)

RESPONDEN	X1.1	X1.2	X1.3	X1.4	X1.5	TOTAL
1	5	5	4	4	5	23
2	5	5	4	4	4	22
3	4	4	4	4	4	20
4	4	4	5	5	4	22
5	4	4	4	4	4	20
6	5	4	4	4	4	21
7	5	5	5	4	5	24
8	5	4	4	4	4	21
9	5	4	5	5	5	24
10	5	5	4	5	4	23
11	5	4	5	5	4	23
12	4	5	5	4	4	22
13	5	5	5	5	5	25
14	4	5	5	5	5	24
15	3	3	3	3	3	15
16	4	4	4	5	4	21
17	5	5	4	5	4	23
18	4	4	4	5	5	22
19	4	5	4	4	4	21
20	4	4	4	4	4	20
21	4	4	4	5	4	21
22	5	5	4	5	5	24
23	3	3	3	3	3	15
24	4	4	5	5	5	23
25	4	4	5	4	4	21
26	5	5	5	5	5	25
27	5	5	5	5	5	25
28	4	4	4	4	4	20
29	4	4	4	4	4	20
30	5	5	5	5	5	25
31	5	5	4	4	5	23
32	5	5	4	4	4	22
33	4	4	4	4	4	20
34	4	4	5	5	4	22
35	4	4	4	4	4	20
36	5	4	4	4	4	21
37	5	5	5	4	5	24

38	5	4	4	4	4	21
39	5	4	5	5	5	24
40	5	5	4	5	4	23
41	5	4	5	5	4	23
42	4	5	5	4	4	22
43	5	5	5	5	5	25
44	4	5	5	5	5	24
45	3	3	3	3	3	15
46	4	4	4	5	4	21
47	5	5	4	5	4	23
48	4	4	4	5	5	22
49	4	5	4	4	4	21
50	4	4	4	4	4	20

Harga (X2)

RESPONDEN	X2.1	X2.2	X2.3	X2.4	X2.5	TOTAL
1	5	5	5	4	5	24
2	4	5	4	4	4	21
3	4	5	4	5	4	22
4	5	5	4	5	4	23
5	4	4	4	3	4	19
6	4	4	4	5	5	22
7	5	4	5	5	4	23
8	4	5	5	4	4	22
9	4	5	5	5	4	23
10	4	5	5	5	5	24
11	5	5	5	5	5	25
12	5	4	5	4	5	23
13	5	5	4	5	5	24
14	4	5	4	4	5	22
15	3	3	3	3	3	15
16	4	5	4	4	5	22
17	5	5	4	4	3	21
18	4	4	4	4	4	20
19	4	5	4	5	5	23
20	4	3	4	3	4	18
21	4	5	4	5	3	21
22	5	5	4	4	5	23
23	3	3	3	3	3	15
24	5	4	5	5	5	24

25	4	4	4	4	4	20
26	4	5	5	4	3	21
27	5	4	5	5	5	24
28	5	4	5	3	4	21
29	4	4	4	4	3	19
30	5	5	5	4	5	24
31	5	5	5	4	5	24
32	4	5	4	4	4	21
33	4	5	4	5	4	22
34	5	5	4	5	4	23
35	4	4	4	3	4	19
36	4	4	4	5	5	22
37	5	4	5	5	4	23
38	4	5	5	4	4	22
39	4	5	5	5	4	23
40	4	5	5	5	5	24
41	5	5	5	5	5	25
42	5	4	5	4	5	23
43	5	5	4	5	5	24
44	4	5	4	4	5	22
45	3	3	3	3	3	15
46	4	5	4	4	5	22
47	5	5	4	4	3	21
48	4	4	4	4	4	20
49	4	5	4	5	5	23
50	4	3	4	3	4	18

Promosi (X3)

RESPONDEN	X3.1	X3.2	X3.3	X3.4	X3.5	TOTAL
1	4	5	5	5	5	24
2	4	5	5	4	4	22
3	4	5	4	4	4	21
4	5	4	5	5	5	24
5	4	4	4	4	4	20
6	5	4	4	4	4	21
7	5	5	5	5	5	25
8	4	4	4	5	5	22
9	4	4	4	5	5	22
10	4	5	3	4	4	20
11	5	5	5	5	4	24

12	5	4	5	5	5	24
13	4	5	4	5	4	22
14	4	4	5	5	4	22
15	3	3	3	3	3	15
16	4	4	3	4	4	19
17	5	5	5	5	5	25
18	4	4	4	4	5	21
19	4	4	4	5	5	22
20	4	4	4	4	5	21
21	4	4	4	4	4	20
22	4	4	5	4	5	22
23	3	3	3	3	3	15
24	4	4	4	5	4	21
25	4	4	4	5	3	20
26	4	5	5	4	5	23
27	5	5	4	5	5	24
28	5	5	5	5	5	25
29	4	3	5	4	4	20
30	3	3	5	5	4	20
31	4	5	5	5	5	24
32	4	5	5	4	4	22
33	4	5	4	4	4	21
34	5	4	5	5	5	24
35	4	4	4	4	4	20
36	5	4	4	4	4	21
37	5	5	5	5	5	25
38	4	4	4	5	5	22
39	4	4	4	5	5	22
40	4	5	3	4	4	20
41	5	5	5	5	4	24
42	5	4	5	5	5	24
43	4	5	4	5	4	22
44	4	4	5	5	4	22
45	5	3	5	3	5	21
46	4	4	3	4	4	19
47	5	5	5	5	5	25
48	4	4	4	4	5	21
49	4	4	4	5	5	22
50	4	4	4	4	5	21

Loyalitas Pelanggan (Y)

RESPONDEN	Y1	Y2	Y3	Y4	Y5	TOTAL
1	5	5	5	5	5	25
2	4	4	4	4	5	21
3	4	4	4	4	4	20
4	5	4	4	5	4	22
5	4	4	4	3	4	19
6	4	4	4	5	5	22
7	4	5	5	5	5	24
8	4	4	4	5	4	21
9	5	5	4	5	5	24
10	4	5	4	5	4	22
11	5	5	5	5	5	25
12	4	5	5	5	5	24
13	5	4	5	5	5	24
14	5	4	5	4	4	22
15	2	3	3	3	3	14
16	4	5	4	4	4	21
17	4	4	4	5	4	21
18	4	4	5	5	4	22
19	4	5	5	4	5	23
20	4	5	4	4	4	21
21	4	4	4	4	4	20
22	4	4	5	5	4	22
23	3	3	3	3	3	15
24	4	4	5	5	4	22
25	4	4	4	4	4	20
26	4	4	5	4	5	22
27	5	5	5	5	5	25
28	4	4	5	4	5	22
29	4	4	4	4	4	20
30	5	5	5	5	5	25
31	5	5	5	5	5	25
32	4	4	4	4	5	21
33	4	4	4	4	4	20
34	5	4	4	5	4	22
35	4	4	4	3	4	19
36	4	4	4	5	5	22
37	4	5	5	5	5	24

38	4	4	4	5	4	21
39	5	5	4	5	5	24
40	4	5	4	5	4	22
41	5	5	5	5	5	25
42	4	5	5	5	5	24
43	5	4	5	5	5	24
44	5	4	5	4	4	22
45	4	3	3	4	5	19
46	4	5	4	4	4	21
47	4	4	4	5	4	21
48	4	4	5	5	4	22
49	4	5	5	4	5	23
50	4	5	4	4	4	21

Lampiran 3 : Dokumentasi





Lampiran 4 : Tabel r-tabel, t-tabel, dan F-tabel

Tabel r untuk df = 1 - 50

df = (N-2)	Tingkat signifikansi untuk uji satu arah				
	0.05	0.025	0.01	0.005	0.0005
	Tingkat signifikansi untuk uji dua arah				
	0.1	0.05	0.02	0.01	0.001
1	0.9877	0.9969	0.9995	0.9999	1.0000
2	0.9000	0.9500	0.9800	0.9900	0.9990
3	0.8054	0.8783	0.9343	0.9587	0.9911
4	0.7293	0.8114	0.8822	0.9172	0.9741
5	0.6694	0.7545	0.8329	0.8745	0.9509
6	0.6215	0.7067	0.7887	0.8343	0.9249
7	0.5822	0.6664	0.7498	0.7977	0.8983
8	0.5494	0.6319	0.7155	0.7646	0.8721
9	0.5214	0.6021	0.6851	0.7348	0.8470
10	0.4973	0.5760	0.6581	0.7079	0.8233
11	0.4762	0.5529	0.6339	0.6835	0.8010
12	0.4575	0.5324	0.6120	0.6614	0.7800
13	0.4409	0.5140	0.5923	0.6411	0.7604
14	0.4259	0.4973	0.5742	0.6226	0.7419
15	0.4124	0.4821	0.5577	0.6055	0.7247
16	0.4000	0.4683	0.5425	0.5897	0.7084
17	0.3887	0.4555	0.5285	0.5751	0.6932
18	0.3783	0.4438	0.5155	0.5614	0.6788
19	0.3687	0.4329	0.5034	0.5487	0.6652
20	0.3598	0.4227	0.4921	0.5368	0.6524
21	0.3515	0.4132	0.4815	0.5256	0.6402
22	0.3438	0.4044	0.4716	0.5151	0.6287
23	0.3365	0.3961	0.4622	0.5052	0.6178
24	0.3297	0.3882	0.4534	0.4958	0.6074
25	0.3233	0.3809	0.4451	0.4869	0.5974
26	0.3172	0.3739	0.4372	0.4785	0.5880
27	0.3115	0.3673	0.4297	0.4705	0.5790
28	0.3061	0.3610	0.4226	0.4629	0.5703
29	0.3009	0.3550	0.4158	0.4556	0.5620
30	0.2960	0.3494	0.4093	0.4487	0.5541
31	0.2913	0.3440	0.4032	0.4421	0.5465
32	0.2869	0.3388	0.3972	0.4357	0.5392
33	0.2826	0.3338	0.3916	0.4296	0.5322
34	0.2785	0.3291	0.3862	0.4238	0.5254
35	0.2746	0.3246	0.3810	0.4182	0.5189
36	0.2709	0.3202	0.3760	0.4128	0.5126
37	0.2673	0.3160	0.3712	0.4076	0.5066
38	0.2638	0.3120	0.3665	0.4026	0.5007
39	0.2605	0.3081	0.3621	0.3978	0.4950
40	0.2573	0.3044	0.3578	0.3932	0.4896
41	0.2542	0.3008	0.3536	0.3887	0.4843
42	0.2512	0.2973	0.3496	0.3843	0.4791
43	0.2483	0.2940	0.3457	0.3801	0.4742
44	0.2455	0.2907	0.3420	0.3761	0.4694
45	0.2429	0.2876	0.3384	0.3721	0.4647
46	0.2403	0.2845	0.3348	0.3683	0.4601
47	0.2377	0.2816	0.3314	0.3646	0.4557
48	0.2353	0.2787	0.3281	0.3610	0.4514
49	0.2329	0.2759	0.3249	0.3575	0.4473
50	0.2306	0.2732	0.3218	0.3542	0.4432

Titik Persentase Distribusi t (df = 1 – 40)

Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
df	0.50	0.20	0.10	0.050	0.02	0.010	0.002
1	1.00000	3.07768	6.31375	12.70620	31.82052	63.65674	318.30884
2	0.81650	1.88562	2.91999	4.30265	6.96456	9.92484	22.32712
3	0.76489	1.63774	2.35336	3.18245	4.54070	5.84091	10.21453
4	0.74070	1.53321	2.13185	2.77645	3.74695	4.60409	7.17318
5	0.72669	1.47588	2.01505	2.57058	3.36493	4.03214	5.89343
6	0.71756	1.43976	1.94318	2.44691	3.14267	3.70743	5.20763
7	0.71114	1.41492	1.89458	2.36462	2.99795	3.49948	4.78529
8	0.70639	1.39682	1.85955	2.30600	2.89646	3.35539	4.50079
9	0.70272	1.38303	1.83311	2.26216	2.82144	3.24984	4.29681
10	0.69981	1.37218	1.81246	2.22814	2.76377	3.16927	4.14370
11	0.69745	1.36343	1.79588	2.20099	2.71808	3.10581	4.02470
12	0.69548	1.35622	1.78229	2.17881	2.68100	3.05454	3.92963
13	0.69383	1.35017	1.77093	2.16037	2.65031	3.01228	3.85198
14	0.69242	1.34503	1.76131	2.14479	2.62449	2.97684	3.78739
15	0.69120	1.34061	1.75305	2.13145	2.60248	2.94671	3.73283
16	0.69013	1.33676	1.74588	2.11991	2.58349	2.92078	3.68615
17	0.68920	1.33338	1.73961	2.10982	2.56693	2.89823	3.64577
18	0.68836	1.33039	1.73406	2.10092	2.55238	2.87844	3.61048
19	0.68762	1.32773	1.72913	2.09302	2.53948	2.86093	3.57940
20	0.68695	1.32534	1.72472	2.08596	2.52798	2.84534	3.55181
21	0.68635	1.32319	1.72074	2.07961	2.51765	2.83136	3.52715
22	0.68581	1.32124	1.71714	2.07387	2.50832	2.81876	3.50499
23	0.68531	1.31946	1.71387	2.06866	2.49987	2.80734	3.48496
24	0.68485	1.31784	1.71088	2.06390	2.49216	2.79694	3.46678
25	0.68443	1.31635	1.70814	2.05954	2.48511	2.78744	3.45019
26	0.68404	1.31497	1.70562	2.05553	2.47863	2.77871	3.43500
27	0.68368	1.31370	1.70329	2.05183	2.47266	2.77068	3.42103
28	0.68335	1.31253	1.70113	2.04841	2.46714	2.76326	3.40816
29	0.68304	1.31143	1.69913	2.04523	2.46202	2.75639	3.39624
30	0.68276	1.31042	1.69726	2.04227	2.45726	2.75000	3.38518
31	0.68249	1.30946	1.69552	2.03951	2.45282	2.74404	3.37490
32	0.68223	1.30857	1.69389	2.03693	2.44868	2.73848	3.36531
33	0.68200	1.30774	1.69236	2.03452	2.44479	2.73328	3.35634
34	0.68177	1.30695	1.69092	2.03224	2.44115	2.72839	3.34793
35	0.68156	1.30621	1.68957	2.03011	2.43772	2.72381	3.34005
36	0.68137	1.30551	1.68830	2.02809	2.43449	2.71948	3.33262
37	0.68118	1.30485	1.68709	2.02619	2.43145	2.71541	3.32563
38	0.68100	1.30423	1.68595	2.02439	2.42857	2.71156	3.31903
39	0.68083	1.30364	1.68488	2.02269	2.42584	2.70791	3.31279
40	0.68067	1.30308	1.68385	2.02108	2.42326	2.70446	3.30688

Titik Persentase Distribusi t (df = 81 –120)

df \ Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.050	0.02	0.010	0.002
81	0.67753	1.29209	1.66388	1.98969	2.37327	2.63790	3.19392
82	0.67749	1.29196	1.66365	1.98932	2.37269	2.63712	3.19262
83	0.67746	1.29183	1.66342	1.98896	2.37212	2.63637	3.19135
84	0.67742	1.29171	1.66320	1.98861	2.37156	2.63563	3.19011
85	0.67739	1.29159	1.66298	1.98827	2.37102	2.63491	3.18890
86	0.67735	1.29147	1.66277	1.98793	2.37049	2.63421	3.18772
87	0.67732	1.29136	1.66256	1.98761	2.36998	2.63353	3.18657
88	0.67729	1.29125	1.66235	1.98729	2.36947	2.63286	3.18544
89	0.67726	1.29114	1.66216	1.98698	2.36898	2.63220	3.18434
90	0.67723	1.29103	1.66196	1.98667	2.36850	2.63157	3.18327
91	0.67720	1.29092	1.66177	1.98638	2.36803	2.63094	3.18222
92	0.67717	1.29082	1.66159	1.98609	2.36757	2.63033	3.18119
93	0.67714	1.29072	1.66140	1.98580	2.36712	2.62973	3.18019
94	0.67711	1.29062	1.66123	1.98552	2.36667	2.62915	3.17921
95	0.67708	1.29053	1.66105	1.98525	2.36624	2.62858	3.17825
96	0.67705	1.29043	1.66088	1.98498	2.36582	2.62802	3.17731
97	0.67703	1.29034	1.66071	1.98472	2.36541	2.62747	3.17639
98	0.67700	1.29025	1.66055	1.98447	2.36500	2.62693	3.17549
99	0.67698	1.29016	1.66039	1.98422	2.36461	2.62641	3.17460
100	0.67695	1.29007	1.66023	1.98397	2.36422	2.62589	3.17374
101	0.67693	1.28999	1.66008	1.98373	2.36384	2.62539	3.17289
102	0.67690	1.28991	1.65993	1.98350	2.36346	2.62489	3.17206
103	0.67688	1.28982	1.65978	1.98326	2.36310	2.62441	3.17125
104	0.67686	1.28974	1.65964	1.98304	2.36274	2.62393	3.17045
105	0.67683	1.28967	1.65950	1.98282	2.36239	2.62347	3.16967
106	0.67681	1.28959	1.65936	1.98260	2.36204	2.62301	3.16890
107	0.67679	1.28951	1.65922	1.98238	2.36170	2.62256	3.16815
108	0.67677	1.28944	1.65909	1.98217	2.36137	2.62212	3.16741
109	0.67675	1.28937	1.65895	1.98197	2.36105	2.62169	3.16669
110	0.67673	1.28930	1.65882	1.98177	2.36073	2.62126	3.16598
111	0.67671	1.28922	1.65870	1.98157	2.36041	2.62085	3.16528
112	0.67669	1.28916	1.65857	1.98137	2.36010	2.62044	3.16460
113	0.67667	1.28909	1.65845	1.98118	2.35980	2.62004	3.16392
114	0.67665	1.28902	1.65833	1.98099	2.35950	2.61964	3.16326
115	0.67663	1.28896	1.65821	1.98081	2.35921	2.61926	3.16262
116	0.67661	1.28889	1.65810	1.98063	2.35892	2.61888	3.16198
117	0.67659	1.28883	1.65798	1.98045	2.35864	2.61850	3.16135
118	0.67657	1.28877	1.65787	1.98027	2.35837	2.61814	3.16074
119	0.67656	1.28871	1.65776	1.98010	2.35809	2.61778	3.16013
120	0.67654	1.28865	1.65765	1.97993	2.35782	2.61742	3.15954

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	161	199	216	225	230	234	237	239	241	242	243	244	245	245	246
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.40	19.41	19.42	19.42	19.43
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.76	8.74	8.73	8.71	8.70
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.94	5.91	5.89	5.87	5.86
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.70	4.68	4.66	4.64	4.62
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.03	4.00	3.98	3.96	3.94
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.60	3.57	3.55	3.53	3.51
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.31	3.28	3.26	3.24	3.22
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.10	3.07	3.05	3.03	3.01
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.94	2.91	2.89	2.86	2.85
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.82	2.79	2.76	2.74	2.72
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.72	2.69	2.66	2.64	2.62
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.63	2.60	2.58	2.55	2.53
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.57	2.53	2.51	2.48	2.46
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.51	2.48	2.45	2.42	2.40
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.46	2.42	2.40	2.37	2.35
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.41	2.38	2.35	2.33	2.31
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.37	2.34	2.31	2.29	2.27
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.34	2.31	2.28	2.26	2.23
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.31	2.28	2.25	2.22	2.20
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.28	2.25	2.22	2.20	2.18
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.26	2.23	2.20	2.17	2.15
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.24	2.20	2.18	2.15	2.13
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.22	2.18	2.15	2.13	2.11
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.20	2.16	2.14	2.11	2.09
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.18	2.15	2.12	2.09	2.07
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.17	2.13	2.10	2.08	2.06
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.15	2.12	2.09	2.06	2.04
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.14	2.10	2.08	2.05	2.03
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.13	2.09	2.06	2.04	2.01
31	4.16	3.30	2.91	2.68	2.52	2.41	2.32	2.25	2.20	2.15	2.11	2.08	2.05	2.03	2.00
32	4.15	3.29	2.90	2.67	2.51	2.40	2.31	2.24	2.19	2.14	2.10	2.07	2.04	2.01	1.99
33	4.14	3.28	2.89	2.66	2.50	2.39	2.30	2.23	2.18	2.13	2.09	2.06	2.03	2.00	1.98
34	4.13	3.28	2.88	2.65	2.49	2.38	2.29	2.23	2.17	2.12	2.08	2.05	2.02	1.99	1.97
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.07	2.04	2.01	1.99	1.96
36	4.11	3.26	2.87	2.63	2.48	2.36	2.28	2.21	2.15	2.11	2.07	2.03	2.00	1.98	1.95
37	4.11	3.25	2.86	2.63	2.47	2.36	2.27	2.20	2.14	2.10	2.06	2.02	2.00	1.97	1.95
38	4.10	3.24	2.85	2.62	2.46	2.35	2.26	2.19	2.14	2.09	2.05	2.02	1.99	1.96	1.94
39	4.09	3.24	2.85	2.61	2.46	2.34	2.26	2.19	2.13	2.08	2.04	2.01	1.98	1.95	1.93
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.04	2.00	1.97	1.95	1.92
41	4.08	3.23	2.83	2.60	2.44	2.33	2.24	2.17	2.12	2.07	2.03	2.00	1.97	1.94	1.92
42	4.07	3.22	2.83	2.59	2.44	2.32	2.24	2.17	2.11	2.06	2.03	1.99	1.96	1.94	1.91
43	4.07	3.21	2.82	2.59	2.43	2.32	2.23	2.16	2.11	2.06	2.02	1.99	1.96	1.93	1.91
44	4.06	3.21	2.82	2.58	2.43	2.31	2.23	2.16	2.10	2.05	2.01	1.98	1.95	1.92	1.90
45	4.06	3.20	2.81	2.58	2.42	2.31	2.22	2.15	2.10	2.05	2.01	1.97	1.94	1.92	1.89

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
46	4.05	3.20	2.81	2.57	2.42	2.30	2.22	2.15	2.09	2.04	2.00	1.97	1.94	1.91	1.89
47	4.05	3.20	2.80	2.57	2.41	2.30	2.21	2.14	2.09	2.04	2.00	1.96	1.93	1.91	1.88
48	4.04	3.19	2.80	2.57	2.41	2.29	2.21	2.14	2.08	2.03	1.99	1.96	1.93	1.90	1.88
49	4.04	3.19	2.79	2.56	2.40	2.29	2.20	2.13	2.08	2.03	1.99	1.96	1.93	1.90	1.88
50	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.99	1.95	1.92	1.89	1.87
51	4.03	3.18	2.79	2.55	2.40	2.28	2.20	2.13	2.07	2.02	1.98	1.95	1.92	1.89	1.87
52	4.03	3.18	2.78	2.55	2.39	2.28	2.19	2.12	2.07	2.02	1.98	1.94	1.91	1.89	1.86
53	4.02	3.17	2.78	2.55	2.39	2.28	2.19	2.12	2.06	2.01	1.97	1.94	1.91	1.88	1.86
54	4.02	3.17	2.78	2.54	2.39	2.27	2.18	2.12	2.06	2.01	1.97	1.94	1.91	1.88	1.86
55	4.02	3.16	2.77	2.54	2.38	2.27	2.18	2.11	2.06	2.01	1.97	1.93	1.90	1.88	1.85
56	4.01	3.16	2.77	2.54	2.38	2.27	2.18	2.11	2.05	2.00	1.96	1.93	1.90	1.87	1.85
57	4.01	3.16	2.77	2.53	2.38	2.26	2.18	2.11	2.05	2.00	1.96	1.93	1.90	1.87	1.85
58	4.01	3.16	2.76	2.53	2.37	2.26	2.17	2.10	2.05	2.00	1.96	1.92	1.89	1.87	1.84
59	4.00	3.15	2.76	2.53	2.37	2.26	2.17	2.10	2.04	2.00	1.96	1.92	1.89	1.86	1.84
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.95	1.92	1.89	1.86	1.84
61	4.00	3.15	2.76	2.52	2.37	2.25	2.16	2.09	2.04	1.99	1.95	1.91	1.88	1.86	1.83
62	4.00	3.15	2.75	2.52	2.36	2.25	2.16	2.09	2.03	1.99	1.95	1.91	1.88	1.85	1.83
63	3.99	3.14	2.75	2.52	2.36	2.25	2.16	2.09	2.03	1.98	1.94	1.91	1.88	1.85	1.83
64	3.99	3.14	2.75	2.52	2.36	2.24	2.16	2.09	2.03	1.98	1.94	1.91	1.88	1.85	1.83
65	3.99	3.14	2.75	2.51	2.36	2.24	2.15	2.08	2.03	1.98	1.94	1.90	1.87	1.85	1.82
66	3.99	3.14	2.74	2.51	2.35	2.24	2.15	2.08	2.03	1.98	1.94	1.90	1.87	1.84	1.82
67	3.98	3.13	2.74	2.51	2.35	2.24	2.15	2.08	2.02	1.98	1.93	1.90	1.87	1.84	1.82
68	3.98	3.13	2.74	2.51	2.35	2.24	2.15	2.08	2.02	1.97	1.93	1.90	1.87	1.84	1.82
69	3.98	3.13	2.74	2.50	2.35	2.23	2.15	2.08	2.02	1.97	1.93	1.90	1.86	1.84	1.81
70	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.93	1.89	1.86	1.84	1.81
71	3.98	3.13	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.97	1.93	1.89	1.86	1.83	1.81
72	3.97	3.12	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.96	1.92	1.89	1.86	1.83	1.81
73	3.97	3.12	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.96	1.92	1.89	1.86	1.83	1.81
74	3.97	3.12	2.73	2.50	2.34	2.22	2.14	2.07	2.01	1.96	1.92	1.89	1.85	1.83	1.80
75	3.97	3.12	2.73	2.49	2.34	2.22	2.13	2.06	2.01	1.96	1.92	1.88	1.85	1.83	1.80
76	3.97	3.12	2.72	2.49	2.33	2.22	2.13	2.06	2.01	1.96	1.92	1.88	1.85	1.82	1.80
77	3.97	3.12	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.96	1.92	1.88	1.85	1.82	1.80
78	3.96	3.11	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.95	1.91	1.88	1.85	1.82	1.80
79	3.96	3.11	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.95	1.91	1.88	1.85	1.82	1.79
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.91	1.88	1.84	1.82	1.79
81	3.96	3.11	2.72	2.48	2.33	2.21	2.12	2.05	2.00	1.95	1.91	1.87	1.84	1.82	1.79
82	3.96	3.11	2.72	2.48	2.33	2.21	2.12	2.05	2.00	1.95	1.91	1.87	1.84	1.81	1.79
83	3.96	3.11	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.95	1.91	1.87	1.84	1.81	1.79
84	3.95	3.11	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.95	1.90	1.87	1.84	1.81	1.79
85	3.95	3.10	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.94	1.90	1.87	1.84	1.81	1.79
86	3.95	3.10	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.94	1.90	1.87	1.84	1.81	1.78
87	3.95	3.10	2.71	2.48	2.32	2.20	2.12	2.05	1.99	1.94	1.90	1.87	1.83	1.81	1.78
88	3.95	3.10	2.71	2.48	2.32	2.20	2.12	2.05	1.99	1.94	1.90	1.86	1.83	1.81	1.78
89	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.90	1.86	1.83	1.80	1.78
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.90	1.86	1.83	1.80	1.78

Lampiran 5 : Data SPSS

```

CORRELATIONS
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
  
```

Correlations

		Notes	20-MAR-2023 12:31:50
Output Created			
Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File		50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax		CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time		00:00:00.00
	Elapsed Time		00:00:00.01

Correlations

		X1.1	X1.2	X1.3	X1.4	X1.5	TOTAL
X1.1	Pearson Correlation	1	.613**	.416**	.450**	.533**	.768**
	Sig. (2-tailed)		.000	.003	.001	.000	.000
	N	50	50	50	50	50	50
X1.2	Pearson Correlation	.613**	1	.457**	.390**	.572**	.772**
	Sig. (2-tailed)	.000		.001	.005	.000	.000
	N	50	50	50	50	50	50
X1.3	Pearson Correlation	.416**	.457**	1	.587**	.639**	.784**
	Sig. (2-tailed)	.003	.001		.000	.000	.000
	N	50	50	50	50	50	50
X1.4	Pearson Correlation	.450**	.390**	.587**	1	.592**	.768**
	Sig. (2-tailed)	.001	.005	.000		.000	.000
	N	50	50	50	50	50	50
X1.5	Pearson Correlation	.533**	.572**	.639**	.592**	1	.844**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	50	50	50	50	50	50
TOTAL	Pearson Correlation	.768**	.772**	.784**	.768**	.844**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	

N	50	50	50	50	50	50
---	----	----	----	----	----	----

** . Correlation is significant at the 0.01 level (2-tailed).

```
RELIABILITY
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.
```

Reliability

		Notes	
Output Created			20-MAR-2023 12:42:52
Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File Matrix Input		50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.	
Syntax		RELIABILITY /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.	
Resources	Processor Time		00:00:00.02
	Elapsed Time		00:00:00.01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.846	5

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	17.40	3.673	.622	.823
X1.2	17.44	3.680	.629	.821
X1.3	17.50	3.684	.652	.815

X1.4	17.40	3.673	.622	.823
X1.5	17.54	3.560	.745	.790

CORRELATIONS

```

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes			20-MAR-2023 12:48:16
Output Created			
Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	50	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax		CORRELATIONS /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.00	
	Elapsed Time	00:00:00.02	

Correlations

		X2.1	X2.2	X2.3	X2.4	X2.5	TOTAL
X2.1	Pearson Correlation	1	.359	.585**	.377**	.406**	.723**
	Sig. (2-tailed)		.010	.000	.007	.003	.000
	N	50	50	50	50	50	50
X2.2	Pearson Correlation	.359	1	.359	.562**	.330*	.724**
	Sig. (2-tailed)	.010		.010	.000	.019	.000
	N	50	50	50	50	50	50
X2.3	Pearson Correlation	.585**	.359	1	.377**	.406**	.723**
	Sig. (2-tailed)	.000	.010		.007	.003	.000
	N	50	50	50	50	50	50
X2.4	Pearson Correlation	.377**	.562**	.377**	1	.401**	.763**
	Sig. (2-tailed)	.007	.000	.007		.004	.000
	N	50	50	50	50	50	50
X2.5	Pearson Correlation	.406**	.330*	.406**	.401**	1	.713**
	Sig. (2-tailed)	.003	.019	.003	.004		.000
	N	50	50	50	50	50	50
TOTAL	Pearson Correlation	.723**	.724**	.723**	.763**	.713**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	50	50	50	50	50	50

- *. Correlation is significant at the 0.05 level (2-tailed).
- ** Correlation is significant at the 0.01 level (2-tailed).

```
RELIABILITY
/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.
```

Reliability

		Notes
Output Created		20-MAR-2023 12:48:26
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Matrix Input		
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.776	5

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	17.36	4.113	.570	.731
X2.2	17.18	3.906	.541	.738

X2.3	17.36	4.113	.570	.731
X2.4	17.42	3.677	.582	.724
X2.5	17.40	3.837	.506	.753

CORRELATIONS

```

/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes			20-MAR-2023 12:52:57
Output Created			
Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	50	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax		CORRELATIONS /VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.02	
	Elapsed Time	00:00:00.03	

Correlations

		X3.1	X3.2	X3.3	X3.4	X3.5	TOTAL
X3.1	Pearson Correlation	1	.381**	.492**	.373**	.464**	.750**
	Sig. (2-tailed)		.006	.000	.008	.001	.000
	N	50	50	50	50	50	50
X3.2	Pearson Correlation	.381**	1	.211	.378**	.200	.614**
	Sig. (2-tailed)	.006		.142	.007	.163	.000
	N	50	50	50	50	50	50
X3.3	Pearson Correlation	.492**	.211	1	.453**	.438**	.745**
	Sig. (2-tailed)	.000	.142		.001	.001	.000
	N	50	50	50	50	50	50
X3.4	Pearson Correlation	.373**	.378**	.453**	1	.404**	.737**
	Sig. (2-tailed)	.008	.007	.001		.004	.000
	N	50	50	50	50	50	50
X3.5	Pearson Correlation	.464**	.200	.438**	.404**	1	.702**
	Sig. (2-tailed)	.001	.163	.001	.004		.000
	N	50	50	50	50	50	50
TOTAL	Pearson Correlation	.750**	.614**	.745**	.737**	.702**	1

Sig. (2-tailed)	.000	.000	.000	.000	.000	
N	50	50	50	50	50	50

** . Correlation is significant at the 0.01 level (2-tailed).

```
RELIABILITY
/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.
```

Reliability

Notes		
Output Created		20-MAR-2023 12:53:05
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.750	5

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X3.1	17.52	3.316	.600	.679
X3.2	17.48	3.520	.379	.755
X3.3	17.44	3.068	.545	.695
X3.4	17.28	3.226	.560	.689
X3.5	17.32	3.324	.512	.707

CORRELATIONS

```

/VARIABLES=Y1 Y2 Y3 Y4 Y5 TOTAL
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created	20-MAR-2023 12:57:31	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=Y1 Y2 Y3 Y4 Y5 TOTAL /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.04

Correlations

		Y1	Y2	Y3	Y4	Y5	TOTAL
Y1	Pearson Correlation	1	.430**	.514**	.527**	.512**	.778**
	Sig. (2-tailed)		.002	.000	.000	.000	.000
	N	50	50	50	50	50	50
Y2	Pearson Correlation	.430**	1	.488**	.417**	.471**	.733**
	Sig. (2-tailed)	.002		.000	.003	.001	.000
	N	50	50	50	50	50	50
Y3	Pearson Correlation	.514**	.488**	1	.465**	.532**	.785**
	Sig. (2-tailed)	.000	.000		.001	.000	.000
	N	50	50	50	50	50	50
Y4	Pearson Correlation	.527**	.417**	.465**	1	.435**	.756**
	Sig. (2-tailed)	.000	.003	.001		.002	.000

	N	50	50	50	50	50	50
Y5	Pearson Correlation	.512**	.471**	.532**	.435**	1	.766**
	Sig. (2-tailed)	.000	.001	.000	.002		.000
	N	50	50	50	50	50	50
TOTAL	Pearson Correlation	.778**	.733**	.785**	.756**	.766**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	50	50	50	50	50	50

** . Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

```

/VARIABLES=Y1 Y2 Y3 Y4 Y5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes		
Output Created		20-MAR-2023 12:57:43
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Y1 Y2 Y3 Y4 Y5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.820	5

Item-Total Statistics				
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y1	17.62	3.506	.640	.777
Y2	17.50	3.602	.571	.797
Y3	17.46	3.437	.644	.776
Y4	17.36	3.419	.587	.794
Y5	17.42	3.555	.625	.782

Your temporary usage period for IBM SPSS Statistics will expire in 4668 days.

```

REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2 X3
  /SCATTERPLOT=( *SRESID , *ZPRED)
  /RESIDUALS HISTOGRAM(ZRESID) NORMPROB(ZRESID) .

```

Regression

		Notes
Output Created		21-MAR-2023 23:41:49
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 X3 /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS HISTOGRAM(ZRESID) NORMPROB(ZRESID).	
Resources	Processor Time	00:00:04.04
	Elapsed Time	00:00:02.62
	Memory Required	3472 bytes
	Additional Memory Required for Residual Plots	648 bytes

[DataSet0]

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Promosi (X3), Harga (X2), Kepuasan Pelanggan (X1) ^b	.	Enter

a. Dependent Variable: Loyalitas Pelanggan (Y)

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.907 ^a	.823	.812	.993

a. Predictors: (Constant), Promosi (X3), Harga (X2), Kepuasan Pelanggan (X1)

b. Dependent Variable: Loyalitas Pelanggan (Y)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	211.407	3	70.469	71.536	.000 ^b
	Residual	45.313	46	.985		
	Total	256.720	49			

a. Dependent Variable: Loyalitas Pelanggan (Y)

b. Predictors: (Constant), Promosi (X3), Harga (X2), Kepuasan Pelanggan (X1)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	7.034	1.542		-.022	.982		
	Kepuasan Pelanggan (X1)	.244	.109	.250	2.237	.030	.308	3.245

Harga (X2)	.442	.104	.465	4.260	.000	.322	3.110
Promosi (X3)	.321	.082	.308	3.890	.000	.611	1.636

a. Dependent Variable: Loyalitas Pelanggan (Y)

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	(Constant)	Variance Proportions		
					Kepuasan Pelanggan (X1)	Harga (X2)	Promosi (X3)
1	1	3.986	1.000	.00	.00	.00	.00
	2	.007	23.646	.65	.08	.13	.02
	3	.005	29.719	.35	.02	.05	.97
	4	.002	43.436	.00	.89	.82	.01


a. Dependent Variable: Loyalitas Pelanggan (Y)

Residuals Statistics^a


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	15.06	24.36	21.84	2.077	50
Std. Predicted Value	-3.265	1.212	.000	1.000	50
Standard Error of Predicted Value	.167	.524	.269	.081	50
Adjusted Predicted Value	15.08	24.32	21.83	2.096	50
Residual	-1.866	2.017	.000	.962	50
Std. Residual	-1.880	2.032	.000	.969	50
Stud. Residual	-1.999	2.393	.003	1.026	50
Deleted Residual	-2.110	2.798	.006	1.082	50
Stud. Deleted Residual	-2.070	2.530	.005	1.044	50
Mahal. Distance	.400	12.701	2.940	2.713	50
Cook's Distance	.000	.555	.033	.084	50
Centered Leverage Value	.008	.259	.060	.055	50

a. Dependent Variable: Loyalitas Pelanggan (Y)


Charts



Normal P-P Plot of Regression Standardized Residual



Scatterplot



Frequency Table

Kepuasan Pelanggan (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	23	46.0	46.0	52.0
	ss	24	48.0	48.0	100.0
	Total	50	100.0	100.0	

Kepuasan Pelanggan (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	25	50.0	50.0	56.0
	ss	22	44.0	44.0	100.0
	Total	50	100.0	100.0	

Kepuasan Pelanggan (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	28	56.0	56.0	62.0
	ss	19	38.0	38.0	100.0
	Total	50	100.0	100.0	

Kepuasan Pelanggan (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	23	46.0	46.0	52.0
	ss	24	48.0	48.0	100.0
	Total	50	100.0	100.0	

Kepuasan Pelanggan (X1)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	30	60.0	60.0	66.0
	ss	17	34.0	34.0	100.0
	Total	50	100.0	100.0	

Frequency Table

Harga (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	28	56.0	56.0	62.0
	ss	19	38.0	38.0	100.0
	Total	50	100.0	100.0	

Harga (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	5	10.0	10.0	10.0
	s	15	30.0	30.0	40.0
	ss	30	60.0	60.0	100.0
	Total	50	100.0	100.0	

Harga (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	28	56.0	56.0	62.0
	ss	19	38.0	38.0	100.0
	Total	50	100.0	100.0	

Harga (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	8	16.0	16.0	16.0
	s	21	42.0	42.0	58.0
	ss	21	42.0	42.0	100.0
	Total	50	100.0	100.0	

Harga (X2)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	8	16.0	16.0	16.0
	s	20	40.0	40.0	56.0
	ss	22	44.0	44.0	100.0
	Total	50	100.0	100.0	

Frequency Table

Promosi (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	32	64.0	64.0	70.0
	ss	15	30.0	30.0	100.0
	Total	50	100.0	100.0	

Promosi (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	5	10.0	10.0	10.0
	s	26	52.0	52.0	62.0

	ss	19	38.0	38.0	100.0
	Total	50	100.0	100.0	

Promosi (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	6	12.0	12.0	12.0
	s	22	44.0	44.0	56.0
	ss	22	44.0	44.0	100.0
	Total	50	100.0	100.0	

Promosi (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	20	40.0	40.0	46.0
	ss	27	54.0	54.0	100.0
	Total	50	100.0	100.0	

Promosi (X3)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	22	44.0	44.0	50.0
	ss	25	50.0	50.0	100.0
	Total	50	100.0	100.0	

Frequency Table

Loyalitas Pelanggan (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ts	1	2.0	2.0	2.0
	ks	1	2.0	2.0	4.0
	s	34	68.0	68.0	72.0
	ss	14	28.0	28.0	100.0
	Total	50	100.0	100.0	

Loyalitas Pelanggan (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	27	54.0	54.0	60.0
	ss	20	40.0	40.0	100.0
	Total	50	100.0	100.0	

Loyalitas Pelanggan (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	3	6.0	6.0	6.0
	s	25	50.0	50.0	56.0
	ss	22	44.0	44.0	100.0
	Total	50	100.0	100.0	

Loyalitas Pelanggan (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	4	8.0	8.0	8.0
	s	18	36.0	36.0	44.0
	ss	28	56.0	56.0	100.0
	Total	50	100.0	100.0	

Loyalitas Pelanggan (Y)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ks	2	4.0	4.0	4.0
	s	25	50.0	50.0	54.0
	ss	23	46.0	46.0	100.0
	Total	50	100.0	100.0	