

Decision Support System for Financial Aid for Underprivileged Students using the TOPSIS Method

Apprillia Yudha Pransiska^{1)*}, Angga Putra Juledi²⁾, Syaiful Zuhri Harahap³⁾ ^{1,2,3)}Universitas Labuhanbatu, Indonesian ¹⁾ yudhapransiska30@gmail.com, ²⁾anggapj19@gmail.com, ³⁾syaifulzuhriharahap@gmail.com

Submitted : Jul 27, 2023 | Accepted : Aug 4, 2023 | Published : Aug 6, 2023

Abstract: The distribution of Financial Aid for Underprivileged Students is considered not to be on target due to the unmeasured selection process. So a decision-making system is needed that can select beneficiaries objectively. This research was conducted to assist the school in determining students who deserve this assistance. The purpose of this research is to build a decisionmaking system for selecting beneficiaries from poor students by applying the Technique for Order of Preference by Similarity to Ideal Solution method. The formulation of the problem is how to build a decision support system using the Technique for Order of Preference by Similarity to Ideal Solution method in selecting students who receive financial aid for underprivileged students. The method used goes through several stages, namely: determining alternatives and criteria, building a normalized decision matrix, building a weighted normalized decision matrix, determining positive and negative ideal solutions, determining the distance between ideal solutions, and determining preference values. There are 7 criteria used, namely social protection card recipients, total income, number of dependents, parental status, distance, class, and report card scores. The results showed that the highest preference value for each alternative was in alternative A3, with a score of 0.6665. While the lowest preference value is in alternative A20 with a score of 0.0719, From the results of the study, it was concluded that the Technique for Order of Preference by Similarity to Ideal Solution method can be used in making decisions on the selection of beneficiaries of poor students based on preference value rankings.

Keywords: Decision Support System; Financial Aid for Underprivileged Students; Labuhanbatu; Preference; TOPSIS.

INTRODUCTION

In an effort to equalize access to proper education and reduce the dropout rate, the government pays great attention to the poor. He attention is in the form of providing Financial Aid for Underprivileged Students (Winata, Marsono, & Nasyuha, 2018). This assistance is provided by the Government in the context of compensation for rising fuel prices, which have a direct impact on the economy of the poor (Rajagukguk, 2019). Although the School Operational Support program is expected to increase student participation, there are still many children who cannot attend school and are unable to continue their education to the next level of education. One of the reasons for this was the limited cost of education, which the school operation support fund could not afford (Nazar, 2022).





In implementing the financial aid for underprivileged students program, the selection committee at SD Negeri 07 Rantau Selatan District often faced problems related to determining students who were entitled to receive this assistance. Out of all existing students (grades 1–6), not all students from poor families can receive the financial aid for underprivileged students program due to the limited number of beneficiary quotas. Problems in determining financial aid for underprivileged students beneficiary students are caused by the similarity of data. The similarity of existing data can be a problem in determining which students are eligible to receive financial aid for underprivileged students so that the program is right on target, thereby avoiding subjective judgments (Akbar & 'Uyun, 2021). In addition, the determination of financial aid for underprivileged students beneficiary students by the school is still done manually, which has the potential to cause errors during the selection process (Winata et al., 2018). Seeing the problems faced by the school, a solution is proposed in the form of implementing a decision support system for selecting students who are entitled to receive financial aid for underprivileged students (Syaifuddin, Solikhin, & Riyanto, 2022). Decision support systems have been proven to be able to overcome problems in decision making with accurate, targeted, effective, and objective results (Nalatissifa & Ramdhani, 2020).

A decision support system certainly requires the right decision-making method in accordance with the problem at hand. The Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) method can assist in making the best decisions with faster and more accurate calculation results so that the resulting information can be used as a decision support (Nurelasari & Purwaningsih, 2020). The TOPSIS method was chosen because it is able to select the best alternative from a number of alternatives, in this case, the best alternative based on predetermined criteria (Winata et al., 2018). Compared to the Simple Additive Weighting method, the test results from the TOPSIS method are better, with an accuracy of 100% (Firdonsyah, Warsito, & Wibowo, 2022). Comparison with the TOPSIS-AHP, SAW-AHP, and SAW methods shows that the TOPSIS method is ranked second with an accuracy rate of 78% below the TOPSIS-AHP method (Firgiawan, Zulkarnaim, & Cokrowibowo, 2020).

This study was designed to apply the TOPSIS method to a decision support system for selecting assistance for poor students at SD Negeri 07 Rantau Selatan, Labuhanbatu Regency. This research is important to do in an effort to assist the school in determining financial aid for underprivileged students beneficiaries objectively and on target. The difference with previous studies is in the criteria used. This study uses seven criteria, namely, social protection card recipients, total income, number of dependents, parental status, distance, class, and average report card scores. The purpose of this research is to build a decision-making system for selecting financial aid for underprivileged students recipients at SD Negeri 07 Rantau Selatan by applying the TOPSIS method, so that from the results of this study, the school can determine whether students are eligible or not to receive financial aid for underprivileged students based on an objective and accurate process. While the formulation of the problem in this study is whether the decision support system with the TOPSIS method can assist in making decisions for select financial aid for underprivileged students based.

LITERATURE REVIEW

Bantuan Siswa Miskin is direct assistance in the form of cash that is given directly to students who meet the criteria set by the government. This criterion includes the number of siblings, parents' income levels, place of residence, means of transportation to school, and student grades (Cahyanu, Lestari, & Hermawan, 2019). The provision of financial aid for underprivileged students aims to prevent students from dropping out of school, support the Nine-Year Education Program (even up to high school), and support school programs funded by the state budget (Nazar, 2022). Based on data released by the National Team for the Acceleration of Poverty Reduction (TNP2K), the amount of financial aid for underprivileged students funds allocated per semester for this program is Rp. 225,000 for Elementary School (SD), Rp. 375,000 for Junior High School (SMP), and Rp. 500,000 for Senior High School (SMA). According to TNP2K, the financial aid for underprivileged students program is specifically for students who are economically disadvantaged, while students who are economically capable, despite their achievements, are not recipients of funds in this program (Nata & Apridonal, 2020).

A decision support system (DSS) is a computer-based system that combines the intellectual abilities of an expert with the ability of a computer to process data into information. To increase the effectiveness

* Apprillia Yudha Pransiska



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.




of decision-making, this system has the ability to solve problems and communicate in semi-structured and unstructured conditions by processing data interactively using various models to provide relevant information (Asrul & Zuhriyah, 2021). DSS is an interactive system that provides information, modeling, and data manipulation to help make decisions and guide future planning (Putri, Juledi, & Munthe, 2023). One of the goals of a decision support system is to assist the decision-making process by improving human and system performance, such as by reducing mental workload. This is not always achieved through process automation but also through facilitating decision-making (Gil, Wróbel, Montewka, & Goerlandt, 2020). DSS has several stages of the decision-making process, namely (a) intelligence, (b) design, (c) choice, and (d) implementation (Somya & Wardoyo, 2019).

Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) is a decision-making method that chooses the alternative that is closest to the positive ideal solution and farthest from the negative ideal solution (Santiary, Ciptayani, Saptarini, & Swardika, 2018). The positive ideal solution maximizes the profit attribute and minimizes the cost attribute, while the negative ideal solution minimizes the profit attribute and maximizes the cost attribute (Kristiana, 2018). This method is widely used to solve decision-making problems because the concept is simple, the computation is efficient, and TOPSIS takes into account the distance between the positive and negative ideal solutions by considering the distance relative to the positive ideal solution (Riandari, Hasugian Marto, & Taufik, 2017). The TOPSIS method uses the principle that the chosen alternative must be closest to the positive ideal solution and furthest from the negative ideal solution from a geometric point of view. To find out the relative closeness of the alternative to the optimal solution, relative distance is used (Muzakkir, 2017). In the TOPSIS method, the best value for the positive ideal solution will be selected, and the worst value for the negative ideal solution will be selected. In the end, the value of the positive and negative ideal solutions will be compared. It is hoped that more objective recommendations will be made through this assessment. Because it is simple, easy to understand, and computationally efficient, the TOPSIS method is also widely used. This method also has the ability to measure the performance of decision alternatives in a simple mathematical form (Handayani, Normah, & Wironoto, 2021).

METHOD

Activities and procedures carried out during research require an organized and systematic methodology. To carry out this research phase, the stages used are shown in Figure 1 (Handayani et al., 2021).



The data used in this study was obtained through observation and interviews. Observation, namely seeing the object under study directly, is used to conduct direct interviews with schools to obtain data on financial aid for underprivileged students acceptance. Literature study is carried out by conducting literature research from various sources, such as books, magazines, articles, journals, or documents related to the subject under study.

The procedure for implementing the TOPSIS method in this study will be measured and tested through the following stages (Santiary et al., 2018):

* Apprillia Yudha Pransiska



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.



Determine Alternatives

Before calculating with TOPSIS, the alternative variables and criteria used are determined in advance. The alternative used is data on prospective financial aid for underprivileged students, totaling 25 students from grade 1 to grade 6.

Define Criteria

There are seven criteria used in selecting financial aid for underprivileged students beneficiary students, namely: Recipients of the Social Protection Card (SPC), Total income of parents, Number of dependents of parents, Status of parents, Distance, Class, and Average Rapot score.

Building a Normalized Decision Matrix

In TOPSIS, the performance of each alternative is calculated using equation 1.

$$r_{ij} = \frac{x_{ij}}{\sqrt{\sum_{i=1}^{m} x_{ij}^2}}$$

(1)

(2)

Description:

- r_{ij} is the i-th alternative normalized decision matrix and the j-th criterion
- x_{ij} is the measurement of the i-th alternative and the j-th criterion

Building a Weighted Normalized Decision Matrix

 $y_{ij} = w_j r_{ij}$ Description:

- y_{ii} to determine weighting
- r_{ij} is the normalized decision matrix
- w_j is the criterion weight

Determine the Positive Ideal Solution Matrix and the Negative Ideal Solution matrix

$$A^{+} = (y_{1}^{+}, y_{2}^{+}, \dots, y_{n}^{+})$$
(3)
$$A^{-} = (y_{1}^{-}, y_{2}^{-}, \dots, y_{n}^{-})$$
(4)

Description:

- A⁺ is the positive ideal solution
- A⁻ is the negative ideal solution
- y is a weighted normalized matrix

Determine the Distance Between Each Alternative of the Positive and Negative Ideal solutions

$$D_{i}^{+} = \sqrt{\sum_{j=1}^{n} (y_{i}^{+} - y_{ij})^{2}; i = 1, 2, ... m}$$
(5)
$$D_{i}^{-} = \sqrt{\sum_{j=1}^{n} (y_{ij} - y_{i}^{-})^{2}; i = 1, 2, ... m}$$
(6)

Description:

- D_i^+ is the shortest distance to the positive ideal solution
- D_i^- is the shortest distance to the negative ideal solution

Define the preference value for Each alternative

TOPSIS requires the weight value of each alternative (A_i) on each criterion.

$$V_i = \frac{D_i^-}{D_i^- + D_i^+}$$

Description:

- V_i is preference
- D_i^+ is the shortest distance to the positive ideal solution
- D_i^- is the shortest distance to the negative ideal solution

* Apprillia Yudha Pransiska



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

(7)



Conclusions will be drawn based on the results of the research, and based on the results of the preference value of each alternative, ranking will be carried out from the highest preference value (first rank) to the smallest preference value (last rank).

RESULT

This study has implemented the stages and procedures as presented in the method section by using the Technique for Order of Preference by Similarity to the Ideal Solution method. The results of this study will systematically describe the results of the research stages described in the previous Methods section.

Table 1. Alternative Data for FINANCIAL AID FOR UNDERPRIVILEGED STUDENTS Recipient Students

| Student (Alternative) | SPC recipients | Total Income (Rp) | Number of Dependents (people) | Orphan | Distanc e (Km) | Leve l | Report Average Score |
|--------------------------|-------------------|-------------------------|-------------------------------------|--------|-------------------|-----------|----------------------------|
| Student 1 | Yes | 750,000 | 1 | YP | 1.5 | 1 | 76.67 |
| Student 2 | Yes | 1,250,000 | 2 | Y | 5 | 1 | 82.54 |
| Student 3 | Yes | 950,000 | 2 | Y | 4 | 1 | 83.08 |
| Student 4 | Yes | 1,200,000 | 2 | L | 2 | 1 | 85.94 |
| Student 5 | Yes | 900,000 | 1 | Р | 7 | 1 | 86.81 |
| Student 6 | No | 850,000 | 1 | L | 3 | 2 | 87.88 |
| Student 7 | Yes | 1,000,000 | 2 | L | 9 | 2 | 87 |
| Student 8 | No | 900,000 | 1 | L | 8 | 2 | 73.97 |
| Student 9 | Yes | 1,300,000 | 3 | L | 10 | 2 | 74.25 |
| Student 10 | Yes | 1,250,000 | 2 | Р | 6 | 2 | 73 |
| Student 11 | Yes | 850,000 | 1 | Y | 0.5 | 3 | 75.52 |
| Student 12 | Yes | 850,000 | 1 | Y | 7 | 3 | 77 |
| Student 13 | No | 1,500,000 | 1 | L | 3 | 3 | 73.87 |
| Student 14 | Yes | 1,000,000 | 2 | YP | 1.2 | 3 | 76.25 |
| Student 15 | No | 900,000 | 1 | L | 0.6 | 4 | 84.29 |
| Student 16 | Yes | 750,000 | 1 | L | 0.25 | 4 | 80.77 |
| Student 17 | Yes | 1,200,000 | 3 | L | 2.2 | 4 | 80.5 |
| Student 18 | No | 800,000 | 2 | L | 0.6 | 4 | 81.13 |
| Student 19 | Yes | 900,000 | 2 | L | 0.85 | 5 | 76.9 |
| Student 20 | No | 1,000,000 | 1 | L | 1.35 | 5 | 78.84 |
| Student 21 | Yes | 1,500,000 | 2 | Р | 0.7 | 5 | 73.47 |
| Student 22 | Yes | 950,000 | 1 | Y | 0.2 | 5 | 80.64 |
| Student 23 | Yes | 800,000 | 1 | Y | 0.9 | 6 | 76.81 |
| Student 24 | Yes | 1,000,000 | 2 | Р | 4 | 6 | 77.06 |
| Student 25 | No | 800,000 | 1 | L | 2.3 | 6 | 84.69 |

Table 1 displays alternative data, which is data on prospective financial aid for underprivileged students beneficiary students. There are 25 alternative students, consisting of students in grades 1 to 6. Seven criteria are used with each sub-criterion, which will be explained in the next table.





| Criteria Code | Description | Weight |
|---------------|----------------------|--------|
| C1 | SPC recipients | 4 |
| C2 | Total Income | 4 |
| C3 | Number of Dependents | 4 |
| C4 | Orphan | 3 |
| C5 | Distance | 3 |
| C6 | Level | 2 |
| C7 | Report Average Score | 2 |

T 11 **A**

Table 2 shows the assessment criteria that apply in schools and are used to determine whether financial aid for underprivileged students recipient students are eligible or not. There are seven criteria used to determine whether or not a student is eligible to receive financial aid for underprivileged students, namely: Recipient of Social Protection Card, Total Income of Parents, Total Dependents of Parents, Status of Parents: Still Complete (L), Orphan (YP), Orphan (Y), and Orphan (F), Distance from home to school, Class, and Average Score of Report Card in an Even Semester. For each existing criterion, the preference weight value is determined. This weighting aims to determine the level of importance of a criterion used. The weight value of each criterion is determined on a scale of 1-4 based on the level of importance of the criteria, namely, 1 = Less Important, 2 = Quite Important, 3 = Important, and 4 =Very important.

| Criteria Code | Sub Criteria | Weight |
|---------------|-----------------------------|--------|
| C1 | Recipient | 4 |
| CI | Not Recipients | 1 |
| | ≤ Rp. 500,000 | 4 |
| C2 | Rp. 500,000 – Rp. 1,000,000 | 3 |
| | ≥ Rp. 1,000,000 | 1 |
| | \geq 4 children | 4 |
| C3 | 3 children | 3 |
| C.S | 2 children | 2 |
| | 1 children | 1 |
| | Yatim Piatu (YP) | 4 |
| C4 | Yatim (Y) | 3 |
| C4 | Piatu (P) | 3 |
| | Lengkap (L) | 1 |
| | > 10 Km | 4 |
| C5 | 5 – 10 Km | 3 |
| 0.5 | 3 – 4.9 Km | 2 |
| | 0-2.9 Km | 1 |
| | 1-2 grade | 4 |
| C6 | 3-4 grade | 3 |
| | 5-6 grade | 2 |
| | 85.00 - 100 | 4 |
| C7 | 75.00 - 84.99 | 3 |
| | 65.00 - 74.99 | 2 |
| | 0-64.99 | 1 |

Table 3. Weighting Value of Criteria and Sub Criteria

Table 3 shows the weighting of the criteria values by describing each of the subcriteria used. Recipients of a social protection card (C1) are an absolute requirement for prospective financial aid for underprivileged students recipients. This criterion is an indicator to serve as a reference for other criteria,





such as whether prospective financial aid for underprivileged students recipients are KPS recipients or not. Parents' total income (C2) is seen from the average amount of income per month. The number of parents' dependents (C3) is determined based on the number of siblings of financial aid for underprivileged students beneficiary students who are still in school or who are still paid for by their parents. Parents' status (C4) is seen from the condition of the parents, whether they are still there, one of them has died, or both parents have died. Distance (C5) is a measure of how far the location is from the house to the school, which is calculated based on kilometers. Class (C6) is the class size of prospective financial aid for underprivileged students recipient students. The average report card score (C7) can be seen from each semester's scores of students who are prospective recipients of financial aid for underprivileged students.

| Alternative | Criteria | | | | | | |
|--------------|----------|----|----|----|----|----|-----------|
| 1 HUI HUI VU | C1 | C2 | C3 | C4 | C5 | C6 | C7 |
| A1 | 4 | 3 | 1 | 4 | 1 | 4 | 3 |
| A2 | 4 | 1 | 2 | 3 | 3 | 4 | 3 |
| A3 | 4 | 3 | 2 | 3 | 2 | 4 | 3 |
| A4 | 4 | 1 | 2 | 1 | 1 | 4 | 4 |
| A5 | 4 | 3 | 1 | 3 | 3 | 4 | 4 |
| A6 | 1 | 3 | 1 | 1 | 2 | 4 | 4 |
| A7 | 4 | 1 | 2 | 1 | 3 | 4 | 4 |
| A8 | 1 | 3 | 1 | 1 | 3 | 4 | 2 |
| A9 | 4 | 1 | 3 | 1 | 3 | 4 | 2 |
| A10 | 4 | 1 | 2 | 3 | 3 | 4 | 2 |
| A11 | 4 | 3 | 1 | 3 | 1 | 3 | 3 |
| A12 | 4 | 3 | 1 | 3 | 3 | 3 | 3 |
| A13 | 1 | 1 | 1 | 1 | 2 | 3 | 2 |
| A14 | 4 | 1 | 2 | 4 | 1 | 3 | 3 |
| A15 | 1 | 3 | 1 | 1 | 1 | 3 | 3 |
| A16 | 4 | 3 | 1 | 1 | 1 | 3 | 3 |
| A17 | 4 | 1 | 3 | 1 | 1 | 3 | 3 |
| A18 | 1 | 3 | 2 | 1 | 1 | 3 | 3 |
| A19 | 4 | 3 | 2 | 1 | 1 | 2 | 3 |
| A20 | 1 | 1 | 1 | 1 | 1 | 2 | 3 |
| A21 | 4 | 1 | 2 | 3 | 1 | 2 | 2 |
| A22 | 4 | 3 | 1 | 3 | 1 | 2 | 3 |
| A23 | 4 | 3 | 1 | 3 | 1 | 2 | 3 |
| A24 | 4 | 1 | 2 | 3 | 2 | 2 | 3 |
| A25 | 1 | 3 | 1 | 1 | 1 | 2 | 3 |

Table 4. Alternative Match Rating on Criteria

From the results of the alternatives, criteria, and weighting of the criteria values, as well as the alternative suitability ratings on the criteria shown in Table 4, the calculations are carried out according to the stages of the TOPSIS method. The results of the TOPSIS calculations are presented in the tables below.

Normalized Decision Matrix

Matrix normalization is done by calculating the value of the normalized performance rating (r_{ij}) of the alternative Ai. By using equation 1, the results of the normalized decision matrix can be seen in Table 5.





| | Table 5. Normalized Decision Matrix Results | | | | | | |
|------------|---------------------------------------------|--------|--------|--------|--------|--------|--------|
| Alternativ | Criteria | | | | | | |
| e | C1 | C2 | C3 | C4 | C5 | C6 | C7 |
| A1 | 0.2329 | 0.2563 | 0.1187 | 0.3443 | 0.1037 | 0.2481 | 0.1987 |
| A2 | 0.2329 | 0.0854 | 0.2374 | 0.2582 | 0.3111 | 0.2481 | 0.1987 |
| A3 | 0.2329 | 0.2563 | 0.2374 | 0.2582 | 0.2074 | 0.2481 | 0.1987 |
| A4 | 0.2329 | 0.0854 | 0.2374 | 0.0861 | 0.1037 | 0.2481 | 0.2649 |
| A5 | 0.2329 | 0.2563 | 0.1187 | 0.2582 | 0.3111 | 0.2481 | 0.2649 |
| A6 | 0.0582 | 0.2563 | 0.1187 | 0.0861 | 0.2074 | 0.2481 | 0.2649 |
| A7 | 0.2329 | 0.0854 | 0.2374 | 0.0861 | 0.3111 | 0.2481 | 0.2649 |
| A8 | 0.0582 | 0.2563 | 0.1187 | 0.0861 | 0.3111 | 0.2481 | 0.1325 |
| A9 | 0.2329 | 0.0854 | 0.3560 | 0.0861 | 0.3111 | 0.2481 | 0.1325 |
| A10 | 0.2329 | 0.0854 | 0.2374 | 0.2582 | 0.3111 | 0.2481 | 0.1325 |
| A11 | 0.2329 | 0.2563 | 0.1187 | 0.2582 | 0.1037 | 0.1861 | 0.1987 |
| A12 | 0.2329 | 0.2563 | 0.1187 | 0.2582 | 0.3111 | 0.1861 | 0.1987 |
| A13 | 0.0582 | 0.0854 | 0.1187 | 0.0861 | 0.2074 | 0.1861 | 0.1325 |
| A14 | 0.2329 | 0.0854 | 0.2374 | 0.3443 | 0.1037 | 0.1861 | 0.1987 |
| A15 | 0.0582 | 0.2563 | 0.1187 | 0.0861 | 0.1037 | 0.1861 | 0.1987 |
| A16 | 0.2329 | 0.2563 | 0.1187 | 0.0861 | 0.1037 | 0.1861 | 0.1987 |
| A17 | 0.2329 | 0.0854 | 0.3560 | 0.0861 | 0.1037 | 0.1861 | 0.1987 |
| A18 | 0.0582 | 0.2563 | 0.2374 | 0.0861 | 0.1037 | 0.1861 | 0.1987 |
| A19 | 0.2329 | 0.2563 | 0.2374 | 0.0861 | 0.1037 | 0.1240 | 0.1987 |
| A20 | 0.0582 | 0.0854 | 0.1187 | 0.0861 | 0.1037 | 0.1240 | 0.1987 |
| A21 | 0.2329 | 0.0854 | 0.2374 | 0.2582 | 0.1037 | 0.1240 | 0.1325 |
| A22 | 0.2329 | 0.2563 | 0.1187 | 0.2582 | 0.1037 | 0.1240 | 0.1987 |
| A23 | 0.2329 | 0.2563 | 0.1187 | 0.2582 | 0.1037 | 0.1240 | 0.1987 |
| A24 | 0.2329 | 0.0854 | 0.2374 | 0.2582 | 0.2074 | 0.1240 | 0.1987 |
| A25 | 0.0582 | 0.2563 | 0.1187 | 0.0861 | 0.1037 | 0.1240 | 0.1987 |

Table 5. Normalized Decision Matrix Results

Weighted Normalized Decision Matrix

To make a weighted normalized decision matrix, the preference weight (w_i) must be multiplied by the normalized matrix (r_{ij}) . The weighted normalized decision matrix is calculated using equation 2. The results are shown in Table 6.

Table 6. Weighted Normalized Decision Matrix Results

| Alternativ | | Criteria | | | | | |
|------------|--------|----------|--------|--------|--------|--------|--------|
| e | C1 | C2 | C3 | C4 | C5 | C6 | C7 |
| A1 | 0.9316 | 1.0252 | 0.4747 | 1.0328 | 0.3111 | 0.4961 | 0.3974 |
| A2 | 0.9316 | 0.3417 | 0.9494 | 0.7746 | 0.9333 | 0.4961 | 0.3974 |
| A3 | 0.9316 | 1.0252 | 0.9494 | 0.7746 | 0.6222 | 0.4961 | 0.3974 |
| A4 | 0.9316 | 0.3417 | 0.9494 | 0.2582 | 0.3111 | 0.4961 | 0.5298 |
| A5 | 0.9316 | 1.0252 | 0.4747 | 0.7746 | 0.9333 | 0.4961 | 0.5298 |
| A6 | 0.2329 | 1.0252 | 0.4747 | 0.2582 | 0.6222 | 0.4961 | 0.5298 |
| A7 | 0.9316 | 0.3417 | 0.9494 | 0.2582 | 0.9333 | 0.4961 | 0.5298 |
| A8 | 0.2329 | 1.0252 | 0.4747 | 0.2582 | 0.9333 | 0.4961 | 0.2649 |
| A9 | 0.9316 | 0.3417 | 1.4241 | 0.2582 | 0.9333 | 0.4961 | 0.2649 |
| A10 | 0.9316 | 0.3417 | 0.9494 | 0.7746 | 0.9333 | 0.4961 | 0.2649 |
| A11 | 0.9316 | 1.0252 | 0.4747 | 0.7746 | 0.3111 | 0.3721 | 0.3974 |
| A12 | 0.9316 | 1.0252 | 0.4747 | 0.7746 | 0.9333 | 0.3721 | 0.3974 |
| A13 | 0.2329 | 0.3417 | 0.4747 | 0.2582 | 0.6222 | 0.3721 | 0.2649 |
| A14 | 0.9316 | 0.3417 | 0.9494 | 1.0328 | 0.3111 | 0.3721 | 0.3974 |





e-ISSN: 2541-2019 p-ISSN : 2541-044X

| A15 | 0.2329 | 1.0252 | 0.4747 | 0.2582 | 0.3111 | 0.3721 | 0.3974 |
|-----|--------|--------|--------|--------|--------|--------|--------|
| A16 | 0.9316 | 1.0252 | 0.4747 | 0.2582 | 0.3111 | 0.3721 | 0.3974 |
| A17 | 0.9316 | 0.3417 | 1.4241 | 0.2582 | 0.3111 | 0.3721 | 0.3974 |
| A18 | 0.2329 | 1.0252 | 0.9494 | 0.2582 | 0.3111 | 0.3721 | 0.3974 |
| A19 | 0.9316 | 1.0252 | 0.9494 | 0.2582 | 0.3111 | 0.2481 | 0.3974 |
| A20 | 0.2329 | 0.3417 | 0.4747 | 0.2582 | 0.3111 | 0.2481 | 0.3974 |
| A21 | 0.9316 | 0.3417 | 0.9494 | 0.7746 | 0.3111 | 0.2481 | 0.2649 |
| A22 | 0.9316 | 1.0252 | 0.4747 | 0.7746 | 0.3111 | 0.2481 | 0.3974 |
| A23 | 0.9316 | 1.0252 | 0.4747 | 0.7746 | 0.3111 | 0.2481 | 0.3974 |
| A24 | 0.9316 | 0.3417 | 0.9494 | 0.7746 | 0.6222 | 0.2481 | 0.3974 |
| A25 | 0.2329 | 1.0252 | 0.4747 | 0.2582 | 0.3111 | 0.2481 | 0.3974 |

Positive Ideal Solution Matrix and Negative Ideal Solution Matrix

Based on equation 3, the positive ideal solution (A^+) is obtained from the maximum value in the weighted normalized matrix (table 6) for each criterion. The results are shown in Table 7.

| | Table 7. Positive Ideal Solution Matrix Result | | | | | | |
|--------------------|------------------------------------------------|--------|--------|--------|--------|--------|-----------|
| Positive Ideals | C1 | C2 | C3 | C4 | C5 | C6 | C7 |
| A^+ | 0.9316 | 1.0252 | 1.4241 | 1.0328 | 0.9333 | 0.4961 | 0.5298 |

Meanwhile, equation 4 is the negative ideal solution (A^{-}) , which is obtained from the minimum value in the weighted normalized matrix (table 6) for each criterion. The results are shown in Table 8.

| | Table 8. Negative Ideal Solution Matrix Result | | | | | | |
|--------------------|------------------------------------------------|--------|--------|--------|--------|--------|-----------|
| Negative Ideals | C1 | C2 | C3 | C4 | C5 | C6 | C7 |
| A ⁻ | 0.2329 | 0.3417 | 0.4747 | 0.2582 | 0.3111 | 0.2481 | 0.2649 |

Table 9 Magative Ideal Colution Matrix D

The Distance Between the Values of Each Alternative from the Positive and Negative Ideal **Solutions**

The positive ideal distance (D^+) is the distance between the weighted values and the positive ideal solution (A^+) , which is calculated using equation 5. Meanwhile, the negative ideal distance (D^-) is determined by calculating the distance between the weighted values and the negative ideal solution (A⁻) using equation 6. The results of the positive and negative ideal solution distances are presented in Table 9.

| Table 9. Positive Ideal Distance Results | | | | | | | |
|------------------------------------------|--------------------------------|----------------------------------------|--|--|--|--|--|
| Alternativ | Positive Ideal Distance | Negative Ideal Distance | | | | | |
| e | $(\mathbf{D_{i}}^{+})$ | (D _i ⁻) | | | | | |
| A1 | 1.1428 | 1.2784 | | | | | |
| A2 | 0.8813 | 1.2026 | | | | | |
| A3 | 0.6374 | 1.2740 | | | | | |
| A4 | 1.2960 | 0.9193 | | | | | |
| A5 | 0.9839 | 1.3194 | | | | | |
| A6 | 1.4444 | 0.8341 | | | | | |
| A7 | 1.1369 | 1.1101 | | | | | |
| A8 | 1.4352 | 0.9570 | | | | | |
| A9 | 1.0665 | 1.3558 | | | | | |
| A10 | 0.9107 | 1.1953 | | | | | |
| A11 | 1.1782 | 1.1202 | | | | | |
| A12 | 1.0005 | 1.2814 | | | | | |

* Apprillia Yudha Pransiska



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.



Sinkron : Jurnal dan Penelitian Teknik Informatika Volume 8, Number 3, July 2023 DOI: https://doi.org/10.33395/sinkron.v8i3.12798

e-ISSN: 2541-2019 p-ISSN: 2541-044X

| A13 | 1.6245 | 0.3349 |
|-----|--------|--------|
| A14 | 1.0548 | 1.1604 |
| A15 | 1.5523 | 0.7072 |
| A16 | 1.3862 | 0.9941 |
| A17 | 1.2195 | 1.1927 |
| A18 | 1.3166 | 0.8517 |
| A19 | 1.1365 | 1.0946 |
| A20 | 1.7096 | 0.1325 |
| A21 | 1.1305 | 0.9900 |
| A22 | 1.1976 | 1.1133 |
| A23 | 1.1976 | 1.1133 |
| A24 | 0.9670 | 1.0462 |
| A25 | 1.5671 | 0.6962 |

Preference Value for Each Alternative

After determining the ideal positive and negative ideal distance values, the preference value of each alternative is calculated using equation 7. The results of calculating the preference value are shown in Table 10.

| Table 10. F | Preference Value |
|-------------|------------------|
| Alternativ | Preference |
| e | Value |
| A1 | 0.5280 |
| A2 | 0.5771 |
| A3 | 0.6665 |
| A4 | 0.4150 |
| A5 | 0.5728 |
| A6 | 0.3661 |
| A7 | 0.4940 |
| A8 | 0.4000 |
| A9 | 0.5597 |
| A10 | 0.5676 |
| A11 | 0.4874 |
| A12 | 0.5615 |
| A13 | 0.1709 |
| A14 | 0.5238 |
| A15 | 0.3130 |
| A16 | 0.4176 |
| A17 | 0.4944 |
| A18 | 0.3928 |
| A19 | 0.4906 |
| A20 | 0.0719 |
| A21 | 0.4669 |
| A22 | 0.4818 |
| A23 | 0.4818 |
| A24 | 0.5197 |
| A25 | 0.3076 |

After obtaining the preference value of each alternative, the ranking is determined based on the order of the preference value, from the largest to the smallest. The ranking results are shown in Table 11.





Sinkron : Jurnal dan Penelitian Teknik Informatika Volume 8, Number 3, July 2023 DOI : <u>https://doi.org/10.33395/sinkron.v8i3.12798</u>

| Table 11. Ranking Results | | |
|---------------------------|-------------|-------------------------|
| Ranking | Alternative | Preference Value |
| 1 | A3 | 0.6665 |
| 2 | A2 | 0.5771 |
| 3 | A5 | 0.5728 |
| 4 | A10 | 0.5676 |
| 5 | A12 | 0.5615 |
| 6 | A9 | 0.5597 |
| 7 | A1 | 0.5280 |
| 8 | A14 | 0.5238 |
| 9 | A24 | 0.5197 |
| 10 | A17 | 0.4944 |
| 11 | A7 | 0.4940 |
| 12 | A19 | 0.4906 |
| 13 | A11 | 0.4874 |
| 14 | A23 | 0.4818 |
| 15 | A22 | 0.4818 |
| 16 | A21 | 0.4669 |
| 17 | A16 | 0.4176 |
| 18 | A4 | 0.4150 |
| 19 | A8 | 0.4000 |
| 20 | A18 | 0.3928 |
| 21 | A6 | 0.3661 |
| 22 | A15 | 0.3130 |
| 23 | A25 | 0.3076 |
| 24 | A13 | 0.1709 |
| 25 | A20 | 0.0719 |

Table 11 shows the results of the alternative data ranking of prospective financial aid for underprivileged students recipients, which was carried out using the TOPSIS method. From the data results, the highest preference value (rank 1) is in the 3rd alternative (A3) with a score of 0.6665. While the lowest preference value (rank 25) is in the 20th alternative (A20) with a score of 0.0719. The results of this ranking can be used by the school to accurately and unbiasedly determine financial aid for underprivileged students beneficiary candidates.

DISCUSSIONS

This research has implemented a decision support system using the TOPSIS method to assist in determining recipients of financial aid for underprivileged students based on the criteria used. The purpose of this system is to ensure that the distribution of financial aid for underprivileged students funds is carried out objectively and on target. The result of this system is a ranking of the names of students who are eligible to receive financial aid for underprivileged students funds.

The use of the TOPSIS method in this study was limited to the application of formulations in the form of manual calculation results. It needs to be developed further to the stage of making the application so that it makes it easier for schools to use the TOPSIS method in implementing a decision support system for financial aid for underprivileged students beneficiary selection. The application of the TOPSIS method in this study can also be developed by adding other criteria that are deemed necessary according to user needs. In addition, it is necessary to distinguish which criteria are included in the benefit category and which criteria are included in the cost category. In terms of weighting criteria, besides using scale-based weighting, percentage-based weighting can also be done. Another alternative that can be taken in implementing a decision support system is to compare the TOPSIS method with other decision support system methods to obtain maximum results.

* Apprillia Yudha Pransiska



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

CONCLUSION

The TOPSIS method can be used in making decisions regarding financial aid for underprivileged students beneficiaries at SD Negeri 07 Rantau Selatan, Labuhanbatu Regency. After the analysis using the TOPSIS method is complete, the system can accurately determine whether or not students are eligible to get a financial aid for underprivileged students based on preference score rankings. Hopefully, this research contributes to helping determine students who are eligible to get financial aid for underprivileged students who are eligible to get financial aid for underprivileged students who are eligible to get financial aid for underprivileged students who are eligible to get financial aid for underprivileged students funds.

REFERENCES

- Akbar, R., & 'Uyun, S. (2021). Penentuan Bantuan Siswa Miskin Menggunakan Fuzzy Tsukamoto dengan Perbandingan Rule Pakar dan Decision Tree (Studi Kasus : SDN 37 Bengkulu Selatan). Jurnal Teknologi Informasi Dan Ilmu Komputer (JTIIK), 8(4), 651–662. https://doi.org/10.25126/jtiik.0813191
- Asrul, B. E. W., & Zuhriyah, S. (2021). Sistem Pendukung Keputusan Pendistribusian Air Bersih Menggunakan Mobil Tangki pada PDAM Kota Makassar dengan Menggunakan Metode TOPSIS. *Jurnal Teknologi Informasi Dan Ilmu Komputer*, 8(1), 35–40. https://doi.org/10.25126/jtiik.2020762630
- Cahyanu, E. T., Lestari, S. D., & Hermawan, H. (2019). Sistem Pendukung Keputusan Bagi Penerima Bantuan Siswa Miskin (FINANCIAL AID FOR UNDERPRIVILEGED STUDENTS) Menggunakan Metode Simple Additive Weighting (SAW) di SMA Negeri 1 Raren Batuah Kabupaten Barito Timur. *Journal of Applied Informatics and Computing (JAIC)*, 3(2), 114–118. https://doi.org/10.30871/jaic.v3i2.1752
- Firdonsyah, A., Warsito, B., & Wibowo, A. (2022). Comparative Analysis of SAW and TOPSIS on Best Employee Decision Support System. SinkrOn, 7(3), 1067–1077. https://doi.org/10.33395/sinkron.v7i3.11475
- Firgiawan, W., Zulkarnaim, N., & Cokrowibowo, S. (2020). A Comparative Study using SAW, TOPSIS, SAW-AHP, and TOPSIS-AHP for Tuition Fee (UKT). *IOP Conference Series: Materials Science and Engineering*, 875(1). https://doi.org/10.1088/1757-899X/875/1/012088
- Gil, M., Wróbel, K., Montewka, J., & Goerlandt, F. (2020). A bibliometric analysis and systematic review of shipboard Decision Support Systems for accident prevention. *Safety Science*, *128*(July 2019), 104717. https://doi.org/10.1016/j.ssci.2020.104717
- Handayani, R. I., Normah, N., & Wironoto, D. (2021). TOPSIS method application in choosing the Most-Sale POS cashier machines and tools. *SinkrOn*, *6*(1), 1–12. Retrieved from https://jurnal.polgan.ac.id/index.php/sinkron/article/view/10898
- Kristiana, T. (2018). Sistem Pendukung Keputusan Dengan Menggunakan Metode TOPSIS Untuk Pemilihan Lokasi Pendirian Grosir Pulsa. *Paradigma*, *XX*(1), 8–12.
- Muzakkir, I. (2017). Penerapan Metode TOPSIS untuk Sistem Pendukung Keputusan Penentuan Keluarga Miskin pada Desa Panca Karsa II. *ILKOM Jurnal Ilmiah*, 9(3), 274–281. https://doi.org/10.33096/ilkom.v9i3.156.274-281
- Nalatissifa, H., & Ramdhani, Y. (2020). Sistem Penunjang Keputusan Menggunakan Metode Topsis Untuk Menentukan Kelayakan Bantuan Rumah Tidak Layak Huni (RTLH). *MATRIK : Jurnal Manajemen, Teknik Informatika Dan Rekayasa Komputer, 19*(2), 246–256. https://doi.org/10.30812/matrik.v19i2.638
- Nata, A., & Apridonal, Y. (2020). Kombinasi Metode AHP dan MFEP dalam Upaya Meningkatkan Kualitas Penerima Bantuan Siswa Miskin. *JURTEKSI (Jurnal Teknologi Dan Sistem Informasi)*, 6(2), 179–186. https://doi.org/10.33330/jurteksi.v6i2.597
- Nazar, M. A. (2022). Penerapan Metode TOPSIS untuk Penentuan Pemberian Beasiswa Bantuan Siswa Miskin. *Cyberarea.Id*, 2(4), 1–11.
- Nurelasari, E., & Purwaningsih, E. (2020). Sistem Pendukung Keputusan Pemilihan Perumahan Terbaik dengan Metode TOPSIS. *JUSTIN: Jurnal Sistem Dan Teknologi Informasi*, 08(4), 317–321. https://doi.org/10.26418/justin.v8i4.41036
- Putri, K. D., Juledi, A. P., & Munthe, I. R. (2023). Perancangan Aplikasi SPK Penerimaaan Tenaga



Kerja Honorer dengan Menggunakan Metode MAUT. *MEANS (Media Informasi Analisa Dan Sistem)*, 8(1).

- Rajagukguk, D. M. (2019). Rekomendasi Penerima Bantuan Siswa Miskin (FINANCIAL AID FOR UNDERPRIVILEGED STUDENTS) dengan Metode Simple Additive Weighting (SAW). Studi Kasus: SMP N 1 Lintongnihuta. JUKI: Jurnal Komputer Dan Informatika, 1(2), 51–58. https://doi.org/10.53842/juki.v1i2.17
- Riandari, F., Hasugian Marto, P., & Taufik, I. (2017). Sistem Pendukung Keputusan Menggunakan Metode TOPSIS Dalam Memilih Kepala Departemen Pada Kantor Balai Wilayah Suangai Sumatera II Medan. *Journal Of Informatic Pelita Nusantara*, 2(1), 6–13.
- Santiary, P. A. W., Ciptayani, P. I., Saptarini, N. G. A. P. H., & Swardika, I. K. (2018). Sistem Pendukung Keputusan Penentuan Lokasi Wisata dengan Metode TOPSIS. Jurnal Teknologi Informasi Dan Ilmu Komputer (JTIIK), 5(5), 621–628. https://doi.org/10.25126/jtiik2018551120
- Somya, R., & Wardoyo, R. (2019). Perancangan Sistem Pendukung Keputusan Seleksi Asisten Dosen Menggunakan Kombinasi Metode Profile Matching dan TOPSIS Berbasis Web Service. *Khazanah Informatika : Jurnal Ilmu Komputer Dan Informatika*, 5(1), 44–50. https://doi.org/10.23917/khif.v5i1.7924
- Syaifuddin, Solikhin, & Riyanto, E. (2022). Aplikasi untuk Mencari Kelayakan Siswa Penerima Bantuan Pendidikan dengan Metode Simple Additive Weighting (Studi Kasus: SMK NU Ma'arif 2 Kudus). Jurnal Teknologi Informasi Dan Ilmu Komputer (JTIIK), 9(1), 41–50. https://doi.org/10.25126/jtiik.2021864023
- Winata, H., Marsono, M., & Nasyuha, A. H. (2018). Sistem Pendukung Keputusan Untuk Menentukan Kelayakan Penerima Bantuan Siswa Miskin (FINANCIAL AID FOR UNDERPRIVILEGED STUDENTS) Pada SD Negeri 8 Bintang Menggunakan Metode Technique for Order Preference by Similarity to Ideal Solution (TOPSIS). Sains Dan Komputer (SAINTIKOM), 17(2), 198–205. https://doi.org/10.53513/jis.v17i2.44

